(19) World Intellectual Property Organization. International Bureau





(43) International Publication Date 12 July 2001 (12.07.2001)

PCT

(10) International Publication Number WO 01/49721 A2

- (51) International Patent Classification?: C07K 14/195, C12N 15/31, G01N 33/68, C12Q 1/68, A61K 48/00, 38/16, G01N 33/50
- (21) International Application Number: PCT/US00/35604
- (22) International Filing Date:

29 December 2000 (29.12.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/174,089

30 December 1999 (30.12.1999) US

- (71) Applicant (for all designated States except US): BRIS-TOL-MYERS SQUIBB COMPANY [US/US]; P.O. Box 4000, Lawrenceville-Princeton Road, Princeton, NJ 08543-4000 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DOUGHERTY, Thomas, J. [US/US]; 791 Ives Row, Cheshire, CT 06410 (US). PUCCI, Michael, J. [US/US]; 182 Stocking Brook Road, Kensington, CT 06037 (US). DOUGHERTY, Brian, A. [US/US]; 10 Rosemary Lane, Killingworth, CT 06419 (US). DAVISON, Daniel, B. [US/US]; 37 Marks Court, Branford, CT 06405 (US). BRUCCOLERI,

Robert, E. [US/US]; 105 Corine Drive, Pennington, NJ 08543 (US). THANASSI, Jane, A. [US/US]; 552 Woodhouse Avenue, Wallingford, CT 06492 (US).

- (74) Agents: SHER, Audrey; Bristol-Myers Squibb Company, P.O. Box 4000, Lawrenceville-Princeton Road, Princeton, NJ 08543-4000 et al. (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

01/49721 A2

(54) Title: NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL FOR CELL VIABILITY AND THEIR USES

NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL FOR CELL VIABILITY AND THEIR USES

Throughout this application various publications are referenced. The disclosures of these publications in their entireties are hereby incorporated by reference into this application in order to more fully describe the state of the art to which this invention pertains.

FIELD OF THE INVENTION

15

5

The present invention relates generally to nucleotide sequences, and polypeptides encoded by the sequences, that are essential for bacterial viability, and to methods of using the nucleotide and polypeptide sequences.

20 BACKGROUND OF THE INVENTION

Bacterial genera, such as Streptococcus, Staphylococcus, Pseudomonas, Yersinia, Salmonella, and Enterobacter, are the cause of numerous afflictions in humans and animals. Bacterial infection can lead to serious health conditions, including pneumonia, osteomyelitis, meningitis, sinusitis, otitis, cystitis, and even food poisoning. Typically, these infections can be treated with standard antimicrobial agents such as antibiotics. However, the emergence of pathogenic bacterial strains that are resistant to antibiotics has risen alarmingly in the past two decades. This situation has created an urgent need for the development of new antimicrobial agents.

30

25

One strategy for developing new antimicrobial agents is to identify bacterial gene sequences that encode gene products that are essential for bacterial cell viability and

develop and/or identify agents which inhibit the function of the gene product. DNA sequencing technology has advanced from sequencing one gene at a time to sequencing entire genomes, the sum of all genes in an organism. With the recent arrival of bacterial genomic information, it is now possible to compare multiple bacterial genomes in an attempt to identify genes that encode conserved gene products. In this manner, one skilled in the art may identify a set of conserved bacterial genes, including a subset of genes that are essential for bacterial cell viability. The essential gene is then used as a starting point to develop therapeutic agents that inhibit or inactivate the product of the essential gene.

10

15

5

The availability of DNA sequence information for multiple microbial genomes is a recent development. The public release of the first complete genome, *Haemophilus influenzae* (Fleischmann, R.D., et al. 1995 *Science* 269:496-512), was followed in rapid succession by a number of public and private genome sequencing programs. Presently, some 20 completely sequenced bacterial genomes have been published, and over 100 other sequencing projects are underway (Blattner, F.R., et al., 1997 *Science* 277:1453-74; Ferretti, J.J., et al., 1997 *Adv Exp Med Biol* 418:961-963; Koonin, E.V., et al., 1996 *Methods Enzymol* 266:295-322). Analyses of these data indicate that approximately 46% of putative bacterial genes are of unknown function having no attributable function.

20

25

30

Others have pursued various strategies to identify bacterial genes that are essential for viability. These strategies include: identifying genes that are expressed by the bacteria when present in the infected host (Hensel, M., et al., 1995 Science 269:400-3), identifying essential genes by isolating temperature sensitive mutants (Schmid, M.B., et al., 1998 Curr Opin Chem Biol 2:529-34), and identifying genes in pathways known from prior physiological studies to be essential (Skarzynski, T. et al., 1996 Structure 1996 4:1465-74)

There continues to be a need to identify bacterial genes that encode gene products that are essential for cell viability, such as cell replication, growth, and survival. These genes and their encoded gene products can be used as a starting point towards identifying agents

that inhibit functions essential for cell viability, thereby causing bacterial cell stasis or death (e.g., antibacterial agents).

The present invention provides experimental identification of novel, conserved essential genes (ceg) from bacteria and their encoded protein products. The ceg genes are considered essential to cell viability because disruption of an endogenous ceg gene results in lethality of a bacterial cell (e.g., as determined by failure to recover viable chloramphenicol-resistant colonies, as described herein). Thus, the gene products encoded by these genes are potentially valuable targets for chemotherapeutic intervention of bacterial infections.

The ceg nucleotide sequences of the invention were obtained by large-scale computational comparisons of multiple genome sequences to identify conserved protein coding regions, followed by gene disruption to identify cegs. The conservation of protein sequences in many cases is believed to reflect the higher level conservation of common biochemical pathways essential for bacterial function and viability.

SUMMARY OF THE INVENTION

5

10

15

30

The acronyms "CEG" and "ceg" stand for Conserved Essential Gene. For convenience, the italicized term ceg refers herein to ceg nucleotide sequences. The capitalized term CEG refers herein to CEG polypeptide sequences.

Embodiments of the *ceg* nucleotide sequences and the CEG polypeptide sequences are

designated CFEs which stands for <u>CEG For Expression</u>. The CFEs are polypeptides resulting from expression of the *ceg* nucleotide sequence.

The present invention provides isolated nucleotide sequences of conserved essential genes from bacteria, designated *ceg*. The invention also provides recombinant nucleic acid molecules including the *ceg* sequences of the invention, and methods of uses thereof. Examples of nucleic acid molecules having *ceg* sequences are described in SEQ ID

NOS.: 1-113. The invention further provides isolated polypeptides and recombinant polypeptides having the CEG sequences of the invention, and methods of uses thereof. Examples of polypeptides having CEG sequences are described in SEQ ID NOS.:114-226.

5

The ceg sequences of the present invention are DNA or RNA. Further, the invention includes nucleic acid molecules that are identical or nearly identical (e.g., similar) with the ceg sequences of the invention. The invention additionally provides polynucleotide sequences that hybridize under stringent conditions to the ceg sequences of the invention.

10 A further embodiment provides polynucleotide sequences which are complementary to the ceg sequences of the invention. Yet another embodiment provides ceg nucleic acid molecules that are labeled with a detectable marker. Another embodiment provides recombinant nucleic acid molecules, such as a vector or a fusion molecule, including the ceg sequences of the invention.

15

30

The present invention provides various ceg sequences, fragments thereof having essential gene activity, and related molecules such as antisense molecules, oligonucleotides, peptide nucleic acids (PNA), fragments, and portions thereof.

- The present invention relates to the inclusion of the polynucleotides encoding CEG gene products, such as CEG polypeptides, in an expression vector which can be used to transform host cells or organisms. Such transgenic hosts are useful for the production of CEG gene products for the development of antibacterial agents such as antibiotics.
- 25 The invention further provides substantially purified CEG gene products, and uses thereof.

The invention also relates to pharmaceutical compositions comprising antisense molecules capable of disrupting expression of *ceg* sequences, agonists, antagonists or inhibitors of CEG gene products, and antibodies reactive against the CEG polypeptides.

These compositions are useful for preventing the growth or survival of bacteria, for example, in the treatment of conditions associated with bacterial infections.

BRIEF DESCRIPTION OF THE FIGURES

5

20

30

- Figure 1: A schematic representation of the gene disruption assay, as described in Example 3, *infra*. A) A recombinant vector undergoing homologous recombination with the host genome. B) The result of homologous recombination.
- Figure 2: A schematic representation of the polarity test for operons, as described in Examples 2 and 3, *infra*. A) The recombinant vector undergoing homologous recombination with the host genome. B) Case 1: one possible result of homologous recombination; the downstream Gene B has an independent promoter. C) Case 2; another possible result of homologous recombination; the downstream Gene B does not have an independent promoter.
 - Figure 3: Purification of 2CFE 75, as described in Example 6, *infra*. A) Fractionation profile of 2CFE 75 eluted from a Ni-NTA column. B) Gel electrophoresis of pooled fractions of CFE 75. C) Non-denaturing gel electrophoresis to determine oligo form of 2CFE 75.
 - Figure 4: Fractionation profile of 2CFE 3 eluted from a hydroxyapatite column, as described in Example 7, *infra*.
- 25 Figure 5: The biosynthesis pathway of Coenzyme A which starts with phosphorylation of pantothenate.
 - Figure 6: Circular dichroism spectra of 2CFE 101 and 103, as described in Example 10, infra. A) Circular dichroism spectra of 2CFE 101 and 103 at 25 degrees C. B) Circular dichroism thermal melt spectra of 2CFE 101 and 103 at a range of zero to 100 degrees C.

Figure 7: Circular dichroism spectra of aggregate and monomer pools of 2CFE 101 and 103, as described in Example 10, *infra*. A) Circular dichroism spectra of aggregate and monomer pools of 2CFE 101 and 103 at 25 degrees C. B) Circular dichroism thermal melt spectra of aggregate and monomer pools of 2CFE 101 and 103 at a range of zero to 100 degrees C.

5

Figure 8: Absorbance spectra of pantothenate-dependent production of ADP, as described in Example 10, *infra*.

Figure 9: The results of size exclusion chromatography and gel electrophoresis showing the oligomeric forms of 2CFE 21 and 39, as described in Example 11, *infra*. Lanes 1-6 contain 2CFE 21, lane 7 is a molecular weight marker, lanes 8-10 contain 2CFE 39.

Figure 10: Gel electrophoresis of a helicase reaction using 2CFE 21 and 39 and radiolabeled synthetic Holliday Junction template, as described in Example 11, *infra*. Lane 1 contains the synthetic Holliday Junction template; lane 2 contains the synthetic duplex; lane 3 contains a single-stranded template; lane 4 contains the helicase reaction using 2CFE 39; lane 5 contains the helicase reaction using 2CFE 21; lanes 6-8 contain the helicase reaction using 2CFE 39 and 21 at varying concentrations (e.g., 1, 2, and 3 μ M each); and lane 9 contains the helicase reaction using 2 μ M each 2CFE 39 and 21 in the presence of ethidium bromide.

20

15

Figure 11: A graph depicting the results of the helicase reaction which were monitored by measuring the unquenching of the Holliday Junction templates with time, as described in Example 11, *infra*.

25

Figure 12: Capillary electrophoresis results of 2CFE 8 with and without ssDNA, as described in Example 12, *infra*. A) Electropherogram of 2CFE 8 alone. B) Electropherogram of 2CFE 8 in the presence of a 32-nucleotide single-stranded oligomer.

Figure 13: Gel mobility shift assay of 2CFE 8, and 2CFE 8 in the presence of a single-stranded 32-mer, as described in Example 12, *infra*. A) An ethidium bromide-stained,

native, polyacrylamide gel containing 2CFE 8, and 2CFE 8 in the presence of a 32-mer. B) The same native, polyacrylamide gel stained with Coomassie.

Figure 14: The N-acetyl glucosamine pathway putatively mediated by 2CFE 3 and 2CFE 86, as described in Example 13, *infra*.

- Figure 15: Capillary electrophoresis results of 2CFE 3 with and without putative substrates, as described in Example 13, *infra*.. A) Electropherogram of 2CFE 3 with and without glucosamine-1-phosphate. B) Electropherogram of 2CFE 3 with and without D-glucose-1-phosphate. C) Electropherogram of 2CFE 3 alone, 2CFE 3 and glucose-1-phosphate, and 2CFE 3 and glucose-6-phosphate. D) Electropherogram of 2CFE 3 alone or in the presence of glucosamine-1-phosphate, glucosamine-6-phosphate, D-glucose, D(+) galactose, and α-D-glucose-1-phosphate.
- Figure 16: Capillary electrophoresis results of FITC-derivitized 2CFE 3 polypeptide with and without D-glucosamine-6-phosphate (substrate) to produce the product D-glucosamine-1-phosphate, using laser-induced fluorescence, as described in Example 13, *infra*. Electropherogram of D-glucosamine-6-phosphate (putative substrate), 2CFE 3 reacted with D-glucosamine-6-phosphate, and the product glucosamine-1-phhosphate.

Figure 17: Gel electrophoresis of 2CFE 86 eluted from an Ni-NTA column, as described in Example 13, *infra*.

Figure 18: HPLC analysis of a coupled reaction including 2CFE 3, 2CFE 86, and D-glucosamine-6-phosphate to produce the product, UDP-N-acetylglucosamine-1-phosphate (UDPAG), as described in Example 13, *infra*.

Figure 19: A fatty acid biosynthesis pathway.

10

Figure 20: Size exclusion chromatography to determine the molecular weight and oligomeric form of 2CFE 34, as described in Example 14, *infra*.. Selected eluted samples were sized by gel electrophoresis.

- Figure 21: Gel electrophoresis of 2CFE 41 eluted from a Ni-NTA column, as described in Example 15, infra.
 - Figure 22: Capillary electrophoresis results of 2CFE 40, 41, and 46, as described in Example 15, *infra*.

Figure 23: Depicts a schematic diagram of a ligand which binds 2CFE 34. The ligand is 2-phenyl-N-(3 corboxyl-4hydroxyphenyl) azabicyclo [4.3.0] nona-2, 8-diene.

Figure 24: Depicts a schematic diagram of a ligand which binds 2CFE 43. The ligand is N(3, 5-dinitrobenzyl)-7-trifluoromethyl benza diaza furanolactone.

10

25

- Figure 25: Depicts a schematic diagram of a ligand which binds 2CFE 43. The ligand is 2-amino (N-para-methylphenyl sulfonamide)-3-phenylpropianic acid.
- Figure 26: A nucleic acid sequence of 2CFE1 deposited with the American Type Culture Collection as ATCC designation ______ on December 20, 2000.
 - Figure 27: A nucleic acid sequence of 2CFE2 deposited with the American Type Culture Collection as ATCC designation ______ on December 20, 2000.

Figure 28: A nucleic acid sequence of 2CFE3 deposited with the American Type Culture Collection as ATCC designation ______ on December 20, 2000.

Figure 29: A nucleic acid sequence of 2CFE4 deposited with the American Type Culture


Collection as ATCC designation ______ on December 20, 2000.

	Figure 30: A nucleic acid sequence of 2CFE5 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
5	Figure 31: A nucleic acid sequence of 2CFE6 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 32: A nucleic acid sequence of 2CFE7 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
10	
	Figure 33: A nucleic acid sequence of 2CFE8 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 34: A nucleic acid sequence of 2CFE9 deposited with the American Type Culture
15	Collection as ATCC designation on December 20, 2000.
	Figure 25. A
	Figure 35: A nucleic acid sequence of 2CFE10 deposited with the American Type Culture
,	Collection as ATCC designation on December 20, 2000.
20	Figure 36. A nucleic said convenes of 20001111
	Figure 36: A nucleic acid sequence of 2CFE11 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 37: A nucleic acid sequence of 2CFE12 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
25	on Beccine 20, 2000.
	Figure 38: A nucleic acid sequence of 2CFE13 deposited with the American Type Culture
•	Collection as ATCC designation on December 20, 2000.
	Figure 39: A nucleic acid sequence of 2CFE14 deposited with the American Type Culture
30	Collection as ATCC designation on December 20, 2000.

	Figure 40: A nucleic acid sequence of 2CFE15 deposited with the American Type Culture
•	Collection as ATCC designation on December 20, 2000.
	Figure 41: A nucleic acid sequence of 2CFE16 deposited with the American Type Culture
5	Collection as ATCC designation on December 20, 2000.
	Figure 42: A nucleic acid sequence of 2CFE17 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
10	Figure 43: A nucleic acid sequence of 2CFE19 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 44: A nucleic acid sequence of 2CFE21 deposited with the American Type Culture
15	Collection as ATCC designation on December 20, 2000.
	Figure 45: A nucleic acid sequence of 2CFE24 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 46: A nucleic acid sequence of 2CFE25 deposited with the American Type Culture
20	Collection as ATCC designation on December 20, 2000.
	Figure 47: A nucleic acid sequence of 2CFE26 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
25.	Figure 48: A nucleic acid sequence of 2CFE27 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 49: A nucleic acid sequence of 2CFE28 deposited with the American Type Culture
30	Collection as ATCC designation on December 20, 2000.
	·

	Figure 50: A nucleic acid sequence of 2CFE29 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 51: A nucleic acid sequence of 2CFE30 deposited with the American Type Culture
5	Collection as ATCC designation on December 20, 2000.
	Figure 52: A nucleic acid sequence of 2CFE31 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	on Bootmool 20, 2000.
10	Figure 53: A nucleic acid sequence of 2CFE32 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 54: A nucleic acid sequence of 2CFE33 deposited with the American Type Culture
15	Collection as ATCC designation on December 20, 2000.
13	Figure 55. A nucleic acid segmence of 2CVE24 demarks 1 and 1
	Figure 55: A nucleic acid sequence of 2CFE34 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
	on December 20, 2000.
	Figure 56: A nucleic acid sequence of 2CFE35 deposited with the American Type Culture
20	Collection as ATCC designation on December 20, 2000.
	Figure 57: A nucleic acid sequence of 2CFE36 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
25	Figure 58: A pyoloio goid goggenera - 62000007 1
	Figure 58: A nucleic acid sequence of 2CFE37 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 59: A nucleic acid sequence of 2CFE38 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
30	

	Figure 60: A nucleic acid sequence of 2CFE39 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 61: A nucleic acid sequence of 2CFE40 deposited with the American Type Culture
5	Collection as ATCC designation on December 20, 2000.
	Figure 62: A nucleic acid sequence of 2CFE41 deposited with the American Type Culture
•	Collection as ATCC designation on December 20, 2000.
10	Figure 63: A nucleic acid sequence of 2CFE42 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 64: A nucleic acid sequence of 2CFE43 deposited with the American Type Culture
15	Collection as ATCC designation on December 20, 2000.
٠.	Figure 65: A nucleic acid sequence of 2CFE44 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
20	Figure 66: A nucleic acid sequence of 2CFE45 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
	Figure 67: A nucleic acid sequence of 2CFE46 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
25	Figure 68: A nucleic acid sequence of 2CFE47 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 69: A nucleic acid sequence of 2CFE48 deposited with the American Type Culture
30	Collection as ATCC designation on December 20, 2000.






	Figure 90: A nucleic acid sequence of 2CFE70 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 91: A nucleic acid sequence of 2CFE71 deposited with the American Type Culture
5	Collection as ATCC designation on December 20, 2000.
	Figure 92: A nucleic acid sequence of 2CFE72 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
10	Figure 93: A nucleic acid sequence of 2CFE75 deposited with the American Type Culture
•	Collection as ATCC designation on December 20, 2000.
	Figure 94: A nucleic acid sequence of 2CFE76 deposited with the American Type Culture
15	Collection as ATCC designation on December 20, 2000.
13	Figure 95: A nucleic acid sequence of 2CFE78 deposited with the American Type Culture
-	Collection as ATCC designation on December 20, 2000.
	Figure 96: A nucleic acid sequence of 2CFE79 deposited with the American Type Culture
- 20	Collection as ATCC designation on December 20, 2000.
	Figure 97: A nucleic acid sequence of 2CFE80 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
25	Figure 98: A nucleic acid sequence of 2CFE81 deposited with the American Type Culture
	Collection as ATCC designation on December 20, 2000.
	Figure 99: A nucleic acid sequence of 2CFE82 deposited with the American Type Culture
30	Collection as ATCC designation on December 20, 2000.




	Figure 110: A nucleic acid sequence of 2CFE94 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
	Figure 111: A nucleic acid sequence of 2CFE95 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
	Figure 112: A nucleic acid sequence of 2CFE96 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
. 10	Figure 113: A nucleic acid sequence of 2CFE97 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
15	Figure 114: A nucleic acid sequence of 2CFE99 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000. Figure 115: A nucleic acid sequence of 2CFE101 deposited with the American Type
20	Culture Collection as ATCC designation on December 20, 2000. Figure 116: A nucleic acid sequence of 2CFE102 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
	Figure 117: A nucleic acid sequence of 2CFE103 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
25	Figure 118: A nucleic acid sequence of 2CFE104 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
. 30	Figure 119: A nucleic acid sequence of 2CFE105 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.

Figure 120: A nucleic acid sequence of 2CFE106 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 121: A nucleic acid sequence of 2CFE107 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 122: A nucleic acid sequence of 2CFE108 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 123: A nucleic acid sequence of 2CFE109 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 124: A nucleic acid sequence of 2CFE111 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 125: A nucleic acid sequence of 2CFE112 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 126: A nucleic acid sequence of 2CFE113 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 127: A nucleic acid sequence of 2CFE114 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 128: A nucleic acid sequence of 2CFE115 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.
Figure 129: A nucleic acid sequence of 2CFE116 deposited with the American Type Culture Collection as ATCC designation on December 20, 2000.

Figure 130: A nucleic acid sequence of 2CFE117 deposited with the American Type Culture Collection as ATCC designation ______ on December 20, 2000.

Figure 131: Schematic structures of alkyloids which are ligands, for example, of 2CFE42.

5

DETAILED DESCRIPTION OF THE INVENTION

Definitions

All scientific and technical terms used in this application have meanings commonly used in the art unless otherwise specified. As used in this application, the following words or phrases have the meanings specified.

As used herein, a ceg nucleic acid molecule is said to be "isolated" when the nucleic acid molecule is substantially separated from contaminant nucleic acid molecules that encode polypeptides other than CEGs. Additionally, isolated nucleic acid molecule refers to any RNA or DNA sequence obtained from a natural source, or constructed by recombinant methods, or synthesized. A skilled artisan can readily employ nucleic acid isolation procedures to obtain an isolated nucleic acid molecule having ceg sequences.

20

25

30

15

The term "ceg" includes all isolated forms of ceg nucleotide and CEG amino acid sequences disclosed herein. The ceg sequences encode gene products that have essential biological functions in bacterial cells, such as, for example, nucleotide biosynthesis, amino acid biosynthesis, DNA replication, RNA transcription, protein translation, DNA recombination, DNA repair, biosynthesis of cofactors (e.g., Coenzyme A), biosynthesis of prosthetic groups, cellular processes (e.g., chaperones, cell division, and polypeptide secretion), energy metabolism (e.g., pentose phosphate pathway, glycolysis, gluconeogenesis), fatty acid biosynthesis, cell wall biosynthesis, and/or biosynthesis of purines, pyrimidines, nucleosides, and nucleotides. Accordingly, the gene products of the ceg nucleotide sequences are required for viability of bacterial cells. The term "ceg" also includes variants having nucleotide sequence similarity to the disclosed ceg sequences,

including sequences isolated from various bacterial genera and species, allelic variants, mutant variants, and ceg variants that encode conservative and non-conservative amino acid substitutions. The present invention also provides for all ceg sequences generated by recombinant DNA technology, including complementary sequences, ceg sequences that hybridize to the sequences of the invention at high stringency hybridization conditions, fusion genes comprising a ceg sequence, and codon usage variants.

The term "essential genes" refers to a nucleotide sequence that encodes a gene product having a function which is required for cell viability. The term "essential protein" refers to a polypeptide that is encoded by an essential gene and has a function that is required for cell viability. Accordingly, a mutation that disrupts the function of the essential gene or essential proteins results in a loss of viability of cells harboring the mutation.

10

25

30

"Non-essential genes" or "non-essential proteins" refer to genomic information or the

15 protein(s) or RNAs encoded therefrom which, when disrupted by a mutation, do not result in a loss of viability of cells harboring said mutation under defined laboratory conditions.

As used herein, a nucleotide sequence is said to be "identical" to another reference sequence when both nucleotide sequences are exactly alike.

As used herein, a nucleotide sequence is said to be "similar" to another reference sequence when a comparison of the two sequences shows that they have a low level of sequence differences. For example, two sequences are considered to be similar to each other when the percentage of nucleotides that are shared between the two sequences is between about 70 % to 99.99% over the entire length of the two sequences.

As used herein an amino acid sequence is said to be "similar" to another reference sequence when a comparison of the two sequences shows that they have a low level of sequence differences. For example, two sequences are considered to be similar to each

other when the percentage of amino acids that are shared between the two sequences may be between about 30% to 100% identity over the entire length of the two sequences.

As used herein, an "allele" or "allelic sequence" is an alternative form of the naturally-occurring ceg sequence. Alleles result from a mutation, that changes the nucleotide sequence, and generally produce altered mRNAs or polypeptides whose structure or function may or may not be altered.

"Substantially purified" as used herein means a specific isolated nucleic acid or protein, or fragment thereof, in which substantially all contaminants (i.e. substances that differ from said specific molecule) have been separated from said nucleic acid or protein.

In a host cell, an "endogenous" sequence as used herein means a nucleic acid sequence that is naturally-occurring and resides within the host genome.

15

5

In a host cell, an "exogenous" sequence as used herein means an isolated nucleic acid sequence that is introduced into the host cell, using any one of a variety of introduction methods, such as transfection, electroporation, cationic lipid or salt treatment methods.

20 "Knockout mutant" or "knockout mutation" as used herein refers to an in vitro engineered disruption of a region of endogenous chromosomal DNA (e.g., disruption of the genome), typically within a protein coding region. A knockout mutation can be generated by inserting an exogenous DNA sequence into the homologous endogenous sequence. A knockout mutation occurring in a protein coding region is expected to disrupt normal expression of the protein coding region. This usually leads to loss of the function provided by the protein.

In order that the invention herein described may be more fully understood, the following description is set forth.

30

A) MOLECULES OF THE INVENTION

1.) CEG NUCLEIC ACID MOLECULES

- The present invention provides isolated and recombinant ceg nucleic acid molecules and fragments thereof, and related molecules, such as sequences complementary to ceg sequences or a portion thereof, and those that hybridize to the nucleic acid molecules of the invention.
- The ceg polynucleotide sequences, also referred to herein as nucleic acid molecules of the invention, are preferably in isolated form, including DNA, RNA, DNA/RNA hybrids, and related molecules, and fragments thereof. Specifically contemplated are genomic DNA, ribozymes, and antisense molecules, as well as nucleic acid molecules based on an alternative backbone or including alternative bases, whether derived from natural sources or synthesized. Embodiments of particular ceg polynucleotide and amino acid sequences include, but are not limited to, the sequences described in Tables I and II (e.g., SEQ ID NOS:1-113, 114-226 and SEQ ID NOS: 227-339, 340-452, respectively). The ceg polynucleotide and amino acid sequences were designated cfe which stands for CEG For Expression.

20

Biological samples of the 2CFE nucleic acid molecules (e.g., SEQ ID NOS: 227-331) were deposited on December 20, 2000 with the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209.

TABLE I

Nucleotide)	(Polypeptide)	POLARITY
1	114	
2	115	
3	116	
4	117	
5	110	+
		-
	1 2 3 4 5 6	3 116

TABLE I

CFE Designation	SEQ. ID NO.	SEQ. ID NO.	POLARITY
	(Nucleotide)	(Polypeptide)	
CFE 7	7	120	-
CFE 8	8	121	+
CFE 9	- 9	122	+
CFE 10	10	123	+
CFE 11	11	124	+
CFE 12	. 12	125	+
CFE 13	13	126	<u>-</u> -
CFE 14	14	127	+
CFE 15	15	128	
CFE 16	16	129	
CFE 17	17	130	
CFE 19	18	131	+
CFE 21	19	132	
CFE 24	20	133	
CFE 25	· 21	134	
CFE 26	22	135	+.
CFE 27	23	136	
CFE 28	24	137	+ -
CFE 29	25	138	
CFE 30	26	139	
CFE 31	27	140	
CFE 32	28	141	
CFE 33	29	142	+
CFE 34	30	143	
CFE 35	31	144	+ +
CFE 36	32	145	
CFE 37	33	146	+
CFE 38	34	147	
CFE 39	35	148	+ ·
CFE 40	36	149	
CFE 41	37	150	-
CFE 42	38		-
CFE 43	39	151	<u> </u>
CFE 44	40	152	<u>-</u>
CFE 45	41	153	+
CFE 46	42	154	-
	76	. 155	-

TABLE I

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO.	POLARITY
CFE 47		(Polypeptide)	
CFE 48	43	156	
CFE 49	44	157	
	45	158	+
CFE 50	46	159	+
CFE 51	47	160	+
CFE 52	48	161	-
CFE 53	49	162	+
CFE 54	. 50	163	+
CFE 55	51	164	+
CFE 56	52	165	+
CFE 57	53	166	+
CFE 58	54	167	+
CFE 59	55	168	-
CFE 60	56	169	+
CFE 61	57	170	+
CFE 62	58	171	
CFE 63	59	172	-
CFE 64	60	173	+
CFE 65	61	174	+
CFE 66	62	175	+
CFE 67	63	176	+
CFE 68	64	177	
CFE 69	65	178	<u>,</u> +
CFE 70	66	179	+
CFE 71	67	180	
CFE 72	68	181	
CFE 73	69	182	+
CFE 74	70	183	- <u>'</u>
CFE 75	71	184	
CFE 76	72	185	+ :
CFE 77	73	186	
CFE 78	74	187	+
CFE 79	75	188	
CFE 80	76	189	
CFE 81	. 77 .	190	+
CFE 82	78	191	

TABLE I

CFE Designation	SEQ. ID NO.	SEQ. ID NO.	POLARITY
	(Nucleotide)	(Polypeptide)	2 Ozmai i
CFE 83	79	192	
CFE 84	80	193	
CFE 85	81	194	·-
CFE 86	82	195	
CFE 87	83	196	
CFE 88	84	197	
CFE 89	85	198	+
CFE 90	86	199	+
CFE 91	87	200	T
CFE 92	88	201	
CFE 93	89	202	+
CFE 94	90	203	+
CFE 95	91	204	+
CFE 96	92	205	
CFE 97	93	206	+
CFE 98	94	207	
. CFE 99	95	208	+
CFE 100	. 96	209	+
CFE 101	97	210	
CFE 102	98	211	+
CFE 103	. 99	212	
CFE 104	100	213	+
CFE 105	101	214	<u> </u>
CFE 106	102	215	
CFE 107	103	216	
CFE 108	104	217	+
CFE 109	105	218	
CFE110	106	219	
CFE 111	. 107	220	+
CFE 112	108	221	
CFE 113.	109	222	
CFE 114	110 .	223	
CFE 115	111	224	· · ·
CFE 116	112	225	-
CFE 117	113	226	

TABLE II

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	FIGURE
2CFE 1		(2 oly peptide)	76
2CFE 2		·	26
2CFE 3			27
2CFE 4			28
2CFE 5			29
2CFE 6		· · · · · · · · · · · · · · · · · · ·	30
2CFE 7			31
2CFE 8			32
2CFE 9			33
2CFE 10			34
2CFE 11			35
2CFE 12			36
2CFE 13			. 37
2CFE 14		· · · · · · · · · · · · · · · · · · ·	38
2CFE 15.			39
2CFE 16			40
2CFE 17			41 .
2CFE 19	· .		42
2CFE 21			43
2CFE 24			44
2CFE 25			45
2CFE 26		·	46
2CFE 27			47
2CFE 28	<u>'</u>		48
2CFE 29			49
2CFE 30			50
2CFE 31			51
2CFE 32			52
2CFE 33	<u> </u> -		53
2CFE 34			54
2CFE 35			55
2CFE 36			56
2CFE 37		·	57
2CFE 38			58
2CFE 39	<u>:</u>		59
			60

CFE Designation	SEQ. ID NO.	SEQ. ID NO.	FIGURE
20PF 40	(Nucleotide)	(Polypeptide)	
2CFE 40			61
2CFE 41			62
2CFE 42			63
2CFE 43			64
2CFE 44		, .	65
2CFE 45			66
2CFE 46		•	67
2CFE 47		,	68
2CFE 48			69
2CFE 49			70
2CFE 50			71
2CFE 51			72
2CFE 52			73
2CFE 53			74
2CFE 54			75
2CFE 55			76
2CFE 56			77
2CFE 57			78
2CFE 58			79
2CFE 59			80
2CFE 60			81
2CFE 61			82
2CFE 62			83
2CFE 64			84
2CFE 65			85
2CFE 66			86
2CFE 67		-	87
2CFE 68			88
2CFE 69			89
2CFE 70			90
2CFE 71			91
2CFE 72			
2CFE 75			92 93
2CFE 76		·	93
2CFE 78			95
2CFE 79			
2CFE 80			96
	<u>-</u>		97

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	FIGURE
2CFE 81		(Poberge)	98
2CFE 82			98
2CFE 83		· · · · · · · · · · · · · · · · · · ·	
2CFE 84			100
2CFE 85			101
2CFE 86			102
2CFE 87		· · ·	103
2CFE 88			104
2CFE 89	,		105
2CFE 90			106
2CFE 91			107
2CFE 92	·		108
2CFE 94	· · · · · · · · · · · · · · · · · · ·		109
2CFE 95		· · · · · · · · · · · · · · · · · · ·	110
2CFE 96			111
2CFE 97			112
2CFE 99			113
2CFE 101			114
2CFE 102			115
2CFE 103		·	. 116
2CFE 104			117
2CFE 105		- <u></u>	118
2CFE 106			119
2CFE 107			120
2CFE 108			121
2CFE 109			122
2CFE 111		•	123
2CFE 112			124
2CFE 113	·		125
2CFE 114			126
2CFE 115			127
2CFE 116			128
2CFE 117			129
201111	<u>.</u>		130

a) Variant ceg Nucleotide Sequences

The present invention also provides nucleic acid molecules having a nucleotide sequence substantially identical or similar to the *ceg* sequences (SEQ ID NOS: 1-113, 227-331) disclosed herein.

The present invention provides nucleotide sequences which are similar to SEQ ID NOS:1-113 and/or SEQ ID NOS:227-331. The present invention provides nucleotide sequences which vary from SEQ ID NOS:1-113 or 227-331 by a range of about 1% to about 70%.

The present invention encompasses variations in polynucleotide sequences resulting from mutations and/or from transfer of genetic material from one cell to another (e.g., horizontal gene transfer or horizontal gene exchange).

15

20

The present invention also provides for variants of the polynucleotide *ceg* sequences disclosed herein, including variants isolated from naturally-occurring sources, those generated by recombinant DNA technology or other in vitro synthesis methodologies (e.g., PCR). The variant polynucleotide sequences of the invention encode polypeptides that exhibit the biological activity of naturally-occurring CEG polypeptides, such as activity required for bacterial cell viability.

In general, for example, a variant of ceg polynucleotide sequences may encode a polypeptide that differs by one or more amino acid substitutions. The variant may have conservative changes, wherein a substituted amino acid has similar structural or chemical properties, eg, replacement of leucine with isoleucine.

A polynucleotide sequence can encode conservative amino acid substitutions without altering either the conformation or the function of the polypeptide. Such changes include substituting any of isoleucine (I), valine (V), and leucine (L) for any other of these

hydrophobic amino acids; aspartic acid (D) for glutamic acid (E) and vice versa; glutamine (Q) for asparagine (N) and vice versa; and serine (S) for threonine (T) and vice versa. Other substitutions can also be considered conservative, depending on the environment of the particular amino acid and its role in the three-dimensional structure of the protein. For example, glycine (G) and alanine (A) can frequently be interchangeable, as can alanine (A) and valine (V). Methionine (M), which is relatively hydrophobic, can frequently be interchanged with leucine and isoleucine, and sometimes with valine. Lysine (K) and arginine (R) are frequently interchangeable in locations in which the significant feature of the amino acid residue is its charge and the differing pK's of these two amino acid residues are not significant. Still other changes can be considered "conservative" in particular environments.

A variant may also have nonconservative changes, eg, replacement of a glycine with a tryptophan. Other variations may also include amino acid deletions or insertions, or both. Guidance in determining which and how many amino acid residues may be substituted, inserted or deleted without abolishing biological or immunological activity may be found using computer programs well known in the art, for example, DNASTAR software.

Another type of ceg sequence variant includes naturally-occurring allelic variants of ceg which share significant similarity (e.g., between about 30-99%) to the disclosed CEG polypeptide sequence. Allelic variants of the ceg sequences can encode conservative or non-conservative amino acid substitutions of the CEG polypeptide sequence herein described.

An example of allelic variants of ceg are mutant alleles of ceg polynucleotide sequences that encode a polypeptide having one or more changes in the polypeptide sequence, such as amino acid substitutions, deletions, insertions, frame shifts, or truncations. The mutant alleles of ceg may or may not encode a CEG polypeptide having the same biological functions as wild-type CEG proteins.

5

10

15

Variations in the bacterial genomic sequences can also arise from transfer of genetic material to another bacterial cell. The transfer of gene sequences can occur intraspecies or interspecies. Gene transfer can occur between bacterial cells which are members of the same or different populations. A population includes, but is not limited to, a serotype isolate, a clinical isolate, a naturally-occurring isolate, a strain, and a species. The transfer of genetic material can occur between cells within a population; for example transfer between serotype A to serotype A, or between S. pneumoniae and S. pneumoniae. The transfer of genetic material can occur between cells of different populations; for example, between serotype A to serotype B or S. pneumoniae and S. mutans.

5

10

15

Gene transfer can give rise to mutant or polymorphic variant genes sequences. In rare cases, gene transfer introduces new gene sequences that confer a new phenotype, such as antibiotic resistance. The transfer of genetic material includes transfer of large regions of genomic sequences which include partial gene sequences, whole single gene sequences, or multiple gene sequences. This mode of transfer can give rise to replacement of native whole gene sequences or introduction of new sequences in the recipient cell. This mode of transfer gives rise to mosaic gene sequences in the recipient cell.

The variation of genomic sequences resulting from gene transfer can be examined using molecular techniques, including: multilocus enzyme electrophoresis (Selander. R. K., et al., 1986 Appl. Environ. Microbiol. 51:837-884); and restriction endonuclease cleavage electrophoretic profiling (Coffey, T. J., et al., 1991 Mol. Microbio. 5:2255-2260); pulsefield gel electrophoresis fingerprinting (Bygraves, J. A. and Maiden, M. C. J. 1992 J. Gen. Microbiol. 138:523-531); and ribotyping (Stull, T. L., et al., 1988 J. Infect. Dis. 157:280-286). The degree of variation can vary greatly, and ranges from little or no variation as exemplified by gene sequences of E. coli (Caugant, d. A., et al., 1981 Genetics 98:467-490; Whittam, T. S., et al., 1983 Mol. Biol. Evol. 1:67-83; Souza, V., et al., 1992 Proc. Natl. Acad. Sci. USA 89:8389-8393) and Salmonella (Selander, R. K., et al., 1990 Infect. Immun. 58:2262-2275; Selander, R.K. and Smith, N. H. 1990 Rev. Med. Microbiol. 1:219-228; Smith, J. M., et al., 1993 Proc. Natl. Acad. Sci. USA 90:4384-

4388), to extensive gene transfer in Neisseria gonorrhoeae (Smith, J. M., et al., 1993 Proc. Natl. Acad. Sci. USA 90:4384-4388).

Gene transfer can be examined between various isolates of a particular microbial species which are antibiotic-sensitive or antibiotic-resistent (Coffey, T. J., et al., 1991 *Molec. Microbiol.* 5:2255-2260). Molecular biology techniques can be utilized to study the degree of transfer between populations, such as, for example, the degree of gene transfer between serotypes, isolates, strains, or species. The degree of transfer can be examined by comparing, for example, the penicillin binding proteins and numerous different loci which encode metabolic enzymes or capsular biosynthesis enzymes.

For example, intra-species, inter-serotype, gene transfer is possible (Coffey, T. J., et al., 1991 supra). Additionally, intraspecies gene transfer in S. pneumoniae (Coffey, T. J., et al., 1998 Mol. Microbiol. 27:73-83), Vibrio cholerae (Bik, E. M., et al., 1995 EMBO J. 14:209-216), and Haemophilus influenzae (Kroll, J. S. and Moxon, E. R. 1990 J. Bacteriol. 172: 1374-1379) are possible.

10

20

Interspecies gene transfer is also possible (Dowson, C. G., et al., 1989 Proc. Natl. Acad. Sci. USA 86:8842-8846; Laibl, G., et al., 1991 Mol. Microbiol. 5:1993-2002; Bourgoin, F., et al., 1999 Gene 233:151-161).

Variant gene sequences arising from gene transfer can be continually generated in transformable bacteria (e.g., transformation competent), such as *S. pneumoniae*. For example, the worldwide spread of varying degrees of antibiotic resistance has been documented and reviewed (Dowson, C. G., et al., 1994 *Trends Microbiol.* 2:361-366; Spratt, B. G. in *Bacterial Cell Wall*, eds Ghuysen J-M. and Hakenbeck, R. 1994 pp. 517-534; and reviewed in Maiden, M. C. J. 1998 *Clinic. Infect. Dis.* 27 (Supplement 1) S12-S20). For example, variant gene sequence arising from gene transfer can be tracked using a marker gene such as the gene which encodes the penicillin binding protein (Barcus, V. A., et al., 1995 *FEMS Microbiol. Lett.* 126:299-303). At the nucleotide level, gene sequences encoding the penicillin binding proteins in susceptible and resistant

strains differ by about 14% to 23% (Hakenbeck, R. 1995 Biochem. Pharmacol. 50:1121-1127; Spratt, B. G. in Bacterial Cell Wall, eds Ghuysen J-M. and Hakenbeck, R. 1994 pp. 517-534; Spratt, B. G., et al., 1991 Neisseria meningitidis and Streptococcus pneumoniae eds. Camisi, J., et al., pp. 73-83; Coffey, T. J., et al., 1995 Micro. Drug Resist. 1:29-34).

5

10

15

20

25

The ceg nucleotide sequences can be isolated from various species of Streptococcus including Streptococcus pneumoniae. Additionally, the ceg sequences can be isolated from other Steptococcal species, including S. mutans, S. pyogenes, and S. thermophila, The ceg polynucleotide sequences can also be isolated from strains of other bacterial genera including, but not limited to, Streptococcus, Escherichia, Bacillus, Pseudomonas, Yersinia, Salmonella, and Haemophilus.

The present invention additionally provides isolated codon-usage variants that differ from the disclosed ceg nucleotide sequences, yet do not alter the predicted CEG polypeptide sequence or function. The codon-usage variants may be generated by recombinant DNA technology. Codons may be selected to optimize the level of production of the ceg transcript or CEG polypeptide in a particular prokaryotic or eukaryotic expression host, in accordance with the frequency of codon utilized by the host cell. Alternative reasons for altering the nucleotide sequence encoding a CEG polypeptide include the production of RNA transcripts having more desirable properties, such as an extended half-life or increased stability. A multitude of variant ceg nucleotide sequences that encode the respective CEG polypeptide may be isolated, as a result of the degeneracy of the genetic code. Accordingly, the present invention contemplates selecting every possible triplet codon to generate every possible combination of nucleotide sequences that encode the disclosed CEG polypeptides. This particular embodiment provides isolated nucleotide sequences that vary from the sequences as described in SEQ ID NOs.: 1-113 or 227-331, such that each variant nucleotide sequence encodes a polypeptide having sequence identity with the amino acid sequences, as described in SEQ ID NOs.:114-226 or 332-436, respectively.

30

b) Complementary Sequences

The present invention includes polynucleotide sequences that are complementary to the sequences disclosed herein. The term "complementary" as used herein refers to the capacity of purine and/or pyrimidine nucleotides to associate through hydrogen bonding to form double stranded nucleic acid molecules. The following base pairs are related by complementarity: guanine and cytosine; adenine and thymine; and adenine and uracil. Complementary applies to all base pairs comprising at least two single-stranded nucleic acid molecules.

c) Sequences Capable of Hybridizing

Another embodiment provides nucleic acid molecules that will hybridize to ceg sequences under hybridization conditions. It is readily apparent to one skilled in the art that the stringency of the hybridization condition selected will depend upon the characteristics of the nucleic acid molecule to be hybridized, such as, the length, the degree of complementarity (e.g., exact or non-exact complementarity), the percent A/T content, and the objective of the hybridization experiment.

20

25

5

10

The hybridization procedure may by performed in low stringency hybridization conditions. Low stringency hybridization conditions will permit hybridization between two nucleic acid molecules that differ from exact complementarity by about 25% to 70%. Hybridization under standard high stringency conditions will occur between two complementary nucleic acid molecules (e.g., 100% exact complementarity) or two complementary nucleic acid molecules that differ from exact complementarity by about 1% to about 70%.

The high stringency hybridization conditions that disfavor non-homologous base pairing are well known in the art. Typically, high stringency hybridization conditions, includes but is not limited to, hybridizing at 50 °C to 65 °C in 5X SSPE, and washing at 50 °C to

65 °C in 0.5X SSPE. Typically, low stringency conditions, includes but is not limited to, hybridizing at 35 °C to 37 °C in 5X SSPE and 40% to 45% formamide and washing at 42 °C in 1-2X SSPE. The conditions and formulas for high stringency hybridization methods are well known in the art and can be readily obtained in *Molecular Cloning; A Laboratory Manual* (2nd edition, Sambrook, Fritch, and Maniatis 1989, Cold Spring Harbor Press) or in *Short Protocols in Molecular Biology* (Ausubel, F. M., et al., 1989, John Wiley & Sons).

d) Fragments of ceg Sequences

10

15

20

25

The invention further provides nucleic acid molecules having fragments of the ceg sequences, such as a portion of the ceg sequence (e.g., SEQ ID NOS:1-113, 227-331) disclosed herein. The size of the fragment will be determined by its intended use. For example, the length of the fragment to be used as a nucleic acid probe or PCR primer is chosen to obtain a relatively small number of false positives during probing or priming. Alternatively, a fragment of the ceg sequence may be used to construct a recombinant fusion gene having a ceg sequence fused to a non-ceg sequence.

The nucleic acid molecules, fragments thereof, and probes and primers of the present invention are useful for a variety of molecular biology techniques including, for example, hybridization screens of libraries, or detection and quantification of mRNA transcripts as a means for analysis of gene transcription and/or expression. Preferably, the probes and primers are DNA. A probe or primer length of at least 15 base pairs is suggested by theoretical and practical considerations (Wallace, B. and Miyada, G. 1987 "Oligonucleotide Probes for the Screening of Recombinant DNA Libraries" in: *Methods in Enzymology*, 152:432-442, Academic Press). Other lengths of fragments, probes, or primers are possible and routine to determine.

The probes and primers of this invention can be prepared by methods well known to those skilled in the art (Sambrook, et al. *supra*). In a preferred embodiment the probes

and primers are synthesized by chemical synthesis methods (ed. Gait, M. J. 1984 Oligonucleotide Synthesis, IRL Press, Oxford, England).

One embodiment of the present invention provides nucleic acid primers that are complementary to ceg sequences, which allow the specific amplification of nucleic acid molecules of the invention or of any specific parts thereof. Another embodiment provides nucleic acid probes that are complementary for selectively or specifically hybridizing to the ceg sequences or to any part thereof.

10 e) Derivative Nucleic Acid Molecules

The nucleic acid molecules of the invention include peptide nucleic acids (PNAs), or derivative molecules such as phosphorothicate, phosphotriester, phosphoramidate, and methylphosphonate, that specifically bind to single-stranded DNA or RNA in a base pair-dependent manner (Zamecnik, P. C., et al., 1978 *Proc. Natl. Acad. Sci.* 75:280284; Goodchild, P. C., et al., 1986 *Proc. Natl. Acad. Sci.* 83:4143-4146).

PNA molecules comprise a nucleic acid oligomer to which an amino acid residue, such as lysine, and an amino group have been added. These small molecules, also designated anti-gene agents, stop transcript elongation by binding to their complementary (template) strand of nucleic acid (Nielsen, P. E., et al., 1993 Anticancer Drug Des 8:53-63). For example, reviews of methods for synthesis of DNA, RNA, and their analogues can be found in: Oligonucleotides and Analogues, eds. F. Eckstein, 1991, IRL Press, New York; Oligonucleotide Synthesis, ed. M. J. Gait, 1984, IRL Press, Oxford, England. Additionally, methods for antisense RNA technology are described in U. S. patents 5,194,428 and 5,110,802. A skilled artisan can readily obtain these classes of nucleic acid molecules using the herein described ceg polynucleotide sequences, see for example Innovative and Perspectives in Solid Phase Synthesis (1992) Egholm, et al. pp 325-328 or U. S. Patent No. 5,539,082.

5

15

20

f) RNA Molecules

The present invention provides RNA molecules that encode the predicted ceg gene products. In particular, the RNA molecules of the invention may be isolated full-length or partial mRNA molecules or RNA oligomers that encode CEG gene products. The RNA molecules of the invention include the nucleotide sequences encoding all or portions of CEGs.

The RNA molecules of the invention also include antisense RNA molecules, peptide nucleic acids (PNAs), or non-nucleic acid molecules such as phosphorothioate derivatives, that specifically bind to the sense strand of DNA or RNA in a base pair-dependent manner. A skilled artisan can readily obtain these classes of nucleic acid molecules using the herein described ceg sequences.

15

20

5

g) Labeled Nucleic Acid Molecules

The nucleic acid molecules having *ceg* sequences can be labeled with a detectable marker. Examples of a detectable marker include, but are not limited to, a radioisotope, a fluorescent compound, a bioluminescent compound, a chemiluminescent compound, a metal chelator or an enzyme. Technologies for generating labeled DNA and RNA probes are well known in the art (See e.g. Sambrook et al., *supra*).

2.) RECOMBINANT NUCLEIC ACID MOLECULES

25

30

Also provided are recombinant nucleic acid molecules, such as recombinant DNA molecules (rDNAs) that comprise *ceg* sequences or fragments thereof. As used herein, a recombinant DNA molecule is a DNA molecule that has been subjected to molecular manipulation *in vitro*. Methods for generating rDNA molecules are well known in the art, for example, see Sambrook et al., *Molecular Cloning* (1989), *supra*.

a) Vectors

10

15

20

25

The nucleic acid molecules of the invention may be recombinant molecules each comprising the sequence, or portions thereof, of a ceg sequence linked to a non-ceg sequence. For example, the ceg sequence may be fused operatively to a vector to generate a recombinant molecule. The term vector includes, but is not limited to, plasmids, cosmids, and phagemids. A preferred vector includes an autonomously replicating vector comprising a replicon that directs the replication of the rDNA within the appropriate host cell. The preferred vectors can also include an expression control element, such as a promoter sequence, which enables transcription of the inserted ceg sequences and can be used for regulating the expression (e.g., transcription and/or translation) of an operably linked ceg sequence in an appropriate host cell such as Escherichia coli. Expression control elements are known in the art and include, but are not limited to, inducible promoters, constitutive promoters, secretion signals, enhancers, transcription terminators, and other transcriptional regulatory elements. Other expression control elements that are involved in translation are known in the art, and include the Shine-Dalgarno sequence, and initiation and termination codons. The preferred vector also includes at least one selectable marker gene that encodes a gene product that confers drug resistance such as resistance to ampicillin or tetracyline. The vector also comprises multiple endonuclease restriction sites that enable convenient insertion of exogenous DNA sequences.

The preferred vectors for generating *ceg* transcripts and/or the encoded CEG polypeptides are expression vectors which are compatible with prokaryotic host cells. Prokaryotic cell expression vectors are well known in the art and are available from several commercial sources. For example, a pET vectors (e.g., pET-21, Novagen Corp.) may be used to express CEG polypeptides in bacterial host cells.

b) Recombinant Vectors for Integration

The present invention provides recombinant vectors that may be used to integrate exogenously provided sequences into the genome of a host cell. The recombinant integration vectors of the present invention include a gene that encodes a selectable marker and ceg sequences; or fragments thereof. The integration vectors are used to integrate the ceg sequence into a target gene sequence that resides within the bacterial host genome (e.g., endogenous sequence), thereby disrupting the function of the target gene sequence within the bacterial cells. These integration vectors may be used in a gene disruption assay to screen candidate ceg nucleotide sequences, in order to identify the candidate sequences that encode a gene product that is required for bacterial cell viability.

Accordingly, these recombinant integration vectors include candidate ceg sequences that will be screened to determine if the candidate ceg sequences encode a gene product that is required for cell viability. The candidate ceg sequence that is included as part of the recombinant integration vector is the "exogenous" ceg sequence that is employed as the "disrupting" sequence in a gene disruption assay. The ceg sequence that resides within the host genome is the "endogenous" or "target" ceg sequence.

20

25

30

5

10

15

The integration event rarely occurs, for example, by non-homologous recombination in which a recombinant vector, that includes the exogenous ceg sequence, inserts the exogenous ceg sequence into a random location within the host genome. In a more preferred embodiment, the integration event inserts the exogenous ceg sequence into a specific target site within the host genome. The targeted integration event can involve homologous recombination in which the integration vector, that includes the exogenous ceg sequence, inserts the exogenous ceg sequence into its homologous target ceg sequence that resides within the host's genome (e.g., the endogenous ceg sequence) (Figure 1). Further, the exogenous ceg sequence can be used as a disrupting sequence whereby the homologous recombination event integrates the exogenous ceg sequence into the endogenous target ceg sequence resulting in disruption of the function of the

endogenous ceg sequence. For example, disrupting the function of the endogenous ceg sequence may result in the loss of bacterial cell viability.

An example of a recombinant vector that can be used as an integration vector in S. pneumoniae is the pEVP-3 vector (Jean-Pierre Claverys, et al. 1995 Gene 164: 123-128). The pEVP-3 vector integrates an exogenous sequence by homologous recombination involving a Campbell-type event (S. Adhya and A. Campbell 1970 J. Mol. Biol. 50:481-490). The pEVP-3 vector includes a replicon that functions only in gram-negative bacteria, such as E. coli. Therefore, the pEVP-3 vector cannot replicate in S. 10 pneumoniae. This vector also contains multiple cloning sites, and confers resistance to chloramphenicol in both a gram-negative and gram-positive bacteria, such as S. pneumoniae.

c) Fusion Gene Sequences

15

5

A fusion ceg gene is another example of a recombinant molecule of the invention. A fusion gene includes a ceg sequence operatively fused (e.g., linked) to a non-ceg sequence such as, for example, a tag sequence to facilitate isolation and/or purification of the expressed CEG gene product (Kroll, D.J., et al., 1993 DNA Cell Biol 12:441-53).

20

Alternatively, a recombinant fusion molecule has a ceg sequence of the invention fused to a ceg sequence isolated from a different microbial source. For example, the disclosed ceg sequences isolated from S. pneumoniae can be fused to a ceg sequence isolated from a different bacterial species.

25

30

3.) <u>CEG PROTEINS AND POLYPEPTIDE MOLECULES</u>

The invention additionally provides CEG proteins and peptide fragments thereof that are isolated or substantially purified. Embodiments of particular CEG amino acid sequences are disclosed in Tables I and II (SEQ ID NOS:114-226 and SEQ ID NOS:332-436, respectively).

The present invention also includes polypeptides having sequence variations from the predicted CEG polypeptide sequences disclosed herein, including mutant variants, conservative substitution variants, and similar CEG polypeptides from other prokaryotic organisms. For convenience, such proteins are referred to herein as "CEG proteins", "CEG polypeptides", or "proteins of the invention".

As used herein, CEG protein refers to a polypeptide having amino acid sequence identity or similarity to any one of the predicted amino acid sequences, as provided in SEQ ID NO.: 114-226 or 332-436. The variant CEG polypeptides can be allelic forms of CEG, such as mutant forms of CEG polypeptides. The present invention also provides conservative substitution-mutants of the CEG proteins that maintain functional activity of wild-type CEG (e.g., the CEG polypeptide is required for bacterial cell viability).

10

30

The CEG protein may be isolated from any source whether natural, synthetic, semi-15 synthetic, or recombinant. As used herein, "natural" refers to a polypeptide which is found in nature. Accordingly, the CEG proteins may be isolated from a prokaryotic organism, such as a bacterial strain including, but not limited to, Streptococcus, Escherichia, Bacillus, Pseudomonas, Yersinia, Salmonella, and Streptomyces. The CEG proteins of the invention, and fragments thereof, can also be generated by recombinant 20 methods or chemical synthesis methods.

The CEG polypeptides of the invention are essential for the viability of a bacterial cell. Further, the CEG polypeptides can exhibit at least any one of the following functions: a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded 25 DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transcylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP binding protein, or a 4-aminoimidazole carboxylase. Putative functions can include, but are not limited to, sugar transferase, techoic acid biosynthesis, ribosome recycling factor, response regulator, nicotinate phosphoribosyltransferase,

5

10

15

20

nitropropane dioxygenase, (3R)-hydroxymyristol acyl carrier protein dehydrase, sugar dehydrogenase, murein biosynthesis, cobalimin biosynthesis, ABC transporter, tRNA modification enzyme, arylsulfatase, 16S processing enzyme, tRNA methyl transferase, elongation factor P, signal recognition particle, protein export, undecaprenol kinase, SRP docking domain, diacyl glycerol kinase, dihydopicilinate reductase, HU-DNA binding protein, thiamine biosynthase, GreA transcription elongation factor, dTDP-L-rhamnose synthase, ATP-binding motif, ribose-5-p-3-epimerase-like activity, GTP pyrophosphokinase, acetyl-CoA carboxylase, O-sialoglycoprotein endopeptidase, glucosamine-fructose-6-phosphase aminotransferase, Strpn adhesion-associated ABCpermease, GTP pyrophosphokinase RelA, IMP dehydrogenase, DNA gyrase subunit B, acetyl-CoA carboxylase subunit AccD, phosphoglycerol kinase, acetyl-CoA carboxylase carbonyl transferase, phosphopanthetheine adenylyltransferase, oligopeptide transport permease subunit, translocation protein, perM permease, DNA pol III gamma and tau subunits, DNA pol III delta subunit, signal peptidase I, acetyl-coA carboxylase biotin carboxyl carrier protein, protein chain release factor-1, replicative DNA helicase, topoisomerase, pentapeptide-transferase, elongation factor G, spore coat polysaccharide biosynthesis protein C, protein release factor B, DNA polymerase III alpha subunit, phosphoprotein phosphatase, chaparonin, UDP-N-acetylmuramoylalanyl-D-glutamate-2, 6-diaminopimelate ligase, techuronic acid biosynthesis, UDP-glucose lipid carrier transferase, transcription termination factor, chromosome segregation factor, amino acid biosynthesis, HMG-CoA reductase, hypoxanthine-guanine phosphoribosyltransferase.

a) MODULATORS OF CEG POLYPEPTIDES

The invention provides compounds that modulate (e.g., activate or inhibit) the function of a CEG polypeptide. Such compounds can provide lead-compounds for developing drugs for diagnosing and/or treating conditions associated with bacterial infections. The modulator is a compound that may alter the function of the CEG polypeptide, such as activating or inhibiting the function of a CEG polypeptide. For example, the compound can act as agonist, antagonist, partial agonist, partial antagonist, cytotoxic agents,

inhibitors of cell proliferation, and cell proliferation-promoting agents. The activity of the compound may be known, unknown or partially known.

Suitable ligands include, but are not limited to, diazalactones, N-protected amino acid, azabicyclodiene, and alkaloids.

An example of a diazalactone is:

An example of a N-protected amino acid is:

10

An example of an azabicyclodiene is:

Examples of alkaloids are:

5 B) METHODS FOR MAKING THE CEG PROTEINS AND POLYPEPTIDES

Recombinant methods are preferred if a high yield is desired. Recombinant methods involve expressing the cloned gene in a suitable host cell. For example, a host cell is introduced with an expression vector having the CEG sequence, then the host cell is cultured under conditions that permit *in vivo* production of the CEG protein. The recombinant vector can integrate the CEG sequence into the host genome. Alternatively, the CEG sequence can be maintained extra-chromosomally, as part of an autonomously replicating vector.

1. HOST-VECTOR SYSTEMS

10

15

The invention further provides a host-vector system comprising the vector, plasmid, phagemid, or cosmid comprising a *ceg* nucleotide sequence, or a fragment thereof, introduced into a suitable host cell. The host-vector system can be used to produce the

CEG polypeptides encoded by the ceg nucleotide sequences. The host cell can be prokaryotic or eukaryotic. Examples of suitable prokaryotic host cells include bacteria strains from genera such as Escherichia, Bacillus, Pseudomonas, Streptococcus, and Streptomyces. Examples of suitable eukaryotic host cells include a yeast cell, a plant cell, or an animal cell, such as a mammalian cell. A preferred embodiment provides a host-vector system comprising the pET21 vector having a ceg sequence introduced into an E. $coli\ \lambda DE3$ lysogen which is useful, for example for the production of the CEG protein, herein designated CFE polypeptides and CFE proteins.

- Introduction of the rDNA molecules of the present invention into an appropriate cell host is accomplished by well known methods that typically depend on the type of vector used and host system employed. For example, transformation of prokaryotic host cells by electroporation and salt treatment methods are typically employed, see for example, Cohen et al., 1972 Proc Acad Sci USA 69:2110; Maniatis, T., et al., 1989 Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY. Transformation of vertebrate cells with vectors containing rDNAs, electroporation, cationic lipid or salt treatment methods are typically employed, see, for example, Graham et al., 1973 Virol 52:456; Wigler et al., 1979 Proc Natl Acad Sci USA 76:1373-76.
- Successfully transformed cells, i.e., cells that contain a rDNA molecule of the present invention, can be identified by well known techniques. For example, cells resulting from the introduction of a rDNA of the present invention can be selected and cloned to produce single colonies. Cells from those colonies can be harvested, lysed and their DNA content examined for the presence of the rDNA using a method such as that described by Southern,
 J Mol Biol (1975) 98:503, or Berent et al., Biotech (1985) 3:208, or the proteins produced from the cell assayed via a biochemical assay or immunological method.

Procaryotes are generally used as host cells for cloning and producing the products of exogenous DNA sequences. For example, the *Escherichia coli* K12 BL21 (λDE3) (Novagen) is particularly useful for expression of foreign proteins. Other strains of *E. coli*, and bacilli such as *Bacillus subtilis*, Enterobacteriaceae such as *Salmonella*

typhimurium or Serratia marcescans, various Pseudomonas, Streptococcus, and Streptomyces species may also be employed as host cells in cloning and expressing the recombinant proteins of this invention.

In general terms, the production of recombinant CEG proteins may involve using a 5 host/vector system, or other methods may be used. The host/vector system may employ the following steps.

A nucleic acid molecule is obtained that encodes a CEG protein or a fragment thereof, such as any one of the polynucleotides disclosed in SEQ ID NOs.: 1-113 or 227-331. The CEG-10 encoding nucleic acid molecule is preferably inserted into an expression vector in operable linkage with suitable expression control sequences, to generate an expression vector including the CEG-encoding sequence. The expression vector is introduced into a suitable host, by standard transformation methods, and the resulting transformed host is cultured under conditions that allow the production of the CEG protein. For example, if expression of the CEG gene is under the control of an inducible promoter, then suitable growth conditions would include the appropriate inducer. The CEG protein (e.g., designated a CFE polypeptide or protein), so produced, is isolated from the growth medium or directly from the cells; recovery and purification of the protein may not be necessary in some instances where some impurities may be tolerated. A skilled artisan can readily adapt an appropriate host/expression system known in the art for use with CEG-encoding sequences to produce a CEG protein (Cohen, et al., supra; Maniatis et al., supra).

Host cells harboring the nucleic acids disclosed herein are also provided by the present invention. A preferred host is E. coli strain BL21(λDE3) transfected or transformed with 25 a vector comprising a nucleic acid of the present invention. The invention also provides a host cell capable of expressing the ceg sequences described herein. The preferred host cell is any strain of E. coli that can accommodate high level expression of an exogenously introduced gene.

15

The proteins of the present invention can also be made by chemical synthesis. The principles of solid phase chemical synthesis of polypeptides are well known in the art and may be found in general texts relating to this area (Dugas, H. and Penney, C. 1981 Bioorganic Chemistry, pp 54-92, Springer-Verlag, New York). CEG polypeptides may be synthesized by solid-phase methodology utilizing an Applied Biosystems 430A peptide synthesizer (Applied Biosystems, Foster City, Calif.) and synthesis cycles supplied by Applied Biosystems. Protected amino acids, such as t-butoxycarbonyl-protected amino acids, and other reagents are commercially available from many chemical supply houses.

10

15

The polypeptides of the invention exhibit properties of a CEG protein, such as, for example, the ability to elicit the generation of antibodies that specifically bind an epitope associated with CEG polypeptides. Accordingly, the CEG polypeptide, or any oligopeptide thereof, is capable of inducing a specific immune response in appropriate animals or cells and binding with specific antibodies.

C) ANTIBODIES THAT RECOGNIZE AND BIND THE PROTEINS AND POLYPEPTIDES OF THE INVENTION

The invention further provides antibodies (e.g., polyclonal, monoclonal, chimeric, humanized, and human antibodies) that bind a CEG polypeptide. The most preferred antibodies will selectively bind a CEG polypeptide and will not bind (or will bind weakly) a non-CEG polypeptide. Antibodies that are particularly contemplated include monoclonal and polyclonal antibodies, as well as fragments thereof (e.g., recombinant proteins) which include the antigen binding domain and/or one or more complement determining regions of these antibodies. These antibodies can be from any source, for example, rabbit, sheep, rat, dog, cat, pig, horse, mouse, and human.

The invention encompasses antibody fragments that specifically recognize a CEG polypeptide. As used herein, an antibody fragment is defined as at least a portion of the variable region of the immunoglobulin molecule that binds to its target, i.e., the antigen binding region. Some of the constant region of the immunoglobulin may be included.

As will be understood by those skilled in the art, the regions or epitopes of a CEG polypeptide to which an antibody is directed may vary with the intended application. For example, antibodies intended for use in an immunoassay for the detection of membrane-bound CEG proteins on viable bacterial cells should be directed to an accessible epitope on membrane-bound CEG proteins. Antibodies that recognize other epitopes may be useful for the identification of CEG protein within damaged or dying cells, for the detection of secreted CEG protein or fragments thereof.

5

20

25

Various methods for the preparation of antibodies are well known in the art. For example, antibodies may be prepared by immunizing a suitable mammalian host using a CEG protein, peptide, or fragment, in isolated or immunoconjugated form (Harlow, 1989 Antibodies, Cold Spring Harbor Press, NY). In addition, fusion proteins comprising CEG polypeptides may also be used, such as a CEG protein/GST-fusion protein. Cells expressing or overexpressing a CEG polypeptide may also be used for immunizations. Similarly, any cell engineered to express CEG protein may be used. This strategy may result in the production of monoclonal antibodies with enhanced capacities for recognizing endogenous CEG protein.

The present invention contemplates chimeric antibodies that comprise a human and non-human immunoglobin portion. The antigen combining region (variable region) of a chimeric antibody can be derived from a prokaryotic source (e.g., bacteria) and the constant region of the chimeric antibody which confers biological effector function to the immunoglobulin can be derived from a eukaryotic source (e.g., human). The chimeric antibody should have the antigen binding specificity of the prokaryotic antibody molecule and the effector function conferred by the eukaryotic antibody molecule.

In one example, the procedure used to produce chimeric antibodies can involve the following steps:

a) Identifying and cloning the correct immunoglobin gene segment encoding the
 30 antigen binding portion of the antibody molecule. This gene segment is known as
 the VDJ, variable, diversity and joining regions for heavy chains or VJ, variable,

joining regions for light chains or simply as the V or variable region. This gene regions may be in either the cDNA or genomic form;

- b) Cloning the gene segments encoding the constant region or desired part thereof;
- c) Ligating the variable region with the constant region so that the complete chimeric antibody is encoded in a form that can be transcribed and translated;
- d) Ligating this construct into a vector containing a selectable marker and gene control regions such as promoters, enhancers and poly(A) addition signals;
- e) Amplifying this construct in bacteria;

5

10

.30

- f) Introducing this DNA into eukaryotic cells (transfection) most often mammalian lymphocytes;
 - g) Selecting for cells expressing the selectable marker;
 - h) Screening for cells expressing the desired chimeric antibody; and
 - k) Testing the antibody for appropriate binding specificity and effector functions.
- 15 Chimeric antibodies of several distinct antigen binding specificities have been produced by protocols well known in the art, including anti-TNP antibodies (Boulianne et al., 1984 Nature 312:643); and anti-tumor antigen antibodies (Sahagan et al., 1986 J. Immunol. 137:1066). Likewise, several different effector functions have been achieved by linking new sequences to those encoding the antigen binding region. Examples of these include enzymes (Neuberger et al., 1984 Nature 312:604); immunoglobulin constant regions from another species and constant regions of another immunoglobulin chain (Sharon et al., 1984 Nature 309:364; Tan et al., 1985 J. Immunol. 135:3565-3567). Additionally, procedures for modifying antibody molecules and for producing chimeric antibody molecules using homologous recombination to target gene modification have been described (Fell et al., 1989 Proc. Natl. Acad. Sci. USA 86:8507-8511).

The predicted amino acid sequence of a CEG protein may be used to select specific regions of the CEG protein for generating antibodies. For example, hydrophobicity and hydrophilicity analyses of a CEG polypeptide may be used to identify hydrophobic and hydrophilic regions in the CEG protein. Regions of the CEG protein that show immunogenic structure, as well as other regions and domains, can readily be identified using

various other methods known in the art, such as Chou-Fasman, Garnier-Robson, Kyte-Doolittle, Eisenberg, Karplus-Schult or Jameson-Wolf analysis. Fragments that include the immunogenic regions are particularly suited for generating specific classes of antibodies.

Methods for preparing a protein for use as an immunogen and for preparing immunogenic conjugates of a protein with a carrier such as BSA, KLH, or other carrier proteins are well known in the art. In some circumstances, direct conjugation using, for example, carbodiimide reagents may be used; in other instances linking reagents such as those supplied by Pierce Chemical Co., Rockford, IL, may be effective. Administration of a CEG immunogen is conducted generally by injection over a suitable time period and with use of a suitable adjuvant, as is generally understood in the art. During the immunization schedule, titers of antibodies can be taken to determine adequacy of polyclonal antibody formation.

While the polyclonal antisera produced in this way may be satisfactory for some applications, for pharmaceutical compositions, monoclonal antibody preparations are preferred. Immortalized cell lines which secrete a desired monoclonal antibody may be prepared using the standard method of Kohler and Milstein (Nature 256: 495-497) or other techniques as described in Monoclonal Antibodies; A Manual of Techniques, CRC press, Inc., Boca Raton, Fla. (1987) ed. Zola. The immortalized cell lines secreting the desired antibodies are screened by immunoassay in which the antigen is the CEG polypeptide having binding activity, or a fragment thereof. When the appropriate immortalized cell culture secreting the desired antibody is identified, the cells can be cultured either in vitro or by production in ascites fluid.

The desired monoclonal antibodies are then recovered from the culture supernatant or from the ascites supernatant. Fragments of the monoclonal antibodies of the invention or the polyclonal antisera (e.g., Fab, F(ab')₂, Fv fragments, fusion proteins) which contain the immunologically significant portion (i.e., a portion that recognizes and binds a CEG protein) can be used as antagonists, as well as the intact antibodies. Humanized antibodies directed against a CEG polypeptide are also useful. The advantage of using humanized antibodies is that they are less immunogenic in humans. As used herein, a humanized antibody is an

immunoglobulin molecule which is capable of binding to a CEG polypeptide and which comprises a FR region having substantially the amino acid sequence of a human immunoglobulin and a CDR having substantially the amino acid sequence of non-human immunoglobulin or a sequence engineered to bind a CEG protein. Methods for humanizing murine and other non-human antibodies by substituting one or more of the non-human antibody CDRs for corresponding human antibody sequences are well known (Jones et al., 1986 Nature 321: 522-525; Riechmann et al., 1988 Nature 332: 323-327; Verhoeyen et al., 1988 Science 239: 1534-1536; Carter et al., 1993 Proc. Natl. Acad. Sci. USA 89: 4285; and Sims et al., 1993 J. Immunol. 151: 2296).

10

15

20

5

Use of immunologically reactive fragments, such as the Fab, Fab', or F(ab')₂ fragments is often preferable, especially in a therapeutic context, as these fragments are generally less immunogenic than the whole immunoglobulin. Further, bi-specific antibodies specific for two or more epitopes may be generated using methods generally known in the art. Further, antibody effector functions may be modified so as to enhance the therapeutic effect of the antibodies of the invention. For example, cysteine residues may be engineered into the Fc region, permitting the formation of interchain disulfide bonds and the generation of homodimers which may have enhanced capacities for internalization, ADCC and/or complement-mediated cell killing (Caron et al., 1992 *J. Exp. Med.* 176: 1191-1195; Shopes, 1992 *J. Immunol.* 148: 2918-2922). Homodimeric antibodies may also be generated by cross-linking techniques known in the art (Wolff et al., Cancer Res. 53: 2560-2565). The invention also provides pharmaceutical compositions having the monoclonal antibodies or anti-idiotypic monoclonal antibodies of the invention.

The antibodies or fragments may also be produced, using current technology, by recombinant means. Regions that bind specifically to the desired regions of the CEG protein can also be produced in the context of chimeric or CDR grafted antibodies of multiple species origin. The invention includes an antibody, e.g., a monoclonal antibody which competitively inhibits the immunospecific binding of any of the monoclonal antibodies of the invention to a CEG protein.

Alternatively, methods for producing fully human monoclonal antibodies, include phage display and transgenic methods, are known and may be used for the generation of human monoclonal antibodies (reviewed in: Vaughan et al., 1998 Nature Biotechnology 16: 535-539). For example, fully human monoclonal antibodies may be generated using cloning technologies employing large human Ig gene combinatorial libraries (i.e., phage display) (Griffiths and Hoogenboom, "Building an in vitro immune system: human antibodies from phage display libraries", in: Protein Engineering of Antibody Molecules for Prophylactic and Therapeutic Applications in Man, Clark, M. (Ed.), Nottingham Academic, pp 45-64 (1993); Burton and Barbas, "Human Antibodies from combinatorial libraries" Id., pp 65-82). Fully human monoclonal antibodies may also be produced using transgenic mice engineered to contain human immunoglobulin gene loci as described in PCT Patent Application WO98/24893, Jakobovits et al., published December 3, 1997 (see also, Jakobovits, 1998 Exp. Opin. Invest. Drugs 7: 607-614). This method avoids the in vitro manipulation required with phage display technology and efficiently produces high affinity, authentic human antibodies.

5

10

15

20

The antibody or fragment thereof of the invention may be labeled with a detectable marker or conjugated to a second molecule, such as a therapeutic agent (e.g., a cytotoxic agent) thereby resulting in an immunoconjugate. For example, the therapeutic agent includes, but is not limited to, an anti-tumor drug, a toxin, a radioactive agent, a cytokine, a second antibody or an enzyme. Further, the invention provides an embodiment wherein the antibody of the invention is linked to an enzyme that converts a prodrug into a cytotoxic drug.

Examples of cytotoxic agents include, but are not limited to ricin, ricin A-chain, doxorubicin, daunorubicin, taxol, ethiduim bromide, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin D, diphteria toxin, *Pseudomonas* exotoxin (PE) A, PE40, abrin, arbrin A chain, modeccin A chain, alpha-sarcin, gelonin, mitogellin, retstrictocin, phenomycin, enomycin, curicin, crotin, calicheamicin, sapaonaria officinalis inhibitor, and glucocorticoid and other chemotherapeutic agents, as well as radioisotopes such as ²¹²Bi, ¹³¹I, ¹³¹In, ⁹⁰Y, and ¹⁸⁶Re.

Suitable detectable markers for diagnostic used include, but are not limited to, a radioisotope, a fluorescent compound, a bioluminescent compound, chemiluminescent compound, a metal chelator or an enzyme. Antibodies may also be conjugated to an anticancer pro-drug activating enzyme capable of converting the pro-drug to its active form. See, for example, U.S. Patent Nos. 4,952,394 and 5,716,990.

Additionally, a recombinant protein of the invention comprising the antigen-binding region of any of the monoclonal antibodies of the invention can be made. In such a situation, the antigen-binding region of the recombinant protein is joined to at least a functionally active portion of a second protein having therapeutic activity. The second protein can include, but is not limited to, an enzyme, lymphokine, oncostatin or toxin. Suitable toxins include those described above.

Techniques for conjugating or joining therapeutic agents to antibodies are well known (Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in: Monoclonal Antibodies And Cancer Therapy, Reisfeld et al. (eds.), pp. 243-56, Alan R. Liss, Inc. 1985; Hellstrom et al., "Antibodies For Drug Delivery", in: Controlled Drug Delivery (2nd Ed.), Robinson et al. (eds.), pp. 623-53, Marcel Dekker, Inc. 1987; Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in: Monoclonal Antibodies '84: Biological And Clinical Applications, Pinchera et al. (eds.), pp. 475-506 (1985); and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", in: Immunol. Rev., 62:119-58 (1982)). Techniques for joining detectable markers to antibodies are also known.

25

30

5

10

D) PHARMACEUTICAL COMPOSITIONS OF THE INVENTION

The invention includes pharmaceutical compositions for use in the treatment of microbial infections comprising a pharmaceutically effective amount of an anti-CEG antibody or a CEG polypeptide.

In one embodiment, the pharmaceutical compositions may comprise a CEG antibody, either unmodified, conjugated to a therapeutic agent (e.g., drug, toxin, enzyme or second antibody) or in a recombinant form (e.g., chimeric or bispecific). The compositions may additionally include other antibodies or conjugates (e.g., an antibody cocktail).

5

10

15

20

The pharmaceutical compositions also preferably include suitable carriers and adjuvants which include any material which when combined with the molecule of the invention (e.g., an anti-CEG antibody or a CEG protein) retains the molecule's activity and is nonreactive with the subject's immune systems. Examples of suitable carriers and adjuvants include, but are not limited to, human serum albumin, ion exchangers, alumina, lecithin, buffer substances such as phosphates, glycine, sorbic acid, potassium sorbate, and salts or electrolytes such as protamine sulfate. Other examples include any of the standard pharmaceutical carriers such as a phosphate buffered saline solution, water, emulsions such as oil/water emulsion, and various types of wetting agents. Other carriers may also include sterile solutions, tablets including coated tablets and capsules. Typically such carriers contain excipients such as starch, milk, sugar, certain types of clay, gelatin, stearic acid or salts thereof, magnesium or calcium stearate, talc, vegetable fats or oils, gums, glycols, or other known excipients. Such carriers may also include flavor and color additives or other ingredients. Compositions comprising such carriers are formulated by well known conventional methods. Such compositions may also be formulated within various lipid compositions, such as, for example, liposomes as well as in various polymeric compositions, such as polymer microspheres.

The pharmaceutical compositions of the invention can be administered using conventional modes of administration including, but not limited to, intravenous, intraperitoneal, oral, intralymphatic or administration directly into the tumor. Intravenous administration is preferred.

The pharmaceutical compositions of the invention may be in a variety of dosage forms
which include, but are not limited to, liquid solutions or suspensions, tablets, pills,
powders, suppositories, polymeric microcapsules or microvesicles, liposomes, and

injectable or infusible solutions. The preferred form depends upon the mode of administration and the therapeutic application.

The CEG polypeptides and proteins of this invention are found in common pathogenic bacterial species such as *Streptococcus pneumoniae*. This organism causes upper respiratory tract infections. Thus, the peptides and proteins of this invention can be used as immunogens in subunit vaccines for vaccination against a pathogenic bacteria such as *Streptococcus pneumoniae*. Additionally, the *ceg* sequences of the invention can be used as DNA vaccines (U.S. Patent No. 5,736,524 and U.S. Patent No. 5,989,553).

10

5

The polypeptides and proteins of this invention can be formulated as univalent and multivalent vaccines. The protein can be mixed, conjugated or fused with other antigens, including B or T cell epitopes of other antigens.

Further, when a haptenic peptide of the proteins of the invention is used, (i.e., a peptide which reacts with cognate antibodies, but cannot itself elicit an immune response), it can be conjugated to an immunogenic carrier molecule. Conjugation to an immunogenic carrier can render the oligopeptide immunogenic. Examples of carrier molecules are tetanus toxin or toxoid, diphtheria toxin or toxoid and any mutant forms of these proteins such as CRM.sub.197. Others include exotoxin A of *Pseudomonas*, the heat labile toxin of *E. coli* and rotaviral particles (including rotavirus and VP6 particles). Alternatively, a fragment or epitope of the carrier protein or other immunogenic protein can be used. For example, the happen can be coupled to a T cell epitope of a bacterial toxin.

In formulating the vaccine compositions with the CEG polypeptides or proteins of the invention, alone or in the various combinations described, the immunogen is adjusted to an appropriate concentration and formulated with any suitable vaccine adjuvant. Suitable adjuvants include, but are not limited to: surface active substances, e.g., hexadecylamine, octadecylamine, octadecyl amino acid esters, lysolecithin, dimethyl-dioctadecylammonium bromide), methoxyhexadecylgylcerol, and pluronic polyols; polyamines, e.g., pyran, dextransulfate, poly IC, carbopol; peptides, e.g., muramyl

dipeptide, dimethylglycine, tuftsin; oil emulsions; and mineral gels, e.g., aluminum hydroxide, aluminum phosphate, etc. and immune stimulating complexes. The immunogen may also be incorporated into liposomes, or conjugated to polysaccharides and/or other polymers.

5

The vaccines can be administered to a human or animal in a variety of ways. These include intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, oral and intranasal routes of administration. Further, the vaccines can be live or inactivated vaccines.

10

The most effective mode of administration and dosage regimen for the compositions of this invention depends upon the severity and course of the disease, the patient's health and response to treatment and the judgment of the treating physician. Accordingly, the dosages of the compositions should be titrated to the individual patient.

15

E) USES OF THE MOLECULES OF THE INVENTION

1) MOLECULAR WEIGHT MARKERS

The nucleic acid molecules of the invention and their encoded proteins may be employed as molecular weight markers. For example, the molecular weight of each of the nucleic acid molecules having *ceg* sequences and their predicted polypeptides can be determined and can be used to compare against other gene sequences and proteins whose molecular weights are unknown.

25

30

2) DIAGNOSTICS

The nucleic acid molecules of the invention may be employed in diagnostic embodiments. For example, the presence of nucleotide sequences which are identical or similar to the *ceg* sequences of the invention may be detected within a biological sample.

The biological sample may include blood, serum or a swab from nose, ear or throat, may be determined by means of a nucleic acid detection assay.

Nucleic acid probes or primers having sequences complementary to ceg sequences may be used in a hybridization assay to detect the presence of the sequences which are identical or similar to the ceg sequences of the invention in the biological samples. Typically, nucleic acids molecules obtained from a suitable biological sample are hybridized with labeled probes or primers. The resulting hybridized molecules are detected and resolved by methods well known in the art, such as Northern or Southern blotting, micro-array technology, or amplifying with PCR technology. Other hybridization techniques and systems are known that can be used in connection with the detection aspects of the invention, including diagnostic assays such as those described in Falkow et al., U.S. Pat. No. 4,358,535.

Examples of the PCR technology are disclosed in U.S. Patent Nos. 4,683,202 and 4,965,188 (incorporated herein by reference). Generally, nucleic acid molecules are obtained from a suitable biological source and contacted with two primers corresponding to the *ceg* sequences disclosed herein, under conditions which allow for hybridization and polymerization to occur. A pair of probes, one corresponding to the 5' flanking region and the other corresponding to the 3' flanking region, would be sufficient to detect the nucleic acid molecules of the invention in a biological sample and may be used to indicate the amount of bacteria present.

Alternative methods of detecting nucleic acid molecules include, for example, in situ hybridization techniques, where a *ceg* probe is used to detect homologous sequences within one or more cells, such as cells within a clinical sample or even cells grown in tissue culture. As is well known in the art, the cells are prepared for hybridization by fixation, e.g. chemical fixation, and placed in conditions that allow for the hybridization of a detectable probe with nucleic acids located within the fixed cell.

The amount of ceg sequences present in a biological sample can be quantified and compared to the levels in a normal or "healthy" sample. For example, ceg sequences present in either increased or decreased levels, compared to the levels found in the control sample may indicate the presence of bacteria. This information is useful for diagnosis of a bacterial infection that requires treatment with an antibacterial agent.

Alternatively, the amount of CEG polypeptides present in a biological sample may be determined by means of an immunoassay. For example, labeled antibodies reactive against CEG polypeptides may be used in an immuno-reactive assay to detect the presence of CEG polypeptides in the biological samples.

3) SCREENING CANDIDATE CEG SEQUENCES

a) Gene Disruption Assay

15

20

25

10

The ceg nucleotide sequences of the invention can be used to identify nucleotide sequences which are identical or similar to the ceg sequences that are required for bacterial cell viability. For example, the ceg sequences can be used in a bacterial gene disruption assay to screen candidate nucleotide sequences to identify sequences required for bacterial cell viability.

The disruption assay can involve: introducing into a host cell a recombinant vector that is capable of integration into the host genome, where the recombinant vector includes a candidate sequence that putatively encodes a cell-viability gene product (e.g., the exogenous ceg sequence); the vector integrates the candidate sequence into a target sequence within the host's genome (e.g., the endogenous ceg sequence); and the host cell, so introduced, is screened for viability. The recombinant vector preferably includes a selectable marker so that the introduced host cell can be screened for viability in the presence of a selectable agent.

For example, Figure 1 shows a schematic representation of a gene disruption assay, within a bacterial host cell. In Figure 1A, the recombinant vector, pEVP3, includes the CAT gene (e.g., the selectable marker chloramphenicol acetyl transferase) and an internal region of the *ceg* disrupting sequence; the internal region excludes the 5' and 3' ends of the *ceg* sequence. The "X" in Figure 1 indicates the recombinant pEVP3 vector undergoing homologous recombination with the target sequence (e.g., within the host genome). In Figure 1B, the resolved pEVP3 vector that is integrated into the host genome, is shown. Left to right are the following elements: the native promoter of the target gene; a 5' partial copy of the target gene; the body of the integrated pEVP3 vector including the disrupting gene and CAT; and, a 3' partial copy of the target gene. Thus, integration of the pEVP3 vector via homologous recombination results in two partial gene duplications flanking the integrated vector. If the target gene is not essential for survival, it is possible to recover chloramphenicol-resistant colonies of *S. pneumoniae*. Failure to recover chloramphenicol resistant colonies, in the presence of the proper controls as described below, indicates that the target gene may be essential for cell viability.

More particularly, the gene disruption assay for screening candidate ceg sequences can involve the following steps. The recombinant pEVP-3 vector encoding CAT resistance and having a fragment of a candidate ceg sequence, can be introduced into transformation-competent S. pneumoniae cells by methods that are well-known in the art (Lee, M.S., et al., 1998 Appl. Environ. Microbiol. 64:4796-4802). The preferred size of the ceg fragment can be between about 200 to about 500 bp in length. It is advantageous that the candidate ceg sequence does not include the 5' and 3' ends that encode the N-and C-terminal ends of the CEG polypeptide. This insures that the inserted ceg fragment and the disrupted endogenous ceg gene sequence are not capable of expression of a full-length, functional ceg gene product. The transformation-competent cells can be obtained by performing the transformation step in the presence of a heptadecapeptide that induces competence for transformation of S. pneumoniae (Havarstein, L. S., et al., 1995 Proc. Nat'l. Acad. Sci. 92:11140-11144), such as the CSP-1 peptide. The CSP-1 can be naturally-derived or synthetic. Additionally, the transformation step can be optimized by performing the transformation when the cells have reached a density which is optimal for

transformation (e.g., 3 X 10⁷ cells per ml.) (Havarstein, L. S. et al. *supra*). The recombinant vector can be introduced into the competent pneumococci and may undergo homologous recombination, whereby the candidate *ceg* fragment recombines with the corresponding endogenous *ceg* sequence, resulting in targeted integration of the vector into the pneumococcal genome and disruption of the endogenous *ceg*.

The transformed cells can be plated on or cultured in chloramphenicol-containing growth medium. The cells can be cultured under standard conditions, such as 37° C in 5% CO₂ for approximately 40 to 48 hours, for the purpose of selecting cells that carry the integrated vector.

Additionally, control samples can be run in parallel with the gene disruption assay, in order to determine whether the gene disruption procedure is working properly. example, the control samples can be used to calibrate the gene disruption experiment so that disruption of a known non-essential bacterial gene results in an approximate number of colonies per plate. Similarly, the disruption of a known essential gene can be calibrated to yield only zero or one colony per plate. The appearance of one colony is due to the rare illegitimate recombination into a non-homologous sequence. In particular, a known non-essential gene such as the lytA gene (Tomasz, A., et al., 1988 J. Bacteriol. 170:5931-5934) can be used so that between about 70 to 100 chloramphenicol-resistant colonies will grow per plate. Similarly, the ftsZ gene (Lutkenhaus, J. F., et al., 1980 J. Bacteriol. 143:1281-1288), a known essential gene, can be used to yield zero or, rarely, one colony per plate. As is well known in the art, specific parameters that are involved in any given gene disruption assay can be adjusted to calibrate the desired number of plated cells in the control samples. Experimental parameters that can be adjusted include, but are not limited to, the E. coli strain used to propagate the vector/insert, the fragment length of the sequence to be integrated, the amount of recombinant integration vector used to transform the cells, use of transformation-competent cells, and plating density of the transformed cells.

25

5

10

15

The transformed cells carrying the recombinant integration vector that disrupts expression of an endogenous essential gene (e.g., the target ceg gene) can be identified, based on a selectable phenotype such as non-viability. For example, the cells that carry a disrupted non-essential gene will be viable and, due to the integration of pEVP3, will grow on chloramphenicol-containing medium. In contrast, cells that carry a disrupted essential gene will not grow (e.g., non-viable) on the chloramphenicol-containing medium. Thus, the transformed cells that do not grow under these selective conditions carry an endogenous gene sequence that is essential for cell viability which has been disrupted by an exogenous candidate fragment, thereby identifying a ceg sequence. Steps one through three may be repeated in order to confirm that the ceg sequences, so identified, are essential for cell viability.

b) Autolysin Assay

10

It is advantageous to perform additional steps to determine whether the homologous recombination events result in disruption of the intended target gene sequence. The lytA transformation control can be used to confirm that the transformation system is functioning properly. For example, a phenotypic test for autolysin activity (lytA gene product) can be performed to determine that the exogenous lytA fragment is correctly integrated into the lytA site within the host genome. This typically involves flooding the culture plates containing transformants carrying the integrated lytA control vector with a solution of detergent, such as 0.1% deoxycholate, which triggers cell lysis in lytA-intact cells (e.g., the cells that have not undergone homologous recombination). After about 5-10 minutes the colonies with intact lytA will appear ghost-like due to cell lysis, and the

c) Polarity Analysis

The ceg sequences that are confirmed to be essential for cell viability can be examined further by performing a polarity analysis to determine if the corresponding endogenous ceg sequence is organized in an operon. Polarity is an effect unique to prokaryotes and is

the result of the operon organization of bacterial genomes. Many bacterial genes are arranged in operons in which multiple genes are under the control of a single regulatory sequence (e.g., a promoter) and are transcribed into a single mRNA transcript. With respect to the orientation of multiple genes within an operon, the genes that are proximal to the regulatory sequence are said to be "upstream" genes and the genes that are distal are said to be "downstream" genes. For example, many operons contain genes encoding different proteins that catalyze discrete steps of a common biochemical pathway. Thus, any of the proteins that catalyze the steps of the pathway may be essential for cell viability.

10

- 15

20

The presence of operons in a bacterial host genome may influence the interpretations of the gene disruption results. For example, disruption of an upstream gene may be erroneously interpreted as affecting the expression of the disrupted gene but may, in fact, have expression affects on the intact downstream genes. Therefore, it is advantageous to perform a polarity analysis to determine if a *ceg* sequence is part of an operon.

A polarity analysis can involve performing an *in vivo* gene disruption procedure using, as the disrupting sequence, a *ceg* sequence that includes the entire *ceg* coding sequence region but lacking expression regulatory sequences. This differs from the gene disruption assay, which involves the central region of the *ceg* sequence. The polarity analysis involves gene duplication via homologous recombination. For example, the pEVP-3 vector having the entire coding region of a *ceg* sequence can be used for the polarity analysis (Figure 2 A). The polarity analysis will yield different results depending on the organization of the endogenous target sequence within the host genome.

25.

30

For example, Figure 2 shows a schematic representation of the polarity test for operons, within a bacterial host cell. In Figure 2A, the recombinant vector, pEVP3, includes the CAT gene and the entire coding region of the *ceg* disrupting sequence. The "X" in Figure 2 indicates the recombinant pEVP3 vector undergoing homologous recombination with the target sequence. Two of the possible results of homologous recombination are shown in Figures 2 B and C.

In Figure 2 B, case 1, if the endogenous target sequence is not organized in an operon, the integration event may yield: a functional target sequence (e.g., it is capable of expression); a duplicate non-functional target sequence that lacks a promoter; and a functional downstream gene (e.g., Gene B) that is controlled by its own promoter. The cells carrying this type of integrated target sequence can be recovered as viable cells that grow in the presence of chloramphenicol; this condition is termed "polarity negative".

In Figure 2 C, case 2, if the target sequence is organized in an operon, then the integration event may yield an integration site that is similar to that described for case 1, including: a functional target sequence; and a duplicate non-functional target sequence which is not functional. However, this integration event may also yield a non-functional downstream gene (e.g., Gene B) because expression of this downstream gene is controlled by a promoter located upstream of the insertion site. The cells that carry this type of integrated target sequence will be non-viable; this condition is termed "polarity positive". Thus, the polarity analysis provides a method to determine whether integration of a recombinant vector into a target ceg sequence effects expression of downstream genes.

The ceg sequences disclosed herein (SEQ ID NOs.: 1-113, 227-331) encode gene products that are essential for viability in S. pneumoniae. Furthermore, many of these ceg sequences have been analyzed for the polarity effect and the results are presented in Table I. One subset of ceg sequences is classified as polarity negative (-), since the homologous recombination event did not effect the expression of downstream genes. Another subset of ceg sequences is classified as polarity positive (+), since the homologous recombination event did affect the expression of downstream genes. The ceg sequences that have not yet been classified as polarity positive or negative are indicated in Table I as a blank. For the ceg sequences that are classified as polarity positive, the genes downstream of the disrupted endogenous ceg sequences may or may not also be essential.

5

10

4) <u>ASSAYS FOR IDENTIFYING CEG LIGANDS AND OTHER BINDING AGENTS</u>

The present invention provides screening methods for identifying agents that interact and/or bind to the CEG proteins of the invention, such as a ligand. An agent can be, for example, a natural product, a derived or synthetic chemical molecule, a polypeptide, a nucleic acid molecule, or a metal. The agents that interact with CEG proteins may cause bacterial cell death by disrupting the functions of CEG proteins, including, but not limited to, nucleotide biosynthesis, DNA replication, RNA transcription, protein translation, and/or cell wall biosynthesis. Accordingly, the present invention provides screening methods for identifying agents having antibacterial activity, such as agents that cause bacterial cell death by interacting with the CEG proteins. These antibacterial agents are useful for treating diseases and afflictions associated with bacterial infections.

5

- 15 Various methods can be used to discover agents having antibacterial activity, as determined by the ability of the binding agent to bind to a CEG protein and disrupt the function of the CEG protein. These screening methods include whole cell *in vivo* assays as well as *in vitro* assays with cellular components.
- An *in vivo* screening method for identifying ligands that bind CEG polypeptides can be performed in a whole cell assay. A typical method may be the use of whole bacterial cells to assess the antibacterial properties based on cell growth or viability. These methods can include methods for measuring cell growth and/or viability, for example, by optical density or zones of growth (Koch, A. L. et al., 1970 *Anal. Biochem.* 38:252-259; Biemer, J. J. et al., 1973 *Ann. Clin. Lab. Sci.* 2:135-140; *Manual of Clinical Microbiology*, 7th edition, Murray, P. R. (ed), ASM Press), by growth inhibition in an agar assay (Murray, P. R., *supra*), or other means of detecting cell metabolism (Mychajlonka, M. et al., 1980 *Antimicrob. Agents Chemother.* 17:572-582), and are well known to those skilled in the art. In addition, there are molecular biology-based detection methods for use with whole bacterial cells, such as gene reporter assays, to monitor the effect of the ligand on specific targets (Slauch, J. M., et al., 1991 *Methods Enzymol.* 204:213-248). Examples of the reporter genes include, but are not limited to, beta-

galactosidase, alkaline phosphatase, luciferase, and green fluorescent protein. For example, one embodiment provides a reporter system that monitors inhibition of DNA synthesis by fusing a reporter such as beta-galactosidase (lacZ) to genes known to be upregulated by the cessation of DNA synthesis as a result of the binding of ligands to the DNA synthetic apparatus. (Shurvinton, C. E., et al., 1982 Mol. Gen. Genetics 185:352-355; Rosato, A., et al., 1998 Antimicrob. Agents Chemother. 42:1392-1396).

Alternatively, the yeast two-hybrid system (Fields, S. and Song, O. 1989, Nature 340:245-246) may be adapted to screen for ligands that bind CEG polypeptides. Generally, the yeast two-hybrid system is performed in a yeast host cell carrying a reporter gene, and 10 is based on the modular nature of the GAL transcription factor which has a DNA binding domain and a transcriptional activation domain. The yeast two-hybrid system relies on the physical interaction between a recombinant polypeptide that comprises the GAL DNA binding domain and another recombinant polypeptide that comprises the GAL transcriptional activation domain. The physical interaction between the two recombinant polypeptides reconstitutes the transcriptional activity of the transcription factor, thereby causing expression of the reporter gene. Either of the recombinant polypeptides used in the two-hybrid system can be generated to include a CEG polypeptide sequence to screen for binding partners of CEG.

20

25

15

Another method uses the bacterial CEG proteins as the basis for in vitro assay systems to detect binding agents. Typically, the in vitro screening method comprises: a) generating the CEG protein of the invention, or membranes enriched in the CEG protein; b) exposing the CEG protein or membranes to a candidate agent; and c) detecting the interaction of the CEG protein with the agent by any suitable means. Additionally, the screening methods may be adapted to automated high-throughput procedures, such as PANDEX.RTM Baxter-Dade Diagnostics, allowing for efficient high-volume screening of candidate agents.

An alternative method for screening potential ligands involves an in vitro binding 30 Typically, the CEG proteins of the invention can be produced using procedure.

recombinant DNA technology and host-vector systems as described herein. A candidate agent is introduced into a reaction vessel containing the CEG protein, or fragment thereof; the candidate agents may be detectable by methods such as, but not limited to, radioisotope or chemical labeling. Binding of the CEG protein by a candidate agent can be determined by any suitable means, including, for example, quantifying bound label versus unbound label using any suitable method. Binding of a candidate agent may also be detected by methods similar to an alternative physical method disclosed in U.S. Patent No. 5,585,277. In this method, binding of a candidate agent to a protein is assessed by monitoring the ratio of folded protein to unfolded protein, for example by monitoring sensitivity of the protein to a protease, or amenability to binding of the protein by a specific antibody against the folded state of the protein, or binding to chaperone protein, or by binding to any suitable surface.

5

10

. 15

20

25

The invention provides methods of identifying compounds that modulate (e.g., activate or inhibit) the function of a CEG polypeptide. Essentially any compound can be used in the assays of the invention. The preferred compounds are those that are soluble in aqueous or organic solutions. It will be appreciated by those of skill in the art that there are many commercial suppliers of chemical compounds that can be used in the methods of the invention, including Sigma Chemical Co. (St. Louis, Mo.), Aldrich Chemical Co. (St. Louis, Mo.), Sigma-Aldrich (St. Louis, Mo.), Fluka Chemika-Biochemica Analytika (Buchs, Switzerland), and the like.

The present invention provides methods for detecting compounds which are identified as modulators of CEG function. The methods of the invention can be performed using isolated CEG polypeptides, or use whole cells expressing the CEG polypeptide. The steps of the method using isolated CEG polypeptides include: contacting the isolated CEG polypeptide with a candidate compound; and determining whether the function of the CEG polypeptide is altered. The steps of the method using whole cells include: contacting the whole cells with a candidate compound; and determining whether the cell dies, indicating the compound inhibited the function of a CEG polypeptide.

The preferred methods of the invention provide high-throughput screening assays for identifying compounds which modulate the function of a CEG polypeptide. The high throughput methods permit screening of large libraries of compounds. For example the high throughput methods can use automated assay steps. The assays can be performed in parallel on a solid support, as microtiter formats on microtiter plates in robotic assays are well known. A preferred embodiment of the methods includes adapting the methods to use microtiter plates or pico- nano- or micro-liter arrays. In high throughput assays it is desirable to run positive controls to ensure that the components of the assays are working properly.

- 10

15

The high throughput screening methods of the invention include providing a combinatorial library containing a large number of compounds (candidate modulator compounds) (Borman, S, C. & E. News, 1999, 70(10), 33-48). Such combinatorial chemical libraries can be screened in one or more assays to identify library members (particular chemical species or subclasses) that exhibit the ability to modulate the function of the CEG polypeptide (Borman, S., supra; Dagani, R. C. & E. News, 1999, 70(10), 51-60). The compounds, so identified, can serve as lead-compounds or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by using either chemical synthesis or biological synthesis, to combine a number of chemical building blocks, such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide library, is formed by combining a set of chemical building blocks (amino acids) in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks.

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Pat. No. 5,010,175, Furka, *Int. J. Pept. Prot. Res.*, 1991, 37:487-493 and

Houghton, et al., Nature, 1991, 354, 84-88). Other chemistries for generating chemical diversity libraries can also be used. Such chemistries include, but are not limited to, peptoids (PCT Publication No. WO 91/19735); encoded peptides (PCT Publication WO 93/20242); random bio-oligomers (PCT Publication No. WO 92/00091); benzodiazepines (U.S. Pat. No. 5,288,514); diversomers, such as hydantoins, benzodiazepines and dipeptides (Hobbs, et al., 5 Proc. Nat. Acad. Sci. USA, 1993, 90, 6909-6913); vinylogous polypeptides (Hagihara, et al., J. Amer. Chem. Soc. 1992, 114, 6568); nonpeptidal peptidomimetics with beta-D-glucose scaffolding (Hirschmann, et al., J. Amer. Chem. Soc., 1992, 114, 9217-9218); analogous organic syntheses of small compound libraries (Chen, et al., J. Amer. Chem. Soc., 1994, 116, 2661; Armstrong, et al. Acc. Chem. Res., 1996, 29, 123-131); or small organic molecule 10 libraries (see, e.g., benzodiazepines, Baum C&E News, 1993, Jan. 18, page 33,); oligocarbamates (Cho, et al., Science, 1993, 261, 1303); and/or peptidyl phosphonates (Campbell, et al., J. Org. Chem. 1994, 59, 658); nucleic acid libraries (see, Seliger, H et al., Nucleosides & Nucleotides, 1997, 16, 703-710); peptide nucleic acid libraries (see, e.g., U.S. Pat. No. 5,539,083); antibody libraries (see, e.g., Vaughn, et al., Nature Biotechnology, 1996, 15 14(3), 309-314 and PCT/US96/10287); carbohydrate libraries (see, e.g., Liang, et al., Science, 1996, 274, 1520-1522 and U.S. Pat. No. 5,593,853, Nilsson, UJ, et al., Combinatorial Chemistry & High Throughput Screening, 1999 2, 335-352; Schweizer, F; Hindsgaul, O. Current Opinion In Chemical Biology, 1999 3, 291-298); isoprenoids (U.S. Pat. No. 5,569,588); thiazolidinones and metathiazanones (U.S. Pat. No. 5,549,974); pyrrolidines (U.S. 20 Pat. Nos. 5,525,735 and 5,519,134); morpholino compounds (U.S. Pat. No. 5,506,337); benzodiazepines (U.S. Pat. No. 5,288,514); and other similar art.

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem. Tech, Louisville Ky., Symphony, Rainin, Woburn, Mass., 433A Applied Biosystems, Foster City, Calif., 9050 Plus, Millipore, Bedford, Mass.). In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis, Mo., ChemStar, Ltd., Moscow, RU, 3D Pharmaceuticals, Exton, Pa., Martek Bio sciences, Columbia, Md., etc.).

In the high throughput methods of the invention, several thousand different candidate compounds can be screened in a relatively short period of time. For example, each well of a microtiter plate can be used to run a separate assay against a selected potential modulator, or if concentration or incubation time effects are to be observed, every 5-10 wells can test a single modulator. Thus, a single standard microtiter plate can assay about 100 (96) modulators. If 1536 well plates are used, then a single plate can easily assay from about 100 to about 1500 different compounds. It is possible to assay many different plates per day; assay screens for up to about 6,000-20,000, and even up to about 100,000-1,000,000 different candidate modulator compounds are possible using the methods of the invention.

10

The following examples are presented to illustrate the present invention and to assist one of ordinary skill in making and using the same. The examples are not intended in any way to otherwise limit the scope of the invention.

15

20

5

EXAMPLE 1

The following provides a general description of how a list of candidate ceg sequences was generated. The list was generated by selecting candidate ceg gene sequences from a Concordance web engine using the method described in: Bruccoleri, R.E., Dougherty, T.J., Davison, D.B. (1998) "Concordance analysis of microbial genomes" in: Nucleic Acids Res 26:4482-4486.

Microbial Genomics CEG Discovery Process Summary.

25

30

Microbial Concordance Analysis

The entire genomic sequence data of various bacteria was acquired from several public and proprietary sequence database sources, including GTC (Genome Therapeutics Corporation), and TIGR (The Institute for Genomic Research).

Predicted ORFs from the genomic data were identified, translated, and stored. The desirable ORFs were at least 90 amino acid residues in length. Concordance analysis was performed among bacteria and various parameters were used to filter out genes with high similarity to eukaryotes.

5

10

15

20

Concordance Analysis

The entire genomic sequence of various Eubacteria was acquired from several public and private sources. The proprietary PathoGenome System from Genome Therapeutics Corporation, Waltham, MA, USA contributed data. Public data was obtained from GenBank (http://ncbi.nlm.nih.gov), The Institute for Genomic Research (TIGR), the Yeast Proteome Database, from Proteome, Inc. of Beverly, MA, and the Sanger Center of the Medical Research Council of the United Kingdom (http://www.sanger.ac.uk). Additionally, the non-microbial sequence data used as a basis for comparison and data subtraction was obtained from a proprietary database, including the LifeSeq Database from Incyte Pharmaceuticals, Palo Alto, CA.

Where required, Incyte nucleotide sequences were translated into protein sequences in all six possible reading frames. GTC supplied predicted protein sequences with their data. In the case of other eubacterial nucleotide sequences, the program CRITICA (Badger, J. and Olsen, G., 1999 "CRITICA: coding region identification tool invoking comparative analysis" in: *Molecular Biology and Evolution* 16:512-524). The sequences were stored in flat files on a Unix computer system. Each predicted amino acid sequence had to be greater than 90 amino acids.

25

30

Each predicted protein sequence was compared to every other sequence (an "all-against-all" comparison). The program used was FASTA (Pearson, W.R., "Flexible sequence similarity searching with the FASTA3 program package." *Methods in Molecular Biology* 2000 132:185-219.) The parameters used were ktup=2, and all scores above the default cutoff were kept. The output was processed and stored in a PostGres 95 database (http://www.postgresql.org). Graphical user interfaces, using web browser technology, were constructed to query the database.

A Concordance Analysis was performed on the data. The question used to generate the dataset was show all *Streptococcus pneumoniae* open reading frames with a similarity greater than or equal to 30% overall protein sequence identity to both selected grampositive and/or gram-negative bacteria in the database. The data was further required not to match yeast or human sequences at greater than 30% overall protein sequence similarity. The resulting dataset included a list of more than 400 conserved amino acid sequences having known or unknown function. The amino acid sequences having unknown functions formed the basis of a list designated Conserved Unknown Reading Frames, or CURFs which is a subset of the total list of CEGs (e.g., CURFs includes known and unknown).

The resulting list of conserved genes (e.g., more than 400 sequences) was used as a basis for selecting and screening bacterial gene sequences that are essential for cell viability. The Concordance system was designed to permit high-throughput identification of conserved gene sequences in the database. (Bruccoleri, R, Dougherty, T, and Davison, D. 1998 "Concordance analysis of microbial genomes" *Nucleic Acids Res.* 26:4482-4486.)

20 Data Curation And Analysis

Exact N-terminal and C-terminal translational start sites of genes were identified by pairwise similarity searches, multiple sequence alignments. Ribosome binding sites, terminators, nearby genes, operons were identified.

25

30

5

10

15

The resulting list of conserved genes was used as a basis for selecting and screening bacterial gene sequences that are essential for cell viability. This Concordance system was designed to permit high throughput use of the conserved gene sequences contained on the list. A set of Knockout PCR primers were generated, based on the list of conserved genes, for the purpose of use in the gene disruption procedure described below. The PCR primers were designed to amplify a central 300-500 bp region of the ceg (to prevent generation of a functional copy of the ceg gene following integration),

ordered electronically, the primers were placed in a 96-well format, and used in the gene disruption procedure as described below.

EXAMPLE 2

5

The following provides a description of the procedure to generate recombinant vectors of pEVP-3 having inserts of candidate *ceg* nucleotide sequences. The Knockout primers generated by the method described in Example 1 above were used to generate DNA fragments comprising candidate *ceg* sequences.

10

15

Genomic PCR Knockout Target Fragment Generation

96-well plate format were set up (36 μl H₂O, 5 μl 10× VentTM buffer, 1 μl gene specific, knockout forward primer (0.5 μg/μl), 1 μl gene specific knockout reverse primer (0.5 μg/μl), 0.5 μl VentTM DNA polymerase (2000 U/ml New England Biolabs, Beverly, MA), 1.5 μl each dNTPs (10mM; 6.0 μl total), 0.5 μl S. pneumoniae chromosomal DNA (0.5 μg/μl), 50 μl total volume/reaction).

The nucleotide sequences of the forward and reverse knockout primer pairs were generated from the nucleotide sequence information obtained from the Genomic Therapeutics Corporation database for *Streptococcus pneumoniae*. The primer pairs were each used in a PCR reaction to generate a unique internal (e.g., central region) fragment of the candidate gene targeted for knockout.

The PCR program was set in the PCR machine (Initial 95 °C - 5 minutes: 30 Cycles of: 95 °C - 1 minute, 58 °C - 1 minute, 72 °C - 30 seconds; Final, 72 °C - 10 minutes, 4 °C - hold indefinitely). 5 μl of each reaction was run on an 0.8% agarose gel after purifying fragment over PCR purification kit (Qiagen) to visualize the fragments then ligation reactions were performed.

30

Ligation Reactions proceeded (set up in 96-well plate format (10.0 μl genomic PCR fragment (generated from step 2 above), 1.0 μl pEPV-3 SmaI-cut vector (1: 10 dilution of vector DNA at 50-100 ng/μl), 1.5 μl 10× ligation buffer (New England BiolabsTM), 1.0 μl T4 DNA Ligase (New England BiolabsTM 400,000 U/ml), 1.5 μl ddH₂O, 15.0 μl total reaction volume).

Reactions were allowed to incubate in 96-well plate at 14 °C overnight in the PCR machine. Transformations into E. coli for in vivo amplification were proceeded the following day.

10

15

5

The nucleotide sequences of the forward and reverse primer pairs used for the polarity test were generated in a similar manner, from the nucleotide sequence information obtained from the Genomic Therapeutics Corporation database for *Streptococcus pneumoniae*. The primer pairs were each used in a PCR reaction to generate a unique fragment of the candidate gene targeted for the polarity test. The fragment generated for the polarity test included the entire *ceg* coding sequence region but lacking the expression regulatory sequences.

Transformation into E. coli (strain LE392):

20

25

The next day, 3 µl of above ligation mix was used per transformation reaction plus 50 µl LE392 competent cells. Reactions were set up in 96-well plate format; incubated on ice for 30 minutes; heat-shocked at 42° C for 90 seconds; and incubated on ice 2 minutes; 100 µl SOC media (Gibco BRL) was added; then incubated at 37° C on platform shaker for 1 hour; plated on LB/chloramphenicol (13.0 µg/ml) agar plates for constructs over night at 37° C with plates inverted and proceeded with colony PCR to confirm constructs. The universal primers flanking the insert site in pEVP-3 were used for PCR amplification.

The colony PCR involved the following. 96-well plate format was set up (36.5 μl H₂O, 0.5 μl pEPV3 forward primer (0.25 μg/μl), 0.5 μl pEPV3 reverse primer (0.25 μg/μl), 1.5

μl each (6.0 μl total) dNTPs (10 mM), 0.5 μl Vent[™] DNA polymerase, 5 μl 10× Vent[™] buffer, 1 μl of a 1:50 cell dilution, 50 μl total volume).

pEPV3 forward primer: 5' CATCAAGCTTATCGATACCGTCG 3' (SEQ ID NO:437)
p EPV3 reverse primer: 5' CACAGTAGTTCACCACCTTTTCCC 3' (SEQ ID NO:438)

Colonies of *E. coli* LE392 were picked onto a master plate of LB + 13 μ g/ml chloramphenicol (incubate throughout the day at 37° C) and then into 50 μ l H₂0 which has been placed into a 96-well plate. 1 μ l of this dilution was used in above PCR reaction (if the 96-well dilution plate is kept you will not need to prepare a master plate). Cultures for minipreps of plasmid candidates may be prepared directly from the cell dilutions.

The PCR program was run (95 °C - 5 minutes, 30 Cycles of: 95 °C - 1 minute, 58 °C - 1 minute, 72 °C - 30 seconds, 72 °C - 10 minutes, 4 °C - hold).

15

10

5

A 10 μ l/ reaction was run on a 1.0 % TBE gel. A gel designed for 96 well plates and a multichannel pipettor were used to ease loading of the sample rows. The gel was run and stained with ethidium bromide. The positive clones were identified with appropriate molecular size insert(s), amplified by the flanking pEVP-3 primers.

20

25

Minipreps Of Plasmids To Identify Cells Carrying The Pevp-3 Vector With An Insert

The constructs that carried an insert were identified. The constructs having an insert were inoculated into a 5 ml LB/Cm culture, and incubated over night at 37 °C with aeration. Miniprep plasmid DNA was prepared by a standard procedure. The miniprep DNA was digested with appropriate restriction enzymes to confirm the presence of the insert (enzymes flank SmaI site in pEVP-3) (10 μ l miniprep DNA, 2 μ l 10 × buffer, 1 μ l XbaI, 1 μ l XhoI, 6 μ l ddH20, 20 μ l total volume for digest).

To confirm the presence of an insert, the digest reactions were electrophoresed on an agarose gel and the gel was stained with ethidium bromide. The positive clones were used for the *S. pneumoniae* KNOCKOUTs procedure.

The confirmatory PCR reactions, using knock out-specific primers (quality control step) involved 35.5 μl H₂O, 5 μl 10 × VentTM buffer, 1 μl knockout forward primer (0.5 μg/μl), 1 μl knockout reverse primer (0.5 μg/μl), 0.5 μl VentTM (6.0 μl total) DNA Polymerase (2000 U/ml), 1.5 μl each dNTPs (10mM, 6.0 μl total), 1.0 μl miniprep DNA from test clone, 50 μl total reaction volume. The PCR program was as follows: 95 °C for 5 minutes, 30 Cycles of: 95 °C for 1 minute, 60 °C for 1 minute, 72 °C for 30 seconds, 72 °C for 10 minutes, hold at 4 °C. The presence of the correct-sized insert was confirmed by agarose gel electrophoresis and ethidium bromide staining. The confirmed clones were used for the *S. pneumoniae* gene KNOCKOUT procedure. Glycerol stocks were made of all positive *E. coli* LE392 constructs and frozen at – 80 degrees C.

15

20

EXAMPLE 3

The following provides a description of the high throughput gene disruption procedure used in *S. pneunomiae* strain (e.g., gene knockout procedure). The candidate *ceg* fragments that were generated by the method described in Example 2 were used in the gene disruption procedure in order to identify *ceg* nucleotide sequences that are required for cell viability.

Reactions were set up in a 1.5 ml eppendorf tubes or 96 well plate (1 μg total of miniprep pEVP-3 + insert DNA (usually 10 μl of Qiagen miniprep DNA); then 200 μl of S. pneumoniae (strain Rx-1) competent cells diluted 1:10 in competence media was added (1 ml of competence media = 980 μl Todd Hewitt (Difco Laboratories) with 0.5% yeast extract, 20 μl 10% BSA, 1 μl 10 % CaCl2, and 0.5 μl (200 μg/ml) Csp-1 competence peptide).

30

WO 01/49721 PCT/US00/35604.

Controls were run with each KNOCKOUT experiment and involved 1 μ g pEPV3 Lyt A construct = positive control (non-essential), or 1 μ g pEPV3 Fts Z construct = negative control (essential). Then the 96 well plates and controls were incubated at 37 °C for 2.5 to 3 hours in 37 °C room without shaking. The 200 μ l of the samples were plated on Todd Hewitt agar plates with 0.5% yeast extract and 2 μ g/ml chloramphenicol.

The samples were incubate over night at 37 °C in 5% CO₂ incubator. Control plates were checked for presence of colonies (pEVP-3::lytA) and no growth (pEVP-3::ftsZ). Plates were examined for growth (ca. 70-150 colonies) designating nonessentials and zero colonies designating essential genes.

The polarity test was performed in a similar manner, using the polarity fragments described in Example 3.

15

10

5

EXAMPLE 4

The following provides a description of the autolysin procedure used to determine that the non-essential control samples of S pneumoniae contain a disrupted lytA gene.

20

Phenotypic Autolysin Test

The culture plates containing transformants carrying the *lytA* control vector were flooded with 0.1% deoxycholate in H₂O. The plates were observed after 5-10 minutes. Plates with "ghosts" indicated intact *lytA* gene, or plates without "ghosts" indicated a disrupted *lytA* gene. The "ghost" phenomenon is due to detergent triggered autolysis of the cells, causing a gradual fading of the colonies.

The detergent treatment triggers the autolysin in *lytA* intact cells; it cannot trigger the autolysin (*lytA* gene product) in *lytA* disrupted cells. Colonies with intact *lytA* "ghost" in 5-10 minutes due to massive pneumococcal cell lysis.

EXAMPLE 5

5

15

20

25

The following provides a description of the procedure used to express the CEG proteins (e.g., designated CFE proteins) in *E. coli* cells.

CEG Protein Production

Full-length ceg gene were inserted into pET-21 expression vector using the E. coli BL21 λDE3 expression system using the following method:

For each ceg, custom primers were used to insert N- and C- termini into vectors such that the 5' end (N-terminus of the CEG) is positioned properly for expression behind the T7 promoter and optimally placed with regard to the pET ribosome binding site. The pET vectors contain an Ndel site which allows positioning of ATG start site in the vector. In cases where the ceg sequence contains an internal Ndel site, blunt ligation of the ceg PCR fragment into the vector is accomplished via Klenow fill-in of the Ndel site. In many cases, primers were also designed such that the ceg 3' (C-terminus of the expressed protein) will contain an in-frame extension of 6X-histidine residues, encoded in the vector sequence of pET-21. The individual cegs were PCR amplified via custom designed primers as described above. Both ceg PCR and vector DNA were digested with appropriate restriction enzymes. The full-length ceg were ligated into the pET expression vector. The ligation mixture was transformed into competant E coli BL21 λ DE3 cells and selected for transformants on LB agar with 50 $\mu g/ml$ ampicillin. Positive insert bearing clones were screened via minipreps of the plasmids and size analysis on 0.8% agarose gels, with detection by ethidium bromide staining, as above.

Protein Production

The proper reading frame of each *ceg* inserted into pET-21 is verified by DNA sequencing.

A small (2-5 ml) test culture of *E. coli* BL21 λ DE3 with the insert-bearing plasmid is tested for protein expression by IPTG induction of the expression vector for 1-2 hours. The expression is verified by SDS-Polyacrylamide Gel Electrophoresis analysis of a whole cell extract (SDS extract of 0.5-1 ml of cells treated at 100 °C for 5 minutes) to determine whether the protein is over-expressed and migrates at the correct predicted molecular weight.

The protein is overproduced and purified via the following method. A large scale (500-1000ml) culture of *E. coli* is grown to early logarithmic phase in broth (e.g., LB broth) and protein expression induced for 2 hours with IPTG (isopropyl-D-thiogalactoside). The cells are harvested by centrifugation (8000 X G; 15 minutes) and the cell pellets resuspended in 20 ml. of buffer. The cells are lysed by sonication, and the supernatant fluid centrifuged at low speed (5000 X G, 15 min.) to remove unbroken cells. The supernatant fluid, containing the over-expressed protein is subjected to Ni-NTA affinity column chromatography (Quiagen, Inc., Chatsworth, CA). The 6X-histidine residues linked at the C-terminal end of the CEG proteins permit rapid protein purification via selective binding to a Ni-NTA resin column. The protein-bound Ni-NTA resin was to remove contaminants, and the bound proteins subsequently eluted with imidazole and recovered. It is possible to upscale this procedure to larger volumes for higher yields of proteins.

EXAMPLE 6

The following provides a description of the methods used to purify all 2CEG polypeptides (e.g., 2CFE polypeptides #19-117; SEQ ID NOS:349-436) having a histidine tag at their C-terminal ends. The 2CEG polypeptides having the his-tags were produced by the methods described in Example 5, supra. As an example, results of purification of 2CFE 75 polypeptide are presented.

10

15

20

Production Of The CFE Polypeptides

The BL21λDE3 cells harboring recombinant pET-21 vectors carrying a 2CFE nucleotide sequence (SEQ ID NOS:244-331) were cultured in LB broth containing ampicillin. When the A₆₀₀ reached approximately 0.6, protein production was induced by adding 1.0 mM of IPTG, the cells were cultured for an additional 2 hours. The cell pellet was collected by centrifugation, and the collected cell pellet was sonicated in Solution A (50 mM NaPO₄; 300 mM NaCl, pH 8.0). The sonicated cells were centrifuged at 10,000 RPM to remove the debris.

10

15

20

5

Purification Of The CFE Polypeptide

The supernatant was diluted with Solution A, loaded onto a Ni-NTA column (Quiagen) equilibrated with Solution A; the column bed size was 2.5 x 25 cm, and the flow rate was approximately 3.0 ml/minute. The 2CFE protein was eluted using a linear gradient of imidazole, using 0-250 mM in 450 ml, flow rate approximately 3.0 ml/minute. The eluted samples were collected as 22 ml fractions per tube and the eluted samples were monitored using spectrophotometry. The amount of protein in the eluted fractions was estimated using the Bradford method (Bradford, M. M., 1976 *Anal. Biochem.* 72:248) and the samples were run on an SDS-PAGE gel (Novex EC6008) (Figure 3 A). Fractions were selected for pooling based on the results of the SDS-PAGE gel. The pooled fractions were concentrated using a 10,000 MW Centricon (Amicon) to approximately 5 ml.

The 2CFE 75 polypeptide, a precipitate formed and was redissolved upon increasing the sample volume and removing the imidazole by repeated concentration in 50 mM Tris, 100 mM NaCl, pH 7.5. Varying amounts of the 2CFE 75 polypeptide were diluted in either 20 mM Tris, 20 mM KCl, pH 7.5 or 20 mM Tris, 20 mM MgCl₂, pH 7.5 at concentrations of 12, 24, or 36 ug/ml. The diluted samples were electrophoresed on an SDS-PAGE gel under non-reducing conditions (Figure 3 B). The results of Figure 3 B suggests that 2CFE 75 forms a multimer.

EXAMPLE 7

5

The following provides a description of the methods used to purify CEG polypeptides that lack a histidine tag (e.g., 2CFE polypeptides #1-17; SEQ ID NOS:332-348). As an example, the results of purification of CFE 3 polypeptide are presented.

Purification of the CFE 3 Polypeptide

The 2CFE 3 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 3 (SEQ ID NO:334) polypeptide lacks a Cterminal histidine tag. The 2CFE 3 polypeptide was purified using a 2-column procedure. The 2CFE 3 polypeptide preparation was eluted from a 26/10 Q Sepharose column (Pharmacia) using a 0-1.0 M NaCl gradient, 2 ml/minute flow rate, and the gradient size was 1 liter. Then the 2CFE 3 polypeptide was eluted from a hydroxyapatite Bio-gel column (Bio-Rad) using a 5-200 mM potassium phosphate (pH 8.0) gradient, the flow rate was 0.3 ml/minute, and the gradient size was 300 ml. A sample of the 2CFE 3 preparation was run on a polyacrylamide gel (Figure 4).

20 EXAMPLE 8

The following provides a description of the size exclusion chromatography methods used to estimate the molecular weight and determine whether the CEG polypeptides oligomerize. The CFE polypeptide may olimerize to form monomers, dimers, tetramers, hexameric rings, or other oligomeric forms.

Size exclusion chromatography was performed on all isolated 2CFE polypeptides #s 1-117 (e.g., SEQ ID NOS:332-436). This method was performed using various types of columns, depending on the particular 2CFE polypepeptide tested.

25

The Biosil SEC-125 HPLC Gel Filtration column (BioRad Laboratories, Inc) was used, for example, to characterize CFE 8. The mobile phase was 0.2 M KH₂PO₄, 0.9% NaCl pH 6.8.

The Phenomenex 600 x 7.5 mm Biosep SECS 3000 column was used, for example to characterize 2CFE 21 and 39. The mobile phase for size exclusion was 50 mM Na₂HPO₄, pH 7.0 and 150 mM NaCl run at 1 ml/minute in a Gilson HPLC system, with protein detection at 280 nm.

10 EXAMPLE 9

15

The following provides a description of the computer-aided methods used to search for similarities between the amino acid sequences of the CEG polypeptides and sequences available through public and proprietary databases. In many cases, the function of the CEG polypeptides was suggested by the results of the similarity searches. The function of some of these CEG polypeptides has been confirmed by performing additional analyses. Table V provides a list of the suggested and confirmed functions of CEG polypeptides designated CFEs #1-117.

The putative function of the CFE polypeptides were determined using computer-aided bioinformatic approaches, including distant homologies, motif searching, or predictions based on statistical rules. For example, the distant homology approach involved pairwise or multiple sequence alignments, employing tools such as FASTA, and Psi-BLAST. The motif searching approach involved using sophisticated hidden Markov models. The approach based upon predictions of statistical rules involved prediction of transmembrane regions, coiled-coil, and other structural motifs. These approaches have been reviewed in Computational Methods In Molecular Biology 1998, eds. Salxber, S.L., Searls, D.B. Searls, and Kasif, S., Elsevier, and in Bioinformatics: A Practical Guide To The Analysis Of Genes And Proteins 1998 eds Baxevanis, A. D. and Francis Ouellete, B.F., Wiley-Interscience.

Global sequence similarity searches were performed using the amino acid sequences of all the conserved essential gene sequences (e.g., CFEs 1-117; SEQ ID NOS:114-226) to search against a non-redundant protein database using the BLAST2 algorithm (Altschul S.F., et al., 1997 Nucleic Acids Res. 25(17):3389-3402). In a similar search, similar sequences were identified in the Concordance database using the "Neighbor" function (Bruccoleri R. E., Dougherty T.J., Davison D.B. 1998 Nucleic Acids Res. 26(19):4482-4486). To determine if the predicted amino acid sequences were full length and in the proper reading frame, BLAST-type searching and CLUSTAL multiple sequence alignments (Higgins D.G., et al., 1996 Methods Enzymol. 266:383-402) were used. Local sequence similarity searches were performed, by searching for Prosite (Hofmann K., et al., 1999 Nucleic Acids Res. 27(1):215-219) and Pfam motifs (Bateman A., et al., 2000 Nucleic Acids Res. 28(1):263-266). Additionally, the amino acid sequences of the CFEs were analyzed by performing protein threading analyses using the ProCeryon fold recognition program (Sippl, et al., 1992 Proteins 13:258-271; Sippl, J. 1993 J. Comp. Aided Mol. Design 7:473-501; www.proceryon.com) and Geneformatics.

5

10

15

20

25

30

In bacteria, many operons include genes encoding different proteins that catalyze discrete steps of a common biochemical pathway. Therefore, the operon structures in *S. pneumoniae* was compared with that in other bacteria in order to predict the function of CFE polypeptides.

Additionally, analysis of bacterial metabolic pathways were performed using Pathway Tools from DoubleTwist, based on the EcoCyc system (Karp P.D., et al., 1999 *Nucleic Acids Res.* 1999 27(1):55-58). This analysis was used to predict which CFEs mediate various steps of the pathways.

When the sequence identity between a CFE polypeptide and the annotated database (e.g., SwissProt, Genbank) was low (e.g., sequence identity less than about 30%), a Protein Threading (e.g., fold recognition) method was used to predict similarities in the folded protein structure of CFE polypeptides in the absence of a high level of sequence similarity with proteins in the databases (review by Teichmann, et al., 1999 Current Opinion in

Structural Biology 9:390-399). The Protein Threading method predicts the compatibility of a query sequence (e.g., CFE polypeptide sequences) with each of the folds in a library of known protein structures. The library of known protein structures as developed, maintained, and updated throughout the search process.

5

A list of potential structural folds, onto which each query was compatible, was generated for all CFE polypeptides (e.g., SEQ ID NOS:114-226). The fold assignments for each query were used to generate pairwise sequence alignments. The pairwise sequence alignments were used to generate protein models of the query polypeptide (e.g., CFE polypeptides).

10

15

The pairwise sequence alignments were also used to compare the position of critical residues of the structural template with the query polypeptide. The list of critical residues was generated by using multiple sequence alignments derived from a structural classification of proteins to generate a conservation profile which provided sequence-specific positions conserved across a homologous family of protein folds. Comparative modeling was used to search the model of the query polypeptide for the critical residues and determine whether the structural and functional motifs are conserved in the query protein. Conservation of structural and functional motifs permitted assignment of putative structure and function to a query polypeptide sequence.

20

The Protein Threading method was used to search for putative folded structure and function for all CFE polypeptides (SEQ ID NOS:114-226). The CFE polypeptides having significant sequence identity (e.g., more than 30%) to known proteins were assigned putative functions with a high level of confidence.

25

30

EXAMPLE 10

The following provides a description of the methods used to characterize purified, CFE 101 polypeptide. The 2CFE 101 polypeptide mediates the conversion of pantothenate to 4' phosphophantothenate, and is predicted to be a pantothenate kinase.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 supra, suggests that the amino acid sequence of the CFE 101 polypeptide (SEQ ID NO:210) is 42% similar to the amino acid sequence of the coaA protein of E. coli. Thus, CFE 101 may be a pantothenate kinase, which mediates the conversion of pantothenate to 4' phosphophantothenate (Figure 5).

Circular Dichroism and Circular Dichroism Thermal Melt Analysis

10

Circular dichroism and circular dichroism melt methods were used to determine the folded structure of the expressed and isolated 2CFE polypeptides. For example, this method was used to characterize the folded structure of isolated 2CFE 101 (SEO ID NO:421).

15

25

The starting concentration of the 2CFE 101 polypeptide was such that OD₂₀₅ was approximately 1.5, and the OD₂₈₀ was approximately 0.05 (e.g., 0.05 to 0.1 mg/ml). The starting concentration of 2CFE 101 was approximately 344 µM in 50% glycerol, 50 mM Tris, 100 mM NaCl, 5 mM MgCl₂, 0.5 mM EDTA, at pH 7.5. The polypeptide was 20 diluted to a final concentration of 7 μM , as determined by absorbance at A_{280} , in 20 mMNa-phosphate, 100 mM KCl, at pH 7.0. The circular dichroism analysis was performed using quartz cuvettes, the instrumentation was from JASCO (Model J-720), the readings were performed at 25 degrees C (Figure 6 A). The band width was 1 nm, the sensitivity was 20 mdeg, the response was 0.25 seconds, the scan speed was 50 nm/minute, and the step was 0.5. The circular dichroism thermal melt analysis was performed at a range of between 0 and 100 degrees C (Figure 6 B). Additionally, the circular dichroism was performed comparing monomer and aggregate pools of 2CFE 101.

Size Exclusion Analyses

Size exclusion chromatography methods were performed using the Biosil SEC column, as described in Example 8 *supra*. The results suggest that the 2CFE 101 polypeptide forms monomer (40,200 Da) and oligomers (194,000 Da). The specific activity of the monomer and oligomeric forms of 2CFE 101 were determined, as described below.

Biochemical Assays

5

30

The biochemical assays of the 2CFE 101 polypeptide was based on the PK/LDH coupled enzyme assays described by Vallari, D. S., et al. (1987 *J. Biol. Chem.* 262:2468-2471) and Song, W. –J., et al., (1994 *J. Biol. Chem.* 269:27051-27058).

Briefly, the assay was performed as follows. The reaction included: 885 μl of 0.1 M
Tris-HCl (pH 7.6), 25 μl NADH (14.1 mM), 20 μl ATP (10.7 mM), 50 μl phospho-enol-pyruvate (56 mM), 5 μl LDH/PK (lactose dehydrogenase/PK; Sigma, catalog # P-0294, 60 U/ ml PK, 1050 U/ml LDH), 5 μl of the 2CFE 101 polypeptide (9 mg/ml in 50 mM Tris-HCl, pH 7.5, 100 mM NaCl which was diluted to 4.5 mg/ml in 50% glycerol). The reaction was started by adding 10 μl pantothenate (100 mM; Sigma, catalog # P2250).
The production of ADP in the reaction was monitored by measuring the absorbance a 340 nm. The results in Figure 8 show that the 2CFE 101 polypeptide mediates ADP production in the presence of pantothenate and ATP. The K_m of pantothenate (n=4) was 144 (±16.5) μM, the V_{max} of the 2CFE 101 polypeptide (n=4) was 2.04 (±0.25) μM min⁻¹ mg⁻¹. The monomer form has a specific activity of approximately 1.7 μM min⁻¹ mg⁻¹.
The oligomeric form has a specific activity of 0.26 μM min⁻¹ mg⁻¹.

Alternatively, the 2CFE 101 polypeptide can be tested in an assay that monitors the conversion of pantothenate to 4'-phosphopantothenate. The same reaction described above can be used, except ¹⁴C-labeled pantothenate is used. The reaction can be monitored by measuring the amount of ¹⁴C-labeled 4'-phosphopantothanate produced.

EXAMPLE 11

The following provides a description of the methods used to characterize purified, CFE 39 and CFE 21 polypeptides, carrying a C-terminal histidine 6-tag. The methods include helicase reactions, in which synthetic Holliday Junction templates are resolved into duplex structures. In one method, helicase reaction was monitored using radiolabeled templates. In another method, the helicase assay was adapted for use in a high throughput assay employing fluorescence labeled templates.

10 Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 39 polypeptide (SEQ ID NO: 148) is an RuvA homologue. The comparison also suggests that CFE 21 (SEQ ID NO:132) is an RuvB homologue.

15

30

Previous studies by Parsons and others have shown that RuvA and RuvB proteins, in E. coli, promote branch migration or movement of Holliday Junctions during genetic recombination and DNA repair (Parsons, C. A., et al., 1992 Proc. Natl., Acad. Sci. USA 89:5452-5456; Tsaneva, I. R., et al., 1993 Proc. Natl., Acad. Sci. USA 90:1315-1319; Muller, B., et al., 1993 J. Biol. Chem. 268:17179-17184; Mitchell, A. H. and S. C. West 1996 J. Biol. Chem. 271:19497-19502; Parsons, C. A. and S. C. West 1993 J. Molec. Biol. 232:397-405; Tsaneva, I. R., et al., 1992 Molec. Gen. Genet. 235:1-10; Mitchell, A. H. and S. C. West 1994 J. Molec. Biol. 1994 243:208-215).

25 Size Exclusion Chromatography

Size exclusion chromatography was performed on 2CFE 39 (SEQ ID NO:366) and 2CFE 21 (SEQ ID NO:350) using the Phenomenex 600 x 7.5 mm Biosep SECS 3000 column, as described in Example 8 *supra*. Protein standards (BioRad) were used to calibrate the column, including thyroglobulin (670,000 Da), gamma globulin (158,000 Da), ovalbumin (44,00 Da), myoglobin (17,00 Da), and B-12 (1350 Da).

The results indicate that 2CFE 39 (RuvA) forms tetramers and 2CFE 21 (RuvB) forms a hexameric ring structure. Selected eluted samples were electrophoresed on a polyacrylamide gel (Novagen) (Figure 9).

5

10

The Holliday Junction Analysis Using Radiolabeled Templates

The Holliday Junction analysis was performed using radiolabeled, synthetic, asymmetrical, Holliday Junction templates, as described in Hiom, K. and S. C. West 1995 *Cell* 80:787-793. The Holliday Junction templates were produced by annealing together four separate, single-stranded, oligonucleotide strands to form four-stranded structures (e.g., the Holliday Junction template). The Holliday Junction templates were reacted with the 2CFE 39 and 2CFE 21 polypeptides, in a helicase reaction, to test their ability to generate two duplex structures.

15

Producing the Synthetic Holliday Junction Templates

The asymmetrical Holliday Junction templates were produced by annealing the following oligonucleotide sequences:

20

Oligonucleotide strand 1:

5'-CCAGTGATCACATACGCTTTGCTAGGACATCTTGATATCAGCCCACGTT CACCCGCCTACCAGTGCCACGTTGTATGCCCACGTTGACC-3' (SEQ ID NO:438)

25 Oligonucleotide strand 2:

5'-GGGTCAACGTGGCATACAACGTGGCACTGGTAGGCGGGTGAACGTGGG CTGATATCAAGATGTCCATCTGTCCGTTCATCTATGACGT-3' (SEQ ID NO:439)

Oligonucleotide strand 3:

30 5'-AACGTCATAGATGAACGGACAGATCATGGTGCTTTTAAAGTCTAGAGAC TATCGAGCATTAGTACCAGTATCGAATCCGTCTTGTCAA-3' (SEQ ID NO:440)

Oligonucleotide strand 4:

5'-TTTGACAAGACGGATTCGATACTGGTACTAATGCTCGATAGTCTCTAGAC TTTAAAAGCACCATGTAGCAAAGCGTATGTGATCACTG-3' (SEQ ID NO:441)

5

10

15

20

25

30

Oligonucleotide strand 3 was labeled at the 5' end using approximately 300 ng of oligonucleotide strand 3, 1 μ l 10x Phosphate Buffer, 5 μ l ³²P ATP, 1 μ l T4 polynuclotide kinase (Gibco-BRL)), in a 10 μ l volume, and the reaction was performed at 37 degrees C for 30 minutes. The reaction was loaded onto a G50 column to remove the unincorporated radiolabel. The final concentration of the radiolabeled oligonucleotide strand 3 was approximately 15 ng per μ l.

Approximately equimolar amounts of the four oligonucleotide strands were annealed (e.g., hybridized). The annealing reaction included: 5 μl Annealing Buffer (200 mM Tris-Cl pH 8.0, 100 mM MgCl₂, 1 M NaCl, 10 mM DTT); 450 ng of radiolabeled oligonucleotide strand 3; and 1000 ng each of oligonucleotide strands 1, 2, and 4; in 50 μl total reaction volume. The control annealing reaction included: 5 μl Annealing Buffer, 60 ng radiolabeled oligonucleotide strand 3; 1000 ng oligonucleotide strand 4; in 50 μl total reaction volume. Annealing was performed at 95 degrees C for 5 minutes, 65 degrees C for 30 minutes, 42 degrees C for 30 minutes, and room temperature (e.g., between about 23 to 27 degrees C) for 30 minutes to generate the synthetic Holliday Junction templates. The synthetic Holliday Junction templates were gel or column-purified to remove the duplex and non-annealed products. As a control, oligonucleotide strands 3 and 4 were annealed to form duplex structures. The synthetic Holliday Junction templates and duplex structures were stored at –20 degrees C.

CFE 39 and CFE 21: The Helicase Reaction Using Radiolabeled Templates

The helicase reaction was performed to determine whether 2CFE 39 and 2CFE 21 resolved the synthetic Holliday Junction templates into duplex structures. The helicase reaction was performed as follows. A 50 µl total reaction volume included: 25 µl of 2x

Reaction Buffer (50 mM Tris-Cl pH8.0, 30 mM MgCl₂, 2 mM ATP); 1 μ l synthetic Holliday Junction template (36 ng); 2 μ l 2CFE 39 (1 μ M); and 2 μ l 2CFE 21 (1 μ M). The reaction was incubated at 37 degrees for 30 minutes. The reaction was stopped by adding 5 μ l Stop Buffer (100 mM Tris-Cl pH 7.5, 5 mg/ml Proteinase-K, 5% SDS). The stopped reaction was returned to 37 degrees C for 5 minutes. The helicase reaction was loaded onto and run on a non-denaturing, 12% PAGE, Tris-glycine gel.

The results shown in Figure 10, lanes 6, 7 and 8, indicate that the 2CFE 39 and 2CFE 21 polypeptides resolved the synthetic Holliday Junction templates into duplex structures.

CFE 39: The Helicase Reaction

5

10

15

20

It has been previously shown that *E. coli* RuvA binds to Holliday Junction templates (Parsons, C. A., et al., 1992 *Proc. Natl., Acad. Sci. USA* 89:5452-5456). The ability of *S. pneumoniae* CFE 39 to bind to a Holliday Junction template can be tested by employing the helicase assay described herein. The results of the helicase assay can be monitored by performing a gel shift assay and/or capillary electrophoresis. The presence of a Holliday Junction template bound to 2CFE 39, which migrates more slowly than the Holliday Junction template alone, would indicate that *S. pneumoniae* 2CFE 39 binds to Holliday Junction templates.

CFE 39 and CFE 21: Holliday Junction Analysis Using Fluorescent-Labeled Templates

The helicase reaction described herein was performed using Holliday Junction templates

having one oligonucleotide strand labeled with a fluorescent agent and another strand
labeled with a quenching agent. The 5' fluorescent end and the 3' quenching end of the
strands that make up the Holliday Junction templates are in proximity to each other,
resulting in a non-fluorescent template. When the Holliday Junction templates are
resolved into duplex structures, the fluorescent and quench ends are not in proximity to

each other, resulting in fluorescence.

The Holliday Junction templates used to perform this experiment comprised the following: the 5' end of oligonucleotide strand 1 was labeled with a fluorescein (e.g., the fluorescent agent), and the 3' end of oligonucleotide strand 4 was labeled with DABCYL (e.g., the quenching agent). The oligonucleotide strand 1 labeled with fluorescein and the oligonucleotide strand 4 labeled with DABCYL were custom synthesized (Gibco-BRL Life Technologies, Inc.).

The fluorescein and DABCYL labled oligonucleotides were annealed in a reaction, as described above, to generate synthetic Holliday Junction templates. The helicase reaction was performed as described above. The results of the helicase reaction were monitored by measuring the unquenching of the Holliday Junction templates with time (Figure 11).

The helicase assay using Holliday Junction templates labeled with fluorescent-quenching agents can be adapted for use in high throughput analyses to test 2CFE 39, 2CFE 21, and other polypeptides for their ability to resolve the templates into duplex structures.

EXAMPLE 12

5

10

15

The following provides a description of the methods used to characterize purified, CFE 8 polypeptide, which lacks a histidine tag. The CFE 8 is a putative DNA single-stranded binding protein.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 8 polypeptide (SEQ ID NO:121) may be a single stand binding protein homologue, such as SSB.

Size Exclusion Chromatography

The 2CFE 8 polypeptide (SEQ ID NO:339) was characterized by size exclusion chromatography, using the Biosil SEC-125 HPLC Gel Filtration column as described in Example 8 *supra*. The chromatogram showed one peak corresponding to a molecular weight of approximately 89 kDa. Based on the nucleotide sequence, the predicted molecular weight of 2CFE 8 is 17,351 Da. In non-denaturing conditions, 2CFE 8 forms a multimer.

10 Binding Reaction

The 2CFE 8 polypeptide was reacted with a single-stranded oligonucleotide A. Briefly, the binding reaction included: $50 \mu M$ of 2CFE 8 polypeptide, $50 \mu M$ oligo strand A, $20 \mu M$ Tris/20 mM KCl pH 7.5. The binding reaction was performed at 37 degrees C, for 2 hours.

Oligonucleotide strand A:

5'-TTAGGGCCCGGGCTATCTTACAATCTCGTT-3' (SEQ ID NO:442)

20 Capillary Electrophoresis

The results of the binding reaction was monitored by capillary electrophoresis, following the methods described in "Handbook of Capillary Electrophoresis" 2nd Edition, 1997, ed. J. Landers.

25

15

Separation was performed using an uncoated capillary tube (360 μ m o.d., 50 μ m i.d., with a 50 cm effective separation length; Watrex International, Inc., Pittsford, NY) and 50 mM borate pH 9.3 as the mobile phase, at 25 kVolts, 20 minutes separation time.

The results indicate that 2CFE 8 alone elutes as a sharp peak, indicating little adsorption to the uncoated capillary wall (Figure 12 A). The shape of the peak and peak retention

time changed with 2CFE 8 in the presence of all oligonucleotides tested (Figure 12 B). As a negative control, MurB polypeptide (Pucci, M. J., L. F. Discotto, and T. J. Dougherty 1992 "Cloning and Identification of the Escherichia coli murB DNA sequence, which encodes UDP-N-acetylenolpyruvoylglucosamine reductase" *J. Bacteriol.* 174:1690-1693) was reacted with the same oligonucleotides. MurB reacted with or with out the oligonucleotides showed no change in peak shape or retention time.

After capillary electrophoresis analyses, the 2CFE8 alone and 2CFE plus oligonucleotide samples were run on native polyacrylamide gels to determine whether the polypeptide was intact. The results indicate that in all cases, 2CFE 8 was intact and had not degraded with time or storage.

Mobility Shift Assays

The ability of 2CFE 8 polypeptide to bind oligonucleotide strand A was tested in a mobility shift assay.

The results indicate that 2CFE 8 binds single stranded oligonucleotides (Figure 13 A and B). In Figure 13 A, the gel was stained with ethidium bromide. The unbound oligonucleotides appear near the bottom of the gel, while the bound oligonucleotides appear near the middle. The same gel was stained with Coomassie (Figure 13 B), revealing that 2CFE 8 polypeptide bound to the oligonucleotide migrated further than unbound 2CFE 8, due to the change in charge carried by the oligonucleotide. Various ratios of 2CFE8:oligo were tested. The optimal binding ratio was 2:1.

25

30

20

10

The Effect of MgCl₂

The 2CFE 8 polypeptide precipitated in the presence of 5 mM MgCl₂. The precipitation was reversible by the addition of 1 μ M of the oligonucleotides tested. The observation indicates specific binding between 2CFE 8 polypeptide and the oligonucleotides tested.

Scintillation Proximity Assay

Scintillation proximity assay (SPA) methods can be used in a high throughput screening procedure to monitor, for example, a binding reaction. SPA utilizes beads (Amersham) which are coated on the surface with a particular compound or molecule. For example, the SPA bead may be coated with avidin to facilitate binding with any molecule having a biotin tag.

The binding reaction of the 2CFE 8 polypeptide and the oligonucleotide strand A can be monitored using SPA beads and a scintillation counter. The beads can be coated with avidin, the 2CFE 8 polypeptide can be tagged with biotin, and the oligonucleotide strand A can be radiolabeled.

EXAMPLE 13

15

25

The following provides a description of the methods used to characterize purified, 2CFE 3 (SEQ ID NO:334) and 2CFE 86 (SEQ ID NO:409) polypeptides.

The 2CFE 3 polypeptide catalyzes the conversion of D-glucosamine-6-phosphate to D-glucosamine-1-phosphate, indicating that 2CFE 3 mediates amino-sugar biosynthesis through the N-acetyl glucosamine pathway (Figure 14).

The 2CFE 86 polypeptide catalyzes the conversion of D-glucosamine-1-phosphate to N-acetylglucosamine-1-phosphate, and the conversion of N-acetylglucosamine-1-phosphate to UDP-N-acetylglucosamine-1-phosphate, which indicates that 2CFE 86 also mediates amino-sugar biosynthesis through the N-acetyl glucosamine pathway (Figure 14).

Computer-Aided Comparisons Of CFE 3

The computer-aided comparison, as described in Example 9 *supra*, suggested that the CFE 3 polypeptide (SEQ ID NO:116) is a phosphoglucosamine mutase, such as GlmM.

Purification of the CFE 3 Polypeptide

The 2CFE 3 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 3 polypeptide lacks a C-terminal histidine tag. The 2CFE 3 polypeptide was purified using a 2-column procedure. The 2CFE 3 polypeptide preparation was eluted from a 26/10 Q Sepharose column (Pharmacia) using a 0-1.0 M NaCl gradient, 2 ml/minute flow rate, and the gradient size was 1 liter. Then the 2CFE 3 polypeptide was eluted from a hydroxyapatite Bio-gel column (Bio-Rad) using a 5-200 mM potassium phosphate (pH 8.0) gradient, the flow rate was 0.3 ml/minute, and the gradient size was 300 ml. A sample of the 2CFE 3 preparation was electrophoresed on an SDS polyacrylamide gel (Figure 4).

Affinity Capillary Electrophoresis of CFE 3

10

15 Affinity capillary electrophoresis methods were used to determine whether the 2CFE 3 polypeptide binds to various glucose derivatives. Binding was performed under equilibrium conditions, in which the sugars were dissolved in the running buffer and reacts with 2CFE 3 during separation in the column. The affinity capillary electrophoresis method used to analyze 2CFE 3 follows the methods described in "Handbook of Capillary Electrophoresis" 2nd Edition, 1997, ed. J. Landers.

Briefly, 2CFE 3 polypeptide was reacted with increasing amounts of various glucose derivatives (e.g., substrate) at 25, 30 and 37 degrees C. The glucose derivatives included UDP-glucose, glucose-1-phosphate, glucose-6-phosphate, glucosamine-1-phosphate, and glucosamine-6-phosphate. The reaction included: 2CFE 3 polypeptide (2.0 mg/ml), separation buffer (25 mM Tris; 192 mM Glycine, pH 8.0; BupH Tris-Glycine Buffer Packs, Pierce). Separation was performed at 25 kVolts, separation time was 15 or 20 minutes.

30 The results shown in Figure 15 A indicate that at 25 degrees C, 2CFE 3 binds to D-glucose-1-phosphate in a dose-dependent manner, as the peak shape and/or the retention

time for 2CFE 3 changes in the presence of 100 and 500 μM D-glucose-1-phosphate compared to unreacted 2CFE 3.

The results shown in Figure 15 B indicate that at 25 degrees C, 2CFE 3 binds to D-glucosamine-6-phosphate in a dose-dependent manner, as the peak shape and/or the retention time for 2CFE 3 changes in the presence of 100 and 500 µM D-glucosamine-6-phosphate compared to unreacted 2CFE 3.

The results shown in Figure 15 C indicate that at 25 degrees C, the 2CFE 3 polypeptide also binds to glucose-6-phosphate.

A comparison of 2CFE 3 reacted with various glucose derivatives, at 30 degrees C, is shown in Figure 15 D. The results indicate that D-glucosamine-6-phosphate is a putative substrate for 2CFE 3, as this reaction exhibits the greatest change in peak shape and/or retention time.

CFE 3: Capillary Electrophoresis and Laser-Induced Fluorescence

5

15

In a further analysis of 2CFE 3 polypeptide, capillary electrophoresis was performed with laser-induced fluorescence in order to separate and detect interaction between the substrate (e.g., D-glucosamine-6-phosphate) and the product (e.g., D-glucosamine-1-phosphate) in a one dose, one time-point procedure.

The 2CFE 3 polypeptide was derivitized by reacting 10 mM FITC (fluorescein isothiocyanate dissolved in methanol; Calbiochem, San Diego, CA) with D-glucosamine-6-phosphate, at ambient temperature, in the dark, overnight. The FITC-derivatized 2CFE 3 polypeptide (2.0 mg/ml) was reacted with the substrate (D-glucosamine-6-phosphate and D-glucosamine-1-phosphate) for one hour.

Separation was performed using an uncoated capillary (360 μm o.d., 50 μm i.d., with a 50 cm effective separation length) and 50 mM borate (pH 9.3) as the mobile phase. The

argon-ion laser had an excitation wavelength of 488 nm and an emission filter of 520 nm (Beckman, Fullerton, CA). The results shown in Figure 16 indicate that 2CFE 3 binds and catalyzes the conversion of D-glucosamine-6-phosphate to D-glucosamine-1-phosphate.

5

10

15

20

25

Computer-Aided Comparison Of CFE 86

The comparison results, as described in Example 9 supra, suggested that the CFE 86 polypeptide (SEQ ID NO:195) is an acetyltransferase, such as GlmU which is a bifunctional enzyme in E. coli. It has been previously shown that, in E coli, GlmU is a bifunctional protein having both the acetyltransferase and uridylyltransferase active sites (Mengin-Lecreulx, D. and J. van Heijennort 1994 J. Bacteriol. 176:5788-5795; Gehring, Al., et al., 1996 Biochemistry 35:579-585). The bifunctional enzyme catalyzes the conversion of D-glucosamine-1-phosphate to N-acetylglucosamine-1-phosphate (acetyltransferase), and catalyzes the conversion of N-acetylglucosamine-1-phosphate to UDP-N-acetylglucosmine-1-phosphate (uridylyltransferase). The Km of the acetyltransferase and uridylyltransferase reactions has been previously calculated (Mengin-Lecreulx, D. and J. van Heijennort 1994 supra). Additionally, the crystal structure of GlmU from E. coli is known (Brown, K., et al., 1999 EMBO J. 18:4096-4107).

Purification of the CFE 86 Polypeptide

The 2CFE 86 polypeptide (SEQ ID NO:409) has a C-terminal histidine tag. The 2CFE 86 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 86 polypeptide was purified using the Ni-NTA affinity column method described in Example 6, *supra*. The eluted 2CFE 86 polypeptide was dialyzed against 50 mM Tris-Cl, 100 mM NaCl, 25% glycerol, pH 8.0. Samples of the purified 2CFE 86 polypeptide were electrophoresed on a polyacrylamide gel (Figure 17).

30

Coupling CFE 3 and CFE 86 to Produce UDPAG

A biochemical assay was performed, to determine whether 2CFE 3 and 2CFE 86 convert D-glucosamine-6-phosphate to UDP-N-acetylglucosamine-1-phosphate (e.g., UDPAG).

The 2CFE 3 and 2CFE 86 polypeptides were used in a coupled reaction based on the assays described in Jolly, L. P., et al., 1999 Eur. J. Biochem. 262:202-210.

A time-dependent and dose-dependent assay were performed. Briefly, the assay was performed in 96-well plates, each well including 100 μl volume. The assay included: 1 mM D-glucosamine-6-phosphate (Sigma); 0.7 mM D-glucosamine-1,6-diphosphate (Sigma); 1.2 mM acetyl-Coenzyme A (Sigma); and 5 mM uridine-5'-phosphate (Sigma); 3 mM MgCl₂ (Sigma); 50 mM Tris-Cl, pH 8.0 (Life Technologies). The reaction was started by adding 1 μg of 2CFE 3; and 10 μg of 2CFE 86. The reaction was performed at room temperature. The reaction was stopped at 0, 15, 30, and 65 minutes, by filtering out the 2CFE polypeptides.

The results of the assay was monitored by HPLC (high pressure liquid chromatography) using an Optisil 10μ SAX column (250 x 4.6 mm), measuring at 262 nm, the mobile phase was 150 mM KH₂PO₄ (pH 3.5), and 1.5 ml/minute flow rate. The results shown in Figure 18 show the time-dependent assay and indicate that HPLC detected the presence of UDPAG.

CFE 86: The Uridylyltransferase Reaction

10

15

20

The 2CFE 86 polypeptide was tested in a uridylyltransferase reaction, in which N-acetyl-D-glucosamine-1-phosphate and UTP produce UDP-N-acetylglucosamine. The uridylyltransferase reaction was monitored using a malachite green/inorganic pyrophosphatase assay (e.g., malachite green-IPPAse assay) and/or monitored using HPLC. The malachite green-IPPAse assay was used to measure orthophosphate production from digestion of the pyrophosphate liberated in the uridylyltransferase reaction.

The malachite green reagent was prepared as follows. A 0.045 % solution of malachite green (Sigma; M9636) was prepared in water. A 4.2 % solution of ammonium molybdate (Mallinckrodt) was prepared in 4N HCl. The malachite green and ammonium molybdate were mixed in a 3:1 ratio, and stirred for about 20 minutes. The mixture was filtered, and stored at 4 degrees C. The inorganic pyrophosphatase (Sigma; I-2267) was diluted to 0.1 U/ μ l in 50 mM Tris/3mM MgCl₂ ph 8.0, and stored at 4 degrees C.

The uridylyltransferase reaction was performed in 96-well plates. The coupled reaction described herein was performed, in the presence of 2CFE 3 alone or 2CFE 3 and 2CFE 86, and included the addition of 0.5 U/well of the diluted inorganic pyrophosphate. The reaction was mixed for 5 minutes at room temperature. The reaction was stopped by the addition of 240 μ l/well of the malachite green reagent and 30 μ l/well of 34% sodium citrate, and the reaction was mixed. The results of the uridylyltransferase reaction was monitored by spectrophotometry at 660 nm.

10

15

20

The results of separate uridylyltransferase reactions were monitored by HPLC, using a Phenosphere-NEXT C18 column (250 x 4.6 mm). The mobile phases included A and B as follows: A) methanol/10 mM potassium phosphate pH 6.5 (0:100); and B) methanol/10 mM potassium phosphate pH 6.5 (40:60). The mobile phases were run under the following conditions: 100% mobile phase A for 5 minutes, to 100% mobile phase B in 3 minutes; and hold 100% mobile phase B for 9 minutes. The retention time for the UDPAG product is approximately 5.75 to 6.0 minutes.

The results three uridylyltransferase reactions, monitored by HPLC are summarized in Table III below.

TABLE III

Purified CFE 86:	Specific Activity (nmol/min/µg):
2CFE 86-1	3.1
2CFE 86-2	3.4
2CFE 86-3	3.1

5

The results of the uridylyltransferase reactions, monitored by HPLC or HPLC and Malachite Green IPPAse assays are summarized in Table IV below.

10

TABLE IV

Reaction:	<u>Km (μM):</u>	Method:
Acetyltransferase reaction:	94	HPLC
Glucosamine-1-P Acetyl-coA	150	HPLC
Uridylytransferase reaction:		
N-acetylglucosamine-1-P UTP	48 79	HPLC and MG/IPPAse HPLC

EXAMPLE 14

15 .

The following provides a description of the methods used to characterize various 2CFE polypeptides, including CFE 21, 34, 35, 39, and 90. The molecular weight of these 2CFE polypeptides were analyzed by size exclusion chromatography and gel electrophoresis. The 2CFE 34, 35, and 90 polypeptides putatively mediate fatty acid biosynthesis.

20

Computer-Aided Comparison

5

10

15

. 20

30

The computer-aided comparison, as described in Example 9 supra, suggests that CFE 34 (SEQ ID NO:143), CFE 35 (SEQ ID NO:144), and 90 (SEQ ID NO:199) are polypeptides which mediate a fatty acid biosynthesis pathway (Figure 19)

The comparison suggests that CFE 34 is a malonyl CoA:ACP transcylase, which catalyzes the reaction in which malonyl CoA and acyl carrier protein (ACP) are converted to malonyl-ACP and CoA. Thus, the CFE 34 polypeptide may be a homologue of *E. coli* FabD.

The comparison suggests that CFE 90 is a 3-oxoacyl-ACP synthase II (beta ketoacyl-ACP synthase II) which catalyzes the reaction in which malonyl-ACP is converted to beta aceto acetyl-ACP. Thus, the CFE 90 polypeptide may be a homologue of *E. coli* FabF.

The comparison suggests that CFE 35 is a 3-oxoacyl-ACP reductase (beta aceto acetyl ACP reductase) which catalyzes the reaction in which beta-keto-acetyl-ACP is converted to beta-hydroxy-acetyl-ACP. Thus, the CFE 35 polypeptide may be a homologue of *E. coli* FabG.

Size Exclusion Chromatography

The estimated molecular weights of 2CFE 34 (SEQ ID NO:361), 2CFE 35 (SEQ ID NO:362), and 2CFE 90 (SEQ ID NO:413) were determined using the Biosil SEC-125 HPLC Gel Filtration column as described in Example 8, supra.

The results suggest that 2CFE 34 polypeptide is a monomeric protein (33,093 Da), 2CFE 35 is a trimeric protein (25,758 Da; approximately 85%), and 2CFE 90 is a dimeric protein (43,930 Da). Selected eluted samples of 2CFE 34 were electrophoresed on a polyacrylamide gel (Figure 20).

Biochemical Assay: CFE 34

The function of 2CFE 34 was determined by performing various biochemical reactions. To determine whether 2CFE 34 catalyzes the convertion of malonyl-CoA to malonyl and CoA, the following reaction was performed.

The biochemical reaction was performed in the presence of acyl carrier protein. The reaction included the following: 10 μM ¹⁴C labeled malonyl-CoA, 20 μM ACP, 30 μM 10 2CFE 34 (e.g., FabD) in 20 mM Tris-Cl, pH 8.0 and 5 mM DTT in 300 μl volume. The reaction was performed at room temperature (e.g., approximately 24 degrees C) for 30 minutes. The reaction was terminated with the addition of 45μl of 0.5% TFA. The labeled reaction was injected onto a MonoQ 5/5 column on a Gilson HPLC. Detection was performed by monitoring the radioactivity of the continuous flow-through of the HPLC effluent. Chromatography was performed using a buffer gradient for column elution. Buffer A included 20 mM Tris-Cl, pH 8.3. Buffer B was the same as Buffer A and included 1 M NaCl. The program was held at 90% A, 10% B for 10 minutes followed by a linear ramp to a final mix of 50% of each Buffer A and B over 10 minutes.

The substrate (e.g., ¹⁴C malonyl-CoA) eluted at 9.9 minutes, the product (e.g., ¹⁴C malonyl-ACP) eluted at 14.3 minutes. The results indicate that CFE 34 catalyzes the conversion of malonyl-CoA and acyl carrier protein (ACP) to malonyl-ACP and CoA.

EXAMPLE 15

25

5

The following provides a description of the methods used to characterize CFE polypeptides 40, 41, and 46.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 40 polypeptide (SEQ ID NO:149) is a phosphomethylpyrimidine (HMP-P) kinase involved in thiamine biosynthesis.

The comparison, as described in Example 9 *supra*, suggests that the CFE 41 polypeptide (SEQ ID NO:150) has a GTP-binding motif and may be a protease.

10 The comparison, as described in Example 9 supra, suggests that the CFE 46 polypeptide (SEQ ID NO:155) has an ATP-binding motif.

Affinity Purification of CFE 41

The large-scale method described in Example 5 supra (e.g., IPTG-induced protein production) was used to prepare a sample of 2CFE 41 polypeptide (SEQ ID NO:368). The sample was affinity purified using the Ni-NTA method described in Example 6, supra. The eluted fractions were loaded onto and run on a 12% SDS-PAGE gel (Novex) (Figure 21).

20

5

Circular Dichroism and Circular Dichroism Thermal Melt Analysis

Circular dichroism and circular dichroism thermal melt methods were performed using JASCO instrumentation. The concentration of the isolated 2CFE 40 (SEQ ID NO:367) was approximately 21 µM, in a 0.1 cm pathlength cell at 210 nm. The circular dichroism spectrum suggests that this preparation of 2CFE 40 had mixed alpha and beta secondary structure. The circular dichroism thermal melt spectrum suggests that 2CFE 40 has a T_m of approximately 67 degrees C. The 2CFE 40 polypeptide precipitates at approximately the T_m.

The concentration of the isolated 2CFE 41 (SEQ ID NO:368) was approximately 70 μ M, in a 0.02 cm pathlength cell. The circular dichroism spectrum suggests that this preparation of 2CFE 41 had mixed alpha and beta secondary structure, with a greater percentage of alpha structures. The circular dichroism thermal melt spectrum suggests that 2CFE 41 has a T_m of approximately 38 degrees C. The 2CFE 41 polypeptide precipitates at approximately the T_m .

The concentration of the isolated 2CFE 46 (SEQ ID NO:373) was approximately 23 μ M, in a 0.1 cm pathlength cell at 280 nm. The circular dichroism spectrum suggests that this preparation of 2CFE 46 had mixed alpha and beta secondary structure. The circular dichroism thermal melt spectrum suggests that 2CFE 46 is highly stable at elevated temperatures. At 90 degrees C, the 2CFE 46 polypeptide exhibited only a 27% loss in signal and the polypeptide remained soluble.

15

10

5

Capillary Electrophoresis

Capillary electrophoresis was performed on samples of purified 2CFE 40, 41 and 46. The electropherograms of 2CFE 40, 41, and 46 are shown in Figure 22.

20

EXAMPLE 16

The following provides a description of methods that can be used to characterize CEG polypeptides (e.g., CFE polypeptides).

25

30

Computer-Aided Compilation

Computer-aided compilation of bacterial metabolic pathways may be analyzed using Pathway Tools from Doubletwist, based on the EcoCyc system (Karp P.D., et al., 1999 *Nucleic Acids Res.* 1999 27(1):55-58). This analysis may be used to predict which CFEs mediate various steps of the pathways. This information may be used in combination

with the results of a binding reaction which identifies a ligand or substrate that binds with a CFE polypeptide.

Identifying the Function of a CFE Polypeptide

5

The function of a CFE polypeptide may be identified by identifying a ligand or substrate which binds with the CFE polypeptide. The ligand or substrate may be identified using fractionation and affinity capillary electrophoresis methods. The following method is based upon the assumption that the bacterial cell lysate includes the ligand or substrate.

10

15

20

A bacterial host cells carrying an endogenous (e.g. native) CFE gene or carrying a recombinant vector which includes a CFE gene may be cultured so that the CFE polypeptide is produced by the cell. The cells may be ruptured in order to obtain the cell lysate. The cell lysate may be fractionated using HPLC technology. The HPLC fractions may be reacted with a CFE polypeptide in a binding reaction, and the binding reaction may be analyzed by affinity capillary electrophoresis methods. The ligand or substrate which reacts with the CFE polypeptide may be identified using mass spectrophotometry methods (in "Mass Spectrometry" 1990 eds. McCloskey, J. A., in Methods in Enzymology volume 193; Henion, J., et al., 1993 "Mass Spectrometric Investigations of Drug-Receptor Interactions" Ther. Drug Monit. 15:563-569; Loo, J. A., et al., 1999 "Application of Mass Spectrometry for Target Identification and Characterization" Med. Res. Rev. 19:307-319; Nguyen, D. N., et al., 1995 "Protein Mass Spectrometry: Applications to Analytical Biotechnology J. Chromatogr. 705:21-45).

25 EXAMPLE 17

The following provides a description of nuclear magnetic resonance (NMR) spectroscopy methods that were used to characterize CFE polypeptides.

30 High resolution NMR spectroscopy was applied to ¹⁵N-labled, ¹³C/¹⁵N-labeled, ²H/¹³C/¹⁵N-labeled, and type-specifically isotopically labeled CFE polypeptide samples

in the solution state for the following purposes: to assess various aspects of the structural state, e.g., foldedness, structural integrity; to refine a previously determined experimental structure of a close sequence homologue; to refine a homology-modeled structure; to assess the potential for a CFE polypeptide to bind small molecules; and to identify small-molecule pharmacophoric fragments that bind specifically to the CFE polypeptide ("Nuclear Magnetic Resonance" 1994 eds. James, T. L. in *Methods in Enzymology* volume 239).

The NMR analysis includes screening both a compound deck of approximately 4,500 commercially available, structurally and chemically diverse compounds (the small-molecule pharmacophore deck) and a compound deck of proprietary, known, antimicrobial compounds (anti-microbial deck) against the CFE polypeptides (i.e., target polypeptides) to determine, either based upon perturbations to the chemical shifts of the amide proton and/or nitrogen resonances, as measured from a two-dimensional proton-nitrogen heteronuclear single-quantum correlation spectrum (2D screening method), or based upon increases in the linewidth of the compound's proton resonance(s), as measured by a one-dimensional T_{1p} spin-lock difference spectrum (1D screening method), both whether a compound binds to a CFE polypeptide and, in the case of the 2D screening method, where the compound binds on the CFE polypeptide.

20

25

30

10

15

Isotopic Labeling of CFE Polypeptides

BL21-DE3 *E. coli* bacteria are transformed with the CFE expression vectors. Expression takes place between 20°C and 37°C in minimal media containing [¹⁵N]-ammonium sulfate as the sole nitrogen source and either glucose, [²H]₁₃-glucose, or [¹³C]₆-glucose as the sole carbon source. Glucose is used for preparing uniformly ¹⁵N-labeled and ²H/¹⁵N-labeled CFE polypeptides. [²H]₁₃-glucose is used for preparing type-specifically ¹H/¹³C-labeled, uniformly ¹⁵N-labeled CFE polypeptides. [¹³C]₆-glucose is used for preparing ¹³C/¹⁵N-labeled CFE polypeptides. The minimal media is prepared in 100% H₂O for expressing both uniformly ¹⁵N-labeled and uniformly ¹³C/¹⁵N-labeled CFE polypeptides; the minimal media is prepared in 95% D₂O (deuterium oxide) and 5% H₂O for expressing

both type-specifically ¹H/¹³C-labeled, uniformly ¹⁵N-labeled and just uniformly ²H/¹⁵N-labeled CFE polypeptides. In the case of type-specifically ¹H/¹³C-labeled, uniformly ¹⁵N-labeled CFE polypeptides, 40 mg/L of protonated and uniformly ¹³C/¹⁵N-labeled isoleucine, valine and leucine amino acids are added to the minimal media.

5

10

15

20

25

30

NMR Screening

Compounds in the anti-microbial deck are pre-dissolved to a target concentration of 16 mM in deuterated DMSO (dimethylsulfoxide) with each deck well containing only one compound. Compounds in the small-molecule, pharmacophore deck are pre-dissolved in deuterated dmso to a target concentration of 50 mM in groups of 8, i.e., each deck well contains 8 unique compounds with each compound at a target concentration of 50 mM.

3.5 µl of compound is placed at the bottom of a well in a 96-well, screening plate. This well will be referred to as the compound screening well. Each compound screening well contains solution from only one deck well. 166.5 µl of buffer is added to each compound screening well. 170 µl of a CFE polypeptide solution, initially at a concentration ranging from 200-300 µM, is added to each compound screening well; the contents of that well are then thoroughly mixed. The control screening well contains only 3.5 µl of deuterated dmso. The screening plate is then centrifuged in a bucket rotor for 15 minutes at 3,500 rpm to insure that all particulate matter is at the bottom of the well.

The 2D screening method requires a single control screening well in which the compound solution consists only of deuterated DMSO. The 1D screening method requires a control screening well for each compound screening well. In the case of the 1D screening method, the control screening well is prepared identically to the compound screening well except that the 170 µl of a CFE polypeptide solution is replaced by 170 µl of buffer.

The screening plate is covered with aluminum foil and placed onto a rack of a Gilson liquid handler. The Gilson liquid handler, under computer control by the NMR host/data-acquisition software, is responsible for removing each sample from the screening plate,

injecting the sample into a high-resolution, ¹H/¹⁵N double-resonance NMR flow-probe, removing the sample from the flow-probe, and dispensing it back into the screening plate well from which the sample was originally removed. NMR data are collected on the sample while the sample resides in the NMR flow-probe. The type of NMR data collected depends upon whether the 2D or 1D screening method is being used.

Determining Structural Characteristics of a CFE Polypeptide

5

10

In assessing various aspects of the structural state of a CFE polypeptide, NMR was used to provide the following information. The proton 1D spectra and proton-nitrogen 2D correlation NMR spectra were used to assess the overall foldedness of a CFE polypeptide without actually describing in detail that folded state. Unfolded and substantially misfolded proteins produced distinct signatures in these two types of NMR spectra.

15 The chemical shift of most protein nuclei in either the set {H_N, H_α, H_β, C', C_α, C_β, N} or the set {H_N, C', C_α, C_β, N} for perdeuterated (e.g., ²H-labeled) proteins were determined by procedures well known in the art that involve collecting up to 10 triple-resonance NMR data sets. The protein secondary structure was delineated as either helical, turn or extended (e.g., β-sheet) by measuring Δ(δ_{Cα} - δ_{Cβ}), ΔδC', and Δδ_{Hα} where δ refers to the chemical-shift value and Δ refers to the difference between chemical-shift values measured in this protein and those measured for the same residue type in a random-coil (unstructured), tetrameric peptide.

This secondary-structure profile was generated in approximately 2-3 weeks per protein.

The secondary-structure profile was used to confirm the functional identity of a protein. It was also used to refine the list of possible functional identities of folds, predicted by various computational techniques including fold recognition which is associated with a protein or polypeptide.

NMR was used to generate folds of proteins or polypeptides for which both no structure was known of a sequence homologue and no structural homologue was discernible in the PDB by fold recognition techniques.

5 Refining a Structural Model

Nuclear Overhauser (NOE) data were used to refine both homology-modeled structured and previously determined experimental structures of close sequence homologues. This process took approximately 2-3 weeks per structure.

10

The CFE 88 polypeptide was characterized by NMR analysis to establish its secondary structure. The NMR data was used to filter the computer-aided threading analysis. The NMR-determined secondary structure for CFE 88 suggested that CFE 88 is structurally similar to 4-aminoimidazole carboxylase.

15

The characteristics of other CFE polypeptides were analyzed by NMR methods. A computer-aided threading analysis revealed that the N-terminal domain of the protein EGA, which both binds and hydrolyzes GTP, was both structurally similar and sufficiently similar in sequence to CFE 52 to suggest that CFE 52 had a similar function.

20

The NMR data of CFE 103 suggests that this polypeptide is unfolded. Circular dichroism spectra, as a function of temperature, also indicated that CFE103 was unfolded.

25 i

The CFEs 2, 42, 43, 68 and 88 polypeptides were tested for their ability to bind potential inhibitor molecules by screening both the anti-microbial deck and the small-molecule, pharmacophore deck. CFE 34 was tested for its ability to bind potential inhibitor molecules by screening the anti-microbial deck.

Characterizing Small-Molecule Binding

NMR-based screening was used to measure binding against both the small-molecule, pharmacophore deck and the anti-microbial deck. Binding data from these screens allowed assessment of the propensity of a protein to bind small molecules. The binding data was also used to identify sites on the protein which are capable of binding small molecules. The binding data was also used to identify common pharmacophores among the compounds which bind.

Reverse screening refers to a process whereby known anti-microbial compounds, the microbial target of which is unknown, are screened by a general method, e.g., binding as assessed by NMR, to find a physical interaction with polypeptide targets previously determined to be essential to the bacteria (i.e., the CFEs). The reverse screening method was used to determine which CFE polypeptides bind to which compounds in the antimicrobial deck. The reverse screening method included the following. The compounds in a proprietary compound deck were screened for Minimal Inhibitory Concentration (e.g., MIC). The compounds exhibiting antimicrobial activity were designated active compounds. The CFE polypeptides were screened to determine which polypeptide bind to which active compounds. The CFE polypeptides which bound to the active compound(s) were confirmed, where possible, i.e., in cases where an in-vitro assay was possible to construct, as being inhibited in their function as a polypeptide by the active compound(s) by examination of the inhibition profile of the compound(s) against the CFE polypeptides. For additional confirmation, the effect of the compound on the microorganism harboring the CFE polypeptide was monitored (e.g., whole cell assays). The structure of the active compound was used as a basis to generate chemically-related compounds by iterative synthesis. The chemically-related compounds were tested in a screening assay for binding with CFE polypeptides. The active compounds and the chemically-related compounds of interest were the compounds which exhibited an increase in binding affinity for a CFE polypeptide and/or exhibited drug-like properties.

25

5

10

15

The results of the reverse screening are as follows. 127 compounds from the proprietary compound deck exhibited anti-microbial activity. 94 of these active compounds were selected based upon both lack of cytotoxicity and lack of excessive hydrophobicity. These 94 compounds were soluble to 16 mM in deuterated DMSO; these compounds were also deemed to be sufficiently soluble in aqueous buffer for both the 2D and 1D NMR screening methods.

5

10

15

20

25

This subset of 94 compounds was used in an NMR-based screen to determine which compound binds to which CFE polypeptide. The CFE 42 polypeptide bound two different compounds with K_d 's in the range of 0.2 to 1 mM; the CFE 43 polypeptide bound one compound with $K_d \sim 30\text{--}50~\mu\text{M}$; the CFE 34 polypeptide bound 13 compounds, one of which inhibited the polypeptide function with $IC_{50} < 10~\mu\text{M}$.

The enzyme assay used to confirm the NMR results which suggested CFE 34 interaction with the compounds included the following: 10 μM ¹⁴C-labeled malonyl CoA; 20 μM ACP, 30 pM CFE 34; 20 mM Tris-Cl, pH 8.0; 5 mM DTT; in the presence of absence of 50 μM of a compound solubilized at 40 mM in 100% DMSO and dilute 100-fold into 10% DMSO and further diluted 8-fold for a final concentration of 50 μM in 1.25% DMSO. The reaction was performed at room temperature, the reaction was stopped with the addition of TFA. Two hundred μl of the reaction was injected onto a Mono Q 5/5 column. The chromatography conditions included: A) 20 mM Tris-Cl, pH 8.3; B) 20 mM Tris-Cl, pH 8.3, 1 M NaCl. Hold 10% B for 5 minutes, linear gradient from 10% B to 50%B in 10 minutes, back to 10% B in 1 minute, hold for 14 minutes to re-equilibrate. The reaction substrate (¹⁴C- malonyl CoA) eluted at 9.9 minutes, the reaction product (¹⁴C-malonyl ACP) eluted at 14.3 minutes.

What is claimed is:

1. An isolated nucleic acid molecule encoding a polypeptide which is (1) essential for the viability of a bacterial cell and (2) has at least any one of the functions of a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transcylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP binding protein, or a 4-aminoimidazole carboxylase.

The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:97 or Figure 115 and wherein the polypeptide is a pantothenate kinase.

15

10

- 3. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:35, Figure 60, SEQ ID NO:19, or Figure 44, and wherein the polypeptide is a Holliday Junction branch migration protein.
- 4. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:8 or Figure 33 and wherein the polypeptide is a single stranded DNA binding protein.
- 5. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:3 or Figure 28 and wherein the polypeptide is a phosphoglucosamine mutase.
- The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule
 is shown in SEQ ID NO:82 or Figure 103 and wherein the polypeptide is a
 acetyltransferase.

7. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:82 or Figure 103 and wherein the polypeptide is a uridylyltransferase.

- 8. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:30 or Figure 55 and wherein the polypeptide is a malonyl CoenzymeA:ACP transcylase.
- 9. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:86 or Figure 107 and wherein the polypeptide is a 3-oxoacyl-ACP synthase II.

15

- 10. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:31 or Figure 56 and wherein the polypeptide is a 3-oxoacyl-ACP reductase.
- 11. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:36 or Figure 61 and wherein the polypeptide is a phosphomethylpyrimidine (HMP-P) kinase.
- 12. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:37, Figure 62, SEQ ID NO:48, or Figure 73, and wherein the polypeptide is a GTP binding protein.
- 25 13. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:42 or Figure 67 and wherein the polypeptide is a ATP binding protein.

14. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:84 or Figure 105 and wherein the polypeptide is a 4aminoimidazole carboxylase.

- 5 15. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:48 or Figure 73 and wherein the polypeptide is a GTP binding protein.
- 16. An isolated nucleic acid molecule encoding a polypeptide which is essential for the viability of a bacterial cell, the nucleic acid molecule comprising a sequence shown in any one of SEQ ID NOS:1-113.
 - 17. An isolated nucleic acid molecule encoding a polypeptide which is essential for the viability of a bacterial cell, the nucleic acid molecule comprising a sequence shown in any one of Figures 26-130.
 - 18. An isolated nucleic acid molecule encoding any one of a polypeptide designated CFE 1-117 having the amino acid sequence shown in SEQ ID NO:114-226.
- 20 19. An isolated nucleic acid molecule comprising a nucleotide sequence which is complementary to the nucleotide sequence of claim 1, 16, 17 or 18.

15

- 20. The isolated nucleic acid molecule of claim 1, 16, 17 or 18 which is DNA or RNA.
- 21. The isolated nucleic acid molecule of claim 20, which is labeled with a detectable marker.
- 22. The isolated nucleic acid molecule of claim 21, wherein the detectable marker is selected from the group consisting of a radioisotope, a fluorescent compound, a

bioluminescent compound, a chemiluminescent compound, a metal chelator and an enzyme.

23. A vector comprising the nucleotide sequence of claim 1, 16, 17, or 18.

5

- 24. A host-vector system comprising the vector of claim 23, in a suitable host cell.
- 25. The host-vector system of claim 24, wherein the suitable host cell is selected from a group consisting of a yeast cell, a plant cell, and an animal cell.

10

- 26. The host-vector system of claim 24, wherein the suitable host cell is selected from a group consisting of an *Escherichia* cell, a *Bacillus* cell, a *Pseudomonas* cell, a *Streptococcus* cell, and a *Streptomyces* cell.
- 27. An isolated polypeptide which is essential for the viability of a bacterial cell comprising the amino acid sequence as shown in any one of SEQ. ID NOS: 114-226.
- 28. An isolated polypeptide which is essential for the viability of a bacterial cell encoded by the isolated nucleic acid molecule of claim 1, 16, 17, or 18.
 - 29. The isolated polypeptide of claim 27 or 28 which is a fusion polypeptide.
- 30. A method for producing a polypeptide having the amino acid sequence of any one of SEQ ID NOS: 114-226 or a polypeptide encoded by the polynucleotide sequence as shown in any one of Figures 26-130, comprising:
 - a) culturing the host-vector system of claim 24 under suitable conditions so as to produce the polypeptide; and
 - b) recovering the polypeptide so produced.

- 31. A polypeptide produced by the method of claim 30.
- 32. A ligand which binds the polypeptide of claim 27 or 28.
- 5 33. The ligand of claim 32 which is an antibody or an immunologically active fragment thereof.
 - 34. The ligand of claim 33, wherein the antibody is a monoclonal antibody.
- 10 35. The ligand of claim 32 which is a diazalactone.
 - 36. The ligand of claim 35, wherein the diazalactone comprises the structure:

$$CF_3$$
 N
 NO_2

- 37. The ligand of claim 32 which is a N-protected amino acid.
- 38. The ligand of claim 37, wherein the *N*-protected amino acid comprises the structure:

39. The ligand of claim 32 which is an azabicyclodiene.

40. The ligand of claim 39, wherein the azabicyclodiene comprises the structure:

- .5 41. The ligand of claim 32 which is an alkaloid.
 - 42. The ligand of claim 41, wherein the alkaloid comprises the structure:

$$N \longrightarrow N$$

10

43. The ligand of claim 41, wherein the alkaloid comprises the structure:

44. The ligand of claim 41, wherein the alkaloid comprises the structure:

5 45. The ligand of claim 41, wherein the alkaloid comprises the structure:

15

46. The ligand of claim 41, wherein the alkaloid comprises the structure:

- 47. A method for detecting the presence of the polypeptide of claim 27 or 28 in a sample, comprising contacting the sample with a ligand which binds the polypeptide and detecting the binding of the polypeptide with the ligand in the sample.
- 10 48. The method of claim 47, wherein the detecting comprises:
 - a) contacting the sample with the ligand; and
 - b) determining whether a polypeptide-ligand complex is so formed.
 - 49. The method of claim 47, wherein the sample is a cell, a tissue, or a biological fluid.
 - 50. The method of claim 47, wherein the sample is blood, serum, a swab from nose, a swab from ear, or a swab from throat.
- 20 51. The method of claim 47, wherein the ligand is a diazalactone.

52. The method of claim 51, wherein the diazalactone comprises the structure:

53. The method of claim 47, wherein the ligand is a N-protected amino acid.

5

54. The method of claim 53, wherein the N-protected amino acid comprises the structure:

55. The method of claim 47, wherein the ligand is an azabicyclodiene.

10

56. The method of claim 55, wherein the azabicyclodiene comprises the structure:

57. The ligand of claim 47 which is an alkaloid.

58. The ligand of claim 57, wherein the alkaloid comprises the structure:

$$N \longrightarrow N$$

5

59. The ligand of claim 57, wherein the alkaloid comprises the structure:

10

60. The ligand of claim 57, wherein the alkaloid comprises the structure:

61. The ligand of claim 57, wherein the alkaloid comprises the structure:

5

62. The ligand of claim 57, wherein the alkaloid comprises the structure:

10

63. A method for detecting the presence of a target nucleic acid molecule as shown in any one of SEQ ID NOS:1-113 in a sample, comprising contacting the sample with the complementary nucleic acid molecule of claim 19 and detecting the binding of the target nucleic acid molecule with the complementary nucleic acid molecule in the sample.

64. The method of claim 63, wherein the detecting comprises:

5

15

- a) contacting the sample with the complementary nucleic acid molecule; and
- b) determining whether a complex comprising the target nucleic acid molecule and the complementary nucleic acid molecule is so formed.
- 65. The method of claim 63, wherein the sample is a cell, a tissue, or a biological fluid.
- 10 66. The method of claim 63, wherein the sample is blood, serum, a swab from nose, a swab from ear, or a swab from throat.
 - 67. A pharmaceutical composition comprising the nucleic acid molecule of claim 1, 16, 17, or 18.
 - 68. A pharmaceutical composition comprising the polypeptide of claim 27 or 28.
 - 69. A pharmaceutical composition comprising the ligand of claim 32.
- 70. A method for determining whether a genomic nucleotide sequence of interest is essential for viability of a bacterial cell, comprising
 - a. integrating an exogenous nucleotide sequence into the genomic nucleotide sequence of interest, wherein the exogenous nucleotide sequence comprises a portion of an open reading frame of the genomic nucleotide sequence of interest, and
 - b. determining whether the cell having the genomic nucleotide sequence of interest so integrated is viable.
- 71. The method of claim 70, wherein the portion of the open reading frame comprises about 200 to 500 base pairs in length.

72. The method of claim 70, wherein the exogenous nucleotide sequence further comprises a nucleotide sequence conferring a selectable phenotype to the cell having the genome so integrated.

5 ·

- 73. The method of claim 70, wherein determining comprises selecting the cell having the genome so integrated in the presence of a selection agent.
- 74. The method of claim 73, wherein the selection agent is chloramphenicol.

10

- 75. A nucleotide sequence of interest which is essential for viability of a bacterial cell isolated by the method of claim 70.
- 76. A bacterial cell comprising an exogenous nucleotide sequence integrated into the genomic nucleotide sequence of interest, generated by the method of claim 70.
 - 77. A method for determining whether a genomic nucleotide sequence of interest resides within an operon, comprising
 - a) integrating an exogenous nucleotide sequence into the genomic nucleotide sequence of interest; and
 - b) determining whether the cell having the genomic nucleotide sequence of interest so integrated is viable, and wherein the exogenous nucleotide sequence lacks an expression regulatory sequence.
- 78. The method of claim 77, wherein the exogenous nucleotide sequence further comprises a nucleotide sequence conferring a selectable phenotype to the cell having the genome so integrated.
- 79. The method of claim 77, wherein determining comprises selecting the cell having the genome so integrated in the presence of a selection agent.

80. The method of claim 79, wherein the selection agent is chloramphenicol.

5

25

- 81. A method for inhibiting a function of a CEG polypeptide which is essential for viability of a bacterial cell, the method comprising contacting the CEG polypeptide with the ligand of claim 32 under suitable conditions thereby inhibiting the function of the CEG polypeptide.
- 82. The method of claim 81, wherein the function of the CEG polypeptide is selected from a group consisting of a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transcylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP binding protein, or a 4-aminoimidazole carboxylase.
 - 83. The method of claim 81, wherein the CEG polypeptide is selected from a group consisting of CFE1-113.
- 20 84. The method of claim 81, wherein the CEG polypeptide is 2CFE 34 shown in Figure 55.
 - 85. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in Figure 64.

86. The method of claim 81, wherein the CEG polypeptide is 2CFE 34 shown in Figure 55 and the ligand is:

87. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in Figure 64 and the ligand is:

88. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in Figure 64 and the ligand is:

15

89. A method for identifying a ligand in a sample which specifically binds a CEG polypeptide, the method comprising:

- a) contacting the CEG polypeptide with the sample under suitable conditions so that a complex having the CEG polypeptide and the ligand is formed;
- b) recovering the complex so formed; and
- c) separating the CEG polypeptide from the ligand in the complex and identifying the ligand so separated.
- 90. The method of claim 89, wherein the sample is a tissue or biological fluid.
- 91. The method of claim 89, wherein the ligand is an azabicyclodiene.
- 92. The method of claim 91, wherein the azabicyclodiene comprises the structure:

15

5

- 93. The method of claim 89, wherein the ligand is a diazalactone.
- 94. The method of claim 93, wherein the diazalactone comprises the structure:

$$CF_3$$
 N
 NO_2

- 20
- 95. The method of claim 89, wherein the ligand is a N-protected amino acid.

96. The method of claim 95, wherein the N-protected amino acid comprises the structure:

5

- 97. The method of claim 89, wherein the ligand is an alkoloid.
- 98. The ligand of claim 97, wherein the alkaloid comprises the structure:

$$N \sim N$$

10

99. The ligand of claim 97, wherein the alkaloid comprises the structure:

5

100. The ligand of claim 97, wherein the alkaloid comprises the structure:

101. The ligand of claim 97, wherein the alkaloid comprises the structure:

102. The ligand of claim 97, wherein the alkaloid comprises the structure:

Gene Disruption Assay






FIGURE 1

Polarity test for Operons



A.



204,000

B.

12 24 30

41,000

17,000 MW proteins

FIGURE 3





FIGURE 4

FIGURE 5

Α.



B.





FIGURE 6

Α.



B




FIGURE 7




FIGURE 8




FIGURE 9






FIGURE 10



11/60



12/60




FIGURE 13

N-Acetyl Glucosamine Pathway


fructose-6-P
glmS/CFE60

glucosamine-6-P
glmM/CFE3
glucosamine-1-P
+ Acetyl Coenzyme A
glmU/CFE86
N-acetylglucosamine-1-P
+ UTP
glmU/CFE86

UDP-N-acetylglucosamine-1-P
(releases pyrophosphate)

LPS
Murein/Peptidoglycan

FIGURE 14






FIGURE 15




FIGURE 15





FIGURE 16






FIGURE 18

Acyl Carrier Protein + Malony & CoA

CFE 34 (Fab. S)

(Palmitolyl ACP)

malonyl-ACP + COA


CFE 90 (Fab F)

B aceto acetyl ACP

NABOR CFE 35 (Fab 6)


B hydroxy acyl ACP

FIGURE 19.



CFE 34

FIGURE 20



Fractions

Lysate

8 9 10 11 12 13

MW Markers




FIGURE 22

2CFE "homologue of SEQ. ID NO. 4"

2CFE 4 homologue of SEA 10 NO: 4

2 CFE6 "homologue of SEQ. ID NO. 6" AT TATECAGATGATAGTTTGACATTGCACACGGACTTGTACCAGATCAACATGATGCAGGTTTACTTTG ACCAAGGGATTCACAATAAGAAGGCGGTCTTTGAGGTGTATTTCCGCCAACAGCCTTTTAAGAACGGCTA TGCGGTTTTGCAGGTTTGGAAAGAATTGTGAACTATCTTGAAGACTTGCGTTTTTCAGATAGTGATATAG CCTATTIGGAGTCGCTTGGTTATCATGGGGCGTTCTTGGATTACCTTCGCAATTTCAAGTTGGAGTTGACC OTTCGTTCTGCCCAAGAAGGGGATTTGGTTTTTGCTAATGAACCGATTGTGCAGGTGGAAGGACCTCTAG CCCAATETCAGTTGGTCGAAACGGCTCTTTTGAACATCGTCAACTACCAGACCTTGGTGGCGACGAAGGC AGETCO ATTEOTTCOGTTATCGAAGATGAACCCTTGATGGAGTTTGGGACACGTCGGGCTCAAGAAATG GGTAAGCTCTTTGACATTCCTGTTTTGGGAACCCATGCCCATGCCTTGGTACAGGTTTATGGCAATGACTA GCATCGGTGTACCAGCTGCCATTCAGGTGGCGCGTGAGCTGGGTGATTAGATTAACTTTATGGGTGTGCGGATTGAGTTGAGTCTGGGGATATTGCGTACATTTCTAAGAAAGTCCGTCAGCAACTGGACGAGGCTGGATTTACA GAGGCTAGATTTATGCTTCTAATGATTTGGACGAAAATACTATCCTCAACCTCAAGATGCAAAAAGGCCA CAAGAT/GTTGCAATCGAAGATGAAACTGGTCAGATGCGCAATACGATTAAGCTGTCTAATAATGCGGAAAAAGTGTCGACGCCAGGTAAGAAGCAGGTGTGGCGCATTACCAGTCGTGAAAAAGGCAAGTCAGAAG OTGACTACATCACTTATGATGGTGTGGATATTAGCGACATGACAGAAATCAAGATGTTCCATCCGACCTA TACATACATCAAGAAGACGGTTCGTAATTTTGATGCCGTTCCTCTTGGTGGATATCTTCAAAGAAGGTA TATEAGTETACAACTTGCCTAGTTTGACTGACATTCAGGATTATGCCCGTAAGGAATTTGACAAGTTGTGG GATGAGTATAAGCGTGTGCTCAATCCGCAGCACTATCCAGTGGATTTGGCGCGTGATGTATGGCAAGATA AGATOGACTTGATTGATAAGATGCGCAAGGAAGCCCTTGGTGAAGGAGAAGAAGAATGA

m.

2CFE 7 (conta)

2 OF 8 "homologue of SEQ. ID NO. 8"
ATDATTA ACASTOTOTACTOTAGGGCGTATGACACGTGACGCTGAGTTGCGTTATACCCCATCAAATG
TAGCAGTTGCACTTTTACTCTTGCAGTAAACCGTACATTTAAGAGTCAAAATGGTGAACGTGAGGCTGA
TTTTATCAATGTCGTTATGTGGCGCCAACAGGCTGAAAATCTTGCTAACTGGGCTAAAAAAGGCTCACTT
ATCGGGTGACAGGTCGTATCCAGACTCGTAGTTACCATAACCAGCAAGGACAACGTTTCTACGTGACA
CAGGTCGTGGCTGAGAATTTCCAAATGTTGGAAAGCCGTAGTGTGCGTGAGGGTCACACAGGTGGAGCT
TACTCTCCACCAACTGCAAACTATTCAGCACCTACAAATTCAGTACCAGACTTTTCACGTAATGAAAATC
CATTTGGAGCAACAAACCCATTGGATATTTCAGATGATGATTTACCATTCTAA

2CFEILIII homologue of SEQ. ID NO. 11"
ATGATTALTCAAATTTATCAACTAACTAAGCTAAGITTATCAATGTCAAATATCAGGAAGAGGCTATTG
ACCAAGAGTATCATCCTTATCCGTCCCAACTACATGGCTGTCTCTCATGCGGATCAGCGTTACTATCA
GGGAAAACGTGATCCCAAGATTTTGAATAAAAGCTTCCAATGGCAATGATTCACGAGTCATGTGGAAC
CGTCATTTCTGACCCGACCGGAACCTACGAGGTTGGTCAAAAAGTTGTCATGATTCCCAATCAGTCTCCT
ATGCAGAGTGATGAAGAATTCTATGAAAACTACATGACAGGGACCCATTTCTTGTCTAGTGGATTTGATG
GCTTTATGAGAGAGTTTGTTTCTCTCCCTAAAGATCGTGTGGTGGCTTATGATGCTATTGAAGATACGGTT
GCAGCCATTACAGAGTTTGTCAGTGTGGGCATGCACGCTATGAATCGTCTTTGCCAATACCATTTGCCAAAAGTTTGCCAAAAGTTTGGTTGCCCAATATTATCAACTATAC
TTTGCCAGAAGCAGAGATTTGTGGTTATTGGTCGTCATTGGGAACAGTTTGCCAAA

2 CFE 11 (CONTA)

2 CFE12 "homologue of SEO. ID NO. 12"
ATGAACITAANACTACTTTGGGCCTTCTTGCTGGGCGTTCTTCCCACTTCGTTTTAAGCCGTCTTGGACG
TGDAACTACCCTCCCAGGGAAAGTCGCCCTTCAATTTGATAAAGATATTTTACAAAGCCTAGCTAAGAAC 12" TADDA GATTGTCGTTGTCACTGGAACAAATGGAAAAACCCTGACAACTGCCCTCACTGTCGGCATTTTAA AADAGGTTTATGGTCAAGTTCTAACCAACCCAAGCGGTGCCAACATGATTACAGGGATTGCAACAACCTT CCTAACAGCCAAATCTTCAAAAACTGGGAAAAATATTGCCGTCCTCGAAATTGACGAAGCCAGTCTATCT CG|TATC|TGTGACTATATCCAGCCTAGTCTTTTTGTCATTACTAATATCTTCCGTGACCAGATGGACCGTTTC GDTGAAATCTATACTACCTATAACATGATATTGGATGCCATTCGAAAAGTTCCAACTGCTACTGTTCTCCT TAACGCAGACAGTCCACTTTTCTACAAGCCAACTATTCCAAACCCTATAGAGTATTTTGGTTTTGACTTGG AANAA GACCAGCCCAACTGGCTCACTACAATACCGAAGGGATTCTCTGTCCTGACTGCCAAGGCATCCT CAPATA TO GAGCATA AT A CCTATGCA A A CTTGGGTGCCT AT A T CTGTGA A GGTTGTGGA TGTA A A CGTCCT GATCTC ACTATEGTTTOACAAAACTGGTTOAGTTOACCAACAATCGCTCTCGCTTTGTCATAOACGGCC
AAGAATACGGTATCCAAATCGGCGGGCTCTATAATATCTATAACGCCCTAGCTGCTGTGGCCATCGCCCG TTTCCTAGGTGCCGATTCGCAACTCATCAAACAGGGATTTGACAAGAGCCGTGCTGTCTTTGGACGCCAA GALACCITTCÁTATCGGTGACAAGGAATGTACCCITGTCTTGATTAAAAATCCAGTCGGTGCAACCCAAG CTÁTCGÁAATGATCAAACTAGCACCTTATCCATTTAGCCTATCTGTCCTCCTTAATGCCAACTATGCAGAT GGAAITTGACACTAGCTGGATCTGGGATGCAGACTTTGAACAAATCACTGACATGGACATTCCTGAAAATCA ACCTGCCGGTGTTCGTCATTCTGAAATCGCTCGTCGCCTCCGAGTGACTGGCTATCCAGCTGAGAAAAT CACTGRAACGAGTAATCTGGAGCAAGTTCTCAAGACCATTGAGAATCAAGACTGCAAGCATGCCTATATT CTGGCAACTTATACTGCCATGCTGGAATTTCGTGAACTGCTGGCTAGTCGTCAGATTGTTAGAAAGGAGA TGAACTAA-

ACTION TO THE PROPERTY OF A SEQUENTIAN SEQUENTIAL SEQUE

80

CFEI7 "homologue of SEQ. ID NO. 17"
ATGAGTAATÁTCAGTTTAACAACACTTGGTGGTGTGCGTGAGAATGGAAAAAATATGTACATTGCTGAAA TTGGAGAGTCGATTTTTGTTTTGAATGTAGGGTTAAAATATCCTGAAAATGAACAATTAGGGGTCGATGT GG†GAT†CCAÀACATGGATTACCTTTTTGAAAATAGCGACCGTATTGCTGGGGTTTTCTTGACCCACGGGC ATCCOGNTCCCATTGGTGCTCTACCTTATCTCTTGGCAGAGGCTAAAGTTCCTGTATTTGGGTCTGAGTTG ACCATTCAGTTGGCAAAGCTCTTTGTCAAAGGAAATGATGCCGTTAAGAAATTTAATGATTTCCATGTCA **GAÇAGTETGGGAATTGTCTTGAAGACATCGGAAGGAAGCATCGTTTATACAGGTGACTTCAAATTTGACC** AAACGGCTAGTGAATCTTATGCAACTGATTTTGCTCGTTTTGGCAGAGATTGGTCGTGACGGCGTCCTGGC TCTCCTCAGTGATTCGGCCAATGCAGACAGCAATATTCAGGTGGCTAGTGAAAGTGAAGTTAGGGATGAA ATIAGCCIAAACTATTGCTOACTGGGAAGGTCGTATCATCGTTGCAGCTGTTTCCAGTAATCTTTCTCGTAT TQAGCAGATTTTTGACGCTGCGGATAAAACAGGTCGACGTATCGTCTTGACAGGATTTGATATTĞAAAAT ATATOTOTCGCTTTGAAGACCATGAGTTGATTATTCTTUAGACAGGTCGTATGGGTGAACCTATCAATGG ACTITECTIANGATGTCGATTGGTCGCCATCGTTATGTAGAAATCAAGGATGGGGACCTGGTCTATATTGCT TTGTGAAATTGATTACCCAAAGTTTACATGTATCAGGGCACGGAAATGTGCGTGATTTGCAGCTGATGAT CANTETTITGCAACCTAAGTACCTCTTCCCTGTCCAAGGGGAGTATCGTGAGTTGGATGCTCACGCTAAGGCTGGCATGGCAGGATGTTGCCAGAACGCATCTTCATTCCTAAAAAGGGGACGACCATGGCTTACG TGAITGTTIGGAAATGTTGTTCTTCGTGACCGTAAGGTCTTGTCAGAGGATGGAATTTTCATCGTGGCTATTA CACTCAACCGTCGTGAGAAAAATTGTGGCTAGAGCTCGTGTTCAGACGCGTGGATTTGTTTATCTCAA GAAGAGTCGCGATATTCTCCGTGAAAGTTCAGAATTGATTAACCAAACGGTAGAAGAGTATCTTCAAGG AGATGACTTTGACTGGCAGATCTCAAAGGTAAGGTTCGTGACAATCTGACCAAGTACCTCTTTGATCAA ACEAGGGCGCCAGCCATTTTACCAGTAGTCATGGAAGCAAAATAA

2 CF24 "homologue of SEQ. ID NO. 20" ATCAGTATGATACAGCTAAGGTCAAGGCTGGTAATGGTGGCGATGGTATGGTTGCCT TTCOTCCTGAAAATATGTCCCTAATGGAGGCCCTTGGGGTGGTGATGGTGGTCGTGGAGGCAATGTGGT CTICGTTBTAGACGAAGGACTACGTACCTTGATGGATTTCCGCTACAATCGTCATTTCAAGGCTGATTCTO gtdaaaaagggatgaccaaagggatgcatggtcgtggtgctgaggaccttagagttcgagtaccacaag CONTIGCCACGOTGGTCGTGGACGTGGAAATATTCGTTTCGCGACACCAAAAAATCCTGCACCGGAAAATGTCTGAAAATCTTGGCAGATGTC GGTTTAATAGGATTCCCATCTGTAGGGAAGTCAACACTTTTAAGTGTTATTACCTCAGCTAAGCCTAAAAT TGGTGCCTACCACTTTACCACTATTGTACCAAATTTAGGTATGGTTCGCACCCAATCAGGTGAATCCTTTG D/ CACTAGCCACTTGCCAGGTTTGATTGAAGGGGCTAGTEAAGGTGTTGGTTTGGGAAGTCAGTTCCTCCG TCACATCACGTGTTATCCTTCACATCATTGATATGTCAGCTAGCGAAGCCCGTGATCCATATG AGGATTACCTAGCTATCAATAAAGAGCTGGAGTCTTACAATCTTCGCCTCATGGAGCGTCCACAGATTAT
TGTAACTAATAAGATGGACATGCCTGAGAGTCAGGAAAATCTTGAAGAATTTAAGAAAAATTGGCTGA ACACTITTAGATGCTACAGCTGAATTGTTAGACAAGACACCAGAATTTTTGCTCTACGACGAGTCCGATA TGGAAGAAGATTTACTATGGATTTGACGAAGAAGAAAAGCCTTTGAAATTAGTCGTGATGACGATG CGACATGGGTAPTTTCTGGTGAAAAACTCATGAAACTCFTTAATATGACCAACTTTGATCGTGTGATGAATCT GTCATGAAATTTGCCCGTCAGCTTCGTGGTATGGGGGGTTGATGAAGCCCTTCGTGCGCGTGGAGCTAAAG

2CTR28 "homologue of SEQ. ID NO. 24" ATGCATTTGAAAGTTTAACAGAACGTTTGCAGAACGTCTTTAAAAATCTACGTAAAAAAGGAAAAATCT CTGAATGTGATGTCCAAGAGGCAACCAAAGAAATTCGCTTGGCCTTGCTCGAGGCCGACGTTGCCTTGCC TOTTOTALAGGACTITATCAAGAAAGTTAGTGAGCGTGCAGTCGGGCATGAGGTCATTGATACACTTAAT CCTGCGGAACAGATTATTAAAATCGTTGATGAGGAACTGACAGCCGTTTTAGGTTCTGATACGGCAGAAA TATCGTCCAGCTGCCATTGACCAGCTTAAGACCTTGGGACAACAGATTGATGTGCCTGTCTTTGCACTTGG AAQAGAAGTA¢CAGCTGTTQAGATTGTACGTCAAGGTTTGQAGCAAGCCCAAACTAATCATAACGACTAT CATIFGGTCAACCAAATGAAATCTTGCTFGTCGTTGATGCTATGATTGGTCAGGAAGCAGCCAATGTTGC GCCTGACTTTAATGCTCACTTGGAAGTGACTGGGGTCATCCTTACCAAGATTGATGGCGATACTCGTGGT GGTGCTGCTCTGTTCGTCACATTACTGGAAAACCAATCAAGTTCACTGGTACAGGTGAAAAGATTA CGGACATTGAAACCTTCCACCCAGACCGCATGTCTAGCCGTATCCTTGGTATGGGGGATATGCTCACTTT GATITGAGAAAGCTTCTCAGGAATACGATGAACAAAAAGCCCTTGAAATGGCTGAGAAGATGCGCGAAAA CACCITIGATTITAATGATTCATCGATCAATTAGATCAGGTGCAAAATATGGGGCCGATGGAAGACTTO CTCAAGATGATICCAGGTATGGCCAACAATCCAGCCCTTCAAAACATGAAGGTGGATGAACGCCAGATT GCTCGTAAACGTGCCATTGTGTCTTCGATGACACCTGAAGAGCGTGAAAACCCAGATTTGTTAAATCCAA GCCDTCCCCGTATTGCTGCTGGTTCTGGAAATACATTCGTCGAAGTCAATAAATTCATCAAGGACTTT AACCAGGCTAAACAGCTCATGCAGGGTGTTATGTCTGGGGATATGAATAAAATGATGAAGCAAATGGGG ATTAATCPAAATAACCTTCCTAAAAATATGCCAAATATGGGAGGAATGGATATGTCTGCCCTTGAAGGAA

2 CFE 28 (contd)

THATGEGACAAGGCGGTATGCCTGACTTATCAGCTCTCGGAGGAGCAGGAATGCCAGATATGAGCCAGA THATTTGTGGCGGTTTGAAAGGTAAAATTGGTGAATTTGCCATGAAACAGTCCATGAAACGTATGGCTAA CAAAATGAAGAAAAGGAAAAACGCAAGGCGGCCGCACTCGAGCACCACCACCACCACCACTGA

2 CRES2, "homologue of SEQ. ID NO. 28"

ATGAGTATTCGAGTAATTATTGCCCGGTTTTAAGGGAAAGATGGCCAGGCTGCTTGTCAGATGGTATTGA

CTGATCCAGACTTGGACTTGGTGCCAGTTTTGGATCCTTTTGAGTCTGAGTCAGAATGGCAGGTATTCCT

GTTTTCAAGGATAAGGCTGATTTAGCTGGTTTTGAAGCGGATGTCTGGGTAGATTTTACTACTCCAGCTGT

TGCTTAGGAAAATACACGTTTTGCTCTTGAAAATGGCTTTGCTCCAGTAGTTGGAACGACTGGTTTCACGA

2CFE 32

† ††QA, GAAATTGCAGAGCTAAAAGAATTTTCTCGTGCCCAAGACTTGGGTGGCCTGATTGCCCCTAACTT
††CCTTGGGTGCTGTCTTACTCATGCAATTTGCGACGCAGCTGCCAAATATTTCCCAAATGTGGAGATTA
††GAGGTCCATCATGACAAGAAAAAGGATGCTCCGAGTGGAACAGCCATTAAAACAGCTGAGTTGATGG
CAGAGGTTCGAGAGTCCATTCAGCAAGGCGCAGCAGATGAGGAAGAGCTGATTGCTGGTGCTCCTTGTG
CTGACTTGATGGTATGCGCATCCACTCAGTTCGTTTGCCAGGCTTGGTAGCTCATCAAGAAGTCATCTTT
CGCAATCAGGGAGAAGGGTTGACCCTCCGTCATGACTCCTATGATCGCATCCTTCATGACAGGAGTCA
ATTTGGGAATTAAAGAAGTTGTCAAGCGTCATGAGCTCTTATGATCGCATTATTACTCGAGCA
CGACCACCACCACCACTGA

2CFES6 | "homologue of SEQ. ID NO. 32"
ATGGAGTGAAAAGAAACTAAAGTTGACTAGTTTGCTAGGACTGTCTCTGTTAATCATGACAGCCTOTG
COACTAATGGGDTAACTAGCGATATTACAGCCGAATCGGCTGATTTTTTGGAGTAAAATTGGTTTACTTCTTT
GCGGAAATCATTCGCTTTTATCGTTTGATATTAGTATCGGAGTGGGGATTATTCTCTTTACGGTCTTGATT
COTACAGTCCTTGCCAGTCTTTCAGGTGCAAATGGTGGCTCTAGGAAAATGCAGGAAACTAGAGCAGAAA
GCATTAAGGCGCTTCGAGAACAATATCCAGGTCGAGATATGGAAAGCAGAACCAAACTAGAGCAGAAA
TGCGTAAAGTAITTAAAGAAATGGGTGTCAGACAGTCAGACTCTCTTTGGCCGATTTTGATTCAGATGCC
GGTTATTTTGGCCCTGTTCCAAGCCCTATCAAGAGTTGACTTTTTAAAGACAGGTCATTTCTTATGGATTA
ACCTTGGTAGTGTGGATACAACCCTTGTTCTTCCGATTTTAGCAGCAGTTATCACCTTTTTAAGTACTTGG
TTGTCCAACAAGCTTTGTCTOAGCGAAATGGCGCTACGACTGCGATGTTATGGGATTCCAGTCTTGA
TTTTTATGTTTGCAGTTTATGCGCCAGGTGGAGTCCCCTTATCAAGTC

WO 01/49721

2 CFE 36

2CFR37 homologue of SEQ. ID NO. 33" ATGAADATTAGTAAGAGGCACTTATTAAATTATTCCATCTTGATTCCCTACTTGCTTTTATCTATTTTGGGC TIGAT OTGG CTATTCGACCACCAGTGCTATTTAATTGAAGAAGGCAAGAGCGCCTTGCAGTTGGTTCG AAACCAAGGAATCTTTTGGATTGGTAGTTTGATACTGATTGCCTTAATTTATAAATTGAGACTAGATTTTT TGAGALATGAGCGACTAATCATTTTAGTTATATTAATAGAAATGCTTTTATTGTTCTTGGCTCGTTTTATT TTTCAAGTTITGACTCAAAATCAATGGCTTCCCCGTGCTTTTAATGATTGGCGATTCGTTCTCCTAGTTCT GATTGGAAGTTTGGGAATTTTCCCTGATTTAGGAAATGCGACTATTTTAGTCTTGGTTTCCTTGATTATGT ATACAGTTAGTGGAATCGCTTATCGCTGGTTTTCAACCATTCTGGCGCTCGTATCTGCCGCTTCTGTCTTTG TGTTG/CCACTATCAGCCTAATCGGTGTTGAGACCTTTTCAAAAATTCCAGTATTTGGCTATGTAGCCAAA CGCTTTAGTGCCTAATCGCTGTTGCCGATCGTGCTGATGCAGGTCACCAGTTAGCTAATTCTTATTTT ☼ GÓCATGGTCAATGGTGGTTGGTTTGGTCTAGGTCTTGGAAACTCGATTGAAAAACGAGGTTATTTGCCAG AAGCTGATACAGACTTTGTCTTTTCTATCGTGATTGAAGAATTTGGCTTTGTTGGTGCCAGTCTTATTTTAG CICTCIPITTTTCATGATTTTGCGGATTATCTTGGTCGGTATTCGAGCGGAGAATCCTTTCAATGCCATGG TICCATTCGGTGTCGGAGGGATGATGTTGGTTCAGGTATTTGTCAATATCGGAGGGATTTCGGGCTTGATT CCATCTACAGGAGTAACCTTCCCCTTCTTATCCCAGGGTGGAAATAGTCTTCTAGTCTTATCAGTGGCAGT ACCT TOTOTTAAATATTGATGCCAGTGAAAAACGCGCTAAGTTGTACCGAGAATTGGAAAATCAACCA ATGAAGCTTCTGTTGAAGCTCGAGCACCACCACCACCACCACTGA

"homologue of SEQ. ID NO. 34" ATGCTCGGAATTTTAACCTTTATTCTGGTTTTCGGGATTATTGTAGTGGTGCACGAGTTCGGGGACTTCTA CTITGCCAAGAAATCAGGGATTTTAGTACGTGAATTTGCCATCGGTATGGGACCTAAAATTTTTGCTCACA TTDGCAAGGATGGAACGGCCTATACCATTCGAATCTTGCCTCTGGGTGGCTATGTCCGCATGGCCGGTTG GGOTGATGATACAACTGAAATCAAGACAGGAACGCCTGTTAGTTTGACACTTGCTGATGATGGTAAGGTT TTGAAGACAAGCTCTTTATCAAAGGATTGGTTCTGGAAGAAGAAAAAACATTTGCAGTGGATCACGATGC AACGGTTGTGCAAGCAGATGGTACTGAGGTTCGGATTGCACCTTTAGATGTTCAATATCAAAATGCGACT ATCTGGGGCAAACTGATTACCAATTTTGCAGGTCCTATGAACAATTTTATCTTAGGTGTCGTTGTTTTTTC GUITTTÁATCTTTATGCAGGGTGTGTCAGAGATGTTGATACCAATCAGTTCCATATCATGCCCCAAGGTGCTTGGCCAAGGTAGGAGTAGCAGAAACGGCACAAATTACCAAGATTGGCTCACATGAGGTTAGCAACT GGGAAAGGTTGATCCAAGCTGTGGAAACAGAAACCAAAGATAAGACGGCACCGACTTTGGATGTGAETA TTICTG/AAAGGGGAGTGACAAACAAGTCACTGTTACACCCGAAGATAGTCAAGGTCGTTACCTTCTAGG TO TCAACCGGGGGTTAAGTCAGATTTTCTATCCATGTTTGTAGGTGGTTTTACAACTGCTGCTGACTCAG CTCTCCCAATTCTCTCAGCTCTGAAAAATCTGATTTTCCAACCGGATTTGAACAAGTTGGGTGGACCTGTT GCTATCTTAAGGCAAGTAGTGATGCTGCTAAAAATGGAATTGAGAATATCTTGTACTTCTTGGCAATGA TTICCATCAATATTGGGATTTTTAATCTTATTCCGATTCCAGCCTTGGATGGTGGTAAGATTGTGCTCAAT ATCTACAAGCCATCCGCCGCAAACCATTGAAACAAGAAATTGAAACCTATGTCACCTTGGCCGGAGTG GTCATCATGGTTGTCTTGATGATTGCTGTGACTTGGAATGACATTATGCGACTCTTTTTTAGACTCGAGCACCACCACCACCACCACCACCACTGA

ATTACCATATTAAAAGAATCATTACCAAAATTACTGCCAAATACATTGTTCTTGAAACCAATGGTA
TTGGTTATATCTGCATGTGGCCAATCCTTATGCCTATTCAGGTCAGGTTAATCAGGAGGCTCAGATTTAT
GTCATCAGGTTGTGCGTGAGGACGCCCATTTGCTTTATGGATTTCGCTCAGAGGATGAGAAAAAGCTCT
TTCTTAGTCTAATTTCGGTCTCTGGGATTGGTCCTGTATCAGCTCTGCTATTATCGCTGCTGATGACAATC
CTGGCTTGGTTCAAGCCATTGAAACCAAGAACATTACCTACTTGACCAAGTTCCCTAAAATTGGCAAGAA
AACAGCCAGCAGCAAGTGCTGGACTTGGAAGCCAAGTTGCAGGAAGAAGCCATGTGCCAA
GGTCGCAGTGCAAGCAAGTGCTGAAAACCAAGAATTCGTAGAAGACTATGGAAGCCATGTTGGCTCTGGC
CTACAAGGCAACAGACTCAAGAAAATCAAGAAATTCTTTGAAGGAACGACAGATACAGCTGAGAACTA
TATCAAGTCGGCCCTTAAAATGTTGGTCAAAACTCGAGCCACCACCACCACCACCACCACTGA

2 CTR40 "homologue of SEQ. ID NO. 36"
ATGAGRATATCGTATTTTAGCACTTCTGGAAATGATATTTTTAGTGGTGGTGGACTGTCAGCTGATTT
GCCTACCTAJACCTTGAACGGCTTGCATGGGTTTGTAGCAGTGACTTGTTTGACAGCCTTGACAGAAAAA
GGATTJGAACTCTTCCCAACTGATGATACCATTTTTCAACATGAATTAGATAGCTTGCGTGATGTGGAATT
TGGGGGAATTAAGATTGGTCTTCTCCCTACTGTCAGTGGCTGAGAAGGCCTTGGACTTTATCAAACAA
CCCCCAGGAGTACCTGTGGTTTGGATCCTGTCTTGGTCTGCAAGGAAACGCATGATGTAGCTGTCAGTG
ACCTCTGCCAAGAGTTGATTCGCTTTTTCCCTTATGTCAGTGTGATTACGCCTAATCTCCCAGAAGCAGAA
TTATTATCCGGTCAGGAAATTAAAACCTTGGAAGACATGAAAACTGCAGGCGAGAAATTGCATGATTTAG
GAGCGCCAGGAGTCATTATCAAGGGAGGCAATCGTCTTAGTCAGGACAAAGGCTGTGGATGTCTTTTATGA
TGGACAGACGTTTACTATCCTAGAAAATCCAGTTATCCAAGGCCAAAATGCTGGTGCAGGTTGTACCTTT
GCCTCTAGCATTGCCAGAAGCAGATCAGTATGGAGTAAACTTTTTGCCAGCAGTAGAAAGCTCTAAGGCTT
TCGTTTATCGTGCTATTGCACAAGCAGATCAGTATGGAGTAAAACAATTGAAGCAAAAAACAACC
TCGAGGACCACCACCACCACCACTGA

2 CFE41 "homologue of SEQ. ID NO. 37" ATGAT TO AAA CGGAGAAAAAAA GAGGAGCGAGTCCTGCTGATTGGTGTGGAATTGCAGGGTATGGACAGT TTGACTCTCCATGGAAGAATTGGCTAGTTTAGCGAAAACGGCAGGGGCAGTCGTTGTAGATAGCTACA GCTGGATGCAGAAGAAATCACTACTGTCATCGTCAACAACCGTCTGACCCCAAGGCAGAATGTCAATCTA CAGGAAGTTCTCGGTGTTAAGGTCATTGACCGTATGCAGTTGATTTTGGATATCTTTGCCATGCGGGCTCG GGGATTATGCTCAGCCGTCAGGCAGGGGGAATTGGTTCCCGTGGTCCTGGTGAAAGCCAACTGGAGCTO AACCGTCGTAGCGTTCGCAATCAAATCACGGATATCGAGCGCCAGCTTAAGGTGGTTGAGAAAAATCGT GCDACTOTCAGAGAAAAACGTTTGGAGTCTAGCACTTTTAAGATTGGTTTGATTGGTTATACTAATGCTG GDAAATCAACTATCATGAACATCTTGACCAGTAAGACCCAGTATGAAGCAGATGAGCTCTTTGCGACTCT GGATGGGACAACCAAGAGTATTCATCTGGGAGGCAACCTCCAAGTAACTTTGACAGATACCGTTGGCTTT TTOTGGTTCATGTTATCGATGCTAGCAATCCTTACCACGAGGAGCATGAAAAAACGGTTCTCTCCATCATG AAGACTGGACATGGAAGATATTCCTCACTTGACGCTTTATAATAAAGCGGATTTGGTGGAGGATTTCACCCTCATTTCTGCCAAGTCTGAGGACAGTCGTGAAAACTTGCAAGCATT ATTGCT. GATAAGATTAAGGAAATTTTTGAAGCATTTACCCTGCGAGTGCCTTTTTCAAAGTCCTACAAG ATTCATGATTTAGAGAGTGTTGCAATTCTGGAAGAACGTGATTATCAGGAAGACGGCGAAGTGATTACAG GCTACATTTCCGAGAAAAATAAATGGAGGTTAGAAGAATTTTATGACCTCGAGCACCACCACCACCACCACCA

2 CER 2 "homologue of SEQ. ID NO. 38"
ATGCAGAAAAAACATATCCTATGACCCTTGAGGAAAAGGAGAACTTGAAAAAGAATTAGAAGAATTG
AAATTGGTTCGTCGACCAGAAGTGGTAGAACCGCATTAAGATTGCCCGTTCATACGGTGATCTTTCAGAAA
AAATCCGCTATGCTGAAATCGTCAATACCGACGAGTTGCCCAGGACGAAGTAGCGATTGGTAAAACAG
TCACCATCCAAGAAATTGGTGAGGACGAAGAAGAAGTTTATATTATCGTAGGTTCAGCTGGTGCGGATGC
CTTTGCAGGTAAGGTTTCAAATGAAAGCCCAATTGGGCAGGCCTTGATTGGCAAGAAAAAACAGGTGACAC
AGGAACCATTGAAACGCCTGTTGGTAGCTATGATGTAAAAATCTTGAAGGTTGAAAAAACAGCCCTCGA
GCACCACCACCACCACCACCAC

"homologue of SEQ. ID NO. 41" 2 CEE45 OTGGTGGCTATCTATATAGCCGTTAGTCATGATTATCCCAATAATATTCTGCCCATTTTAGGGCAGCAGGT CCCCCCGATTGCCTTGGGGCTTGTGATTGGTTTTGTGGTCATGCTCTTTAATACAGAATTTCTTTGGAAGG TGACCCCCTTTCTATATATTTTAGGCTTGGGACTTATGATCTTGCCGATTGTATTTTATAATCCAAGCTTAG TTGCATCAACGGGTGCCAAAAACTGGGTATCAATAAATGGAATTACCCTATTTCAACCGTCAGAATTTAT GAAGATATCCTATATCCTCATGTTGGCTCGTGTCATTGTCCAATTTACAAAGAAACATAAGGAATGGAGA CGCACGGTTCCGCTGGACTTTTTGTTAATTTTCTGGATGATTCTCTTTACCATTCCAGTCCTAGTTCTTTTA GCACTTCAAAGTGACTTGGGGACGGCTTTGGTTTTTGTAGCCATTTTCTCAGGAATCGTTTTATTATCAGG GGTTTCTTGGAAAATTATTATCCCAGTATTTGTGACTGCTGTAACAGGAGTTGCTGGTTTCTTAGCTATCT GGDAGTGGTGGCTTATTTTGTCAGGGATTTAATGCTTCGAATCTGCTTATCCCAGTTCGAGAGTCAGATAT GATTTTTACGGTTATTGCAGAAGATTTTGGCTTTATTGGCTCTGTCCTGGTTATTGCCCTCTATCTCATGTT GAPT,TACCGTATGTTGAAGATTACTCTTAAATCAAATAACCAGTTCTACACTTATATTTCCACAGGTTTGA TTATGATGTTGCTCTTCCACATCTTTGAGAATATCGGTGCTGTGACTGGACTACTTCCTTTGACGGGGATT CCCTTGCTTTCATTTCGCAAGGGGGATCAGCTATTATCAGTAATCTGATTGGTGTTGGTTTGCTTTATCG ATO NOT TACCA GACTA AT CTAGCT GAAGAAA GAGCG GAAAAGT CCCATT CAAACG GAAAAAGT TOTA TTAAAACAAATTAAACTCGAGCACCACCACCACCACCACCACTGA

2 CFE 47 (Contol)

"homologue of SEQ. ID NO. 45" ATTAGALANTATGGCTTTGACAGCAGGTATCGTTGGTTTGCCAAACGTTGGTAAATCAACACTATTTAATG Calattalaaangcaggagcagaggcagcaaactacccatttgcgactattgatccaaatgttggaatgg TGBAACITCCAGATGAACGCCTACAAAAACTAACTGAAATGATAACTCCTAAAAAGACAGTTCCCACAA CATTIGAATITACAGATATTGCAGGGATTGTAAAAGGAGGCTTCAAAAGGAGAAAGGGCTAGGGAATAAATTCTTGGCCAATATTCGTGAAGTAGATGCGATTGTTCACGTAGTTCGTGCTTTTGATGATGAAAATGTAATG CGCGAGCAAGGACGTGAAGACGCCTTTGTAGATCCACTTGCAGATATTGATACAATTAATCTGGAATTAA TT¢TTG¢TGAQTTAGAATCAGTGAACAAACGATATGCGCGTGTAGAAAAGATGGCACGTACGCAAAAAG ATAAAGAATCAGTAGCAGAATTCAATGTTCTTCAAAAGATTAAACCAGTCCTAGAAGACGGGAAATCAG CTGGTACCATTGAATTAACAGATGAGGAACAAAAGGTTGTCAAAGGTCTTTTCCTTTTGACGACTAAACC AGTTCTTTATGTAGCTAATGTGGACGAGGATGTGGTTTCAGAACCTGACTCTATCGACTATGTCAAACAA ATTCTTGAATTTTGCAGCGACAGAAAATGCTGAAGTAGTCGTTATTTCTGCGCGTGCTGAGGAAGAAATTT CTGAATTOGATGATGAAGATAAAAAAGAGTTTCTTGAAGCCATTGGTTTGACAGAATCAGGTGTAGATAA GCTTGGACTTTICAAACGTGGTATGAAGGCTCCTCAAGCAGCTGGTATTATCCACTCAGACTTTGAAAAAG GCTTTATTCGTGCAGTAACCATGTCATATGAAGATCTAGTGAAATATGGATCTGAAAAGGCCGTAAAAGA AG\$TGG\$CGCTTGCGTGAAGAAGGAAAGAATATATCGTTCAAGATGGCGATATCATGGAATTCCGCTTT AATGTCGTCGAGCACCACCACCACCACTGA

2.CFE11 "Homologue of SEQ. ID NO. 47"

ATGACCTTAGANTGGGAAGAATTTCTAGATCCTTACATTCAAGCTGTTGGTGAGTTAAAGATTAAACTTC

GTGGTATTCGTAAGCAATATCGTAAGCAAAATAAGCATTCTCCAATTGAGTTTGTGACCGGTCGAGTCAA

GCCAATTGAGAGCATCAAAGAAAAAATGGCTCGTCGTGGCATTACTTATGCGACCTTGGAACACGATTTG

2 CFE SI (conta) CAGGATATTGCTGCTTACGTGTGATGGTTCAGTTTGTAGATGACGTCAAGGAAGTAGTGGATATTTTGC DAÇAAGPGTCAGGATATGCGAATCATACAGGAGCGAGATTACATTACTCATAGAAAAGCATCAGGCTATC GTTCCTATCATGTGGTAGTAGAATATACGGTTGATACCATCAATGGAGCTAAGACTATTTTGGCAGAAAT TGAAATTCGTACTTTGGCCATGAATTTCTGGGCAACGATAGAACATTCTCTCAACTACAAGTACCAAGGG S GATTTCCAGATGAGATTAAGAAGCGACTGGAAATTACAGCTAGAATCGCCCATCAGTTGGATGAAGAA ATGGGTGAAATTCGTGATGATATCCAAGAAGCCCAGGCACTTTTTGATCCTTTGAGTAGAAAATTAAATG **A¢GÖT¢TAGĞAAAĆAGTGACGATACAGATGAAGAATACAGGCTCGAGCACCACCACCACCACCACTGA** 2 CRESZ / "homologue of SEQ. ID NO. 48" A TOGA A CITA A TACACA CAATGCTGAAATCTTGCTCAGTGCAGCTAATAAGTCCCACTATCCGCAGGATG AACTG&CAGAGATTGCCCTAGCAGGGCGTTCAAATGTTGGTAAATCCAGCTTTATCAACACTATGTTGAA COGTAGGATUTCGCCCGTACATCAGGAAAACCTGGTAAAACCCAGCTCCTGAACTTTTTTAACATTGAT O ACAAGATGCGCTTTGTGGATGTGCCTGGTTATGGCTATGCTCGTGTTTCTAAAAAGGAACGTGAAAAGT GGGGGTGCATGATTGAGGAGTACTTAACGACTCGGGAAAATCTCCGTGCGGTTGTCAGTCTAGTTGACCT o TOGTICATGACCCGTCAGCAGATGATGTGCAGATGTACGAATTTCTCAAGTATTATGAGATTCCAGTCATC ATTGTGGCGACCAAGGCGGACAAGATTCCTCGTGGTAAATGGAACAAGCATGAATCAGCAATCAAAAAG CTITGGGATGCAATCTTAGAAAAATTGGCGGCCGCACTCGAGCACCACCACCACCACTGA Inhomologue of SEQ. ID NO. 49" 2 OFE53 TCCGCATTGTCAAGAACAAGGAAGGACAAGTCTTTATTGATCCTACGGGCAAGGCCAATGGCCGCGGCG CTTATATCAAACTAGACAATGCAGAAGCCCTAGAGGCGAAAAAGAAGAAGGTCTTTAACCGCAGCTTTA `gc|atggaagtggaagaaagcttttatgacgagttgatcgcttatgtggatcacaaagtgaaaagaagag AGITTGGGACTTGAACTCGAGCACCACCACCACCACCACTGA "homologue of SEQ, ID NO. 50" APOTTA A ACCOPCTATTO A TACCTTO CTCGACA AGGTTCCTTCA A AATATTCACTCGTAATCTTGGAAGC <u>ANACCTGCCCACGAATTGGAAGCAGGTGCCCCAGCAACTCAAGGTTTCAAGTCTGAAAAATCAACTCTT</u> CGEGCTTTAGAAGAAATCGAATCAGGAAACGTTACAATTCACCGAGATCCAGAAGGAAAACGTGAAGGA 2CFESS: "homologue of SEQ. ID NO. 51" ATOTCATTAACATCAAAACAACGTGCCTTCCTCAACAGCCAGGCACACCCCTCAAACCTATCATCCAAA TCCCAAGATTTCTAAGAAAGTCAAAGAAATCCTCGAGCACCACCACCACCACCACCACTGA "homologue of SEQ. ID NO. 52" CONTRACATTEGTATTGACCGTGCTATGAAGGAATTCCACTATGACAAAAAGGAAGTGGTCATGGTTGG CGACCAGCTCATGACAGATATACGAGCAGCCCACCGTGCAGGGATTCGGTCAATTTTAGTCAAACCCTTG GTCCAACATGACTCAATCAAAACGCAGATTAACCGAACTCGTGAGCGTCGTGTTATGAGAAAAATCACTG AAAAGTACGGACCGATTACATATAAAAAAGGAATTCTCGAGCACCACCACCACCACCACTGA

2CFC57 "homologue of SEQ. ID NO. 53"

1.2CFE 57

GTGAAGAAGTAGGTATCAAGTTTATCGGTCCATCTGGTCATGTTATGGATATGATGGGGGATAAGATCAA TOCOCCUTGCTCAGATGATTAAAGCAGGTGTGCCTGTTATACCAGGTTCAGATGGAGAAGTGCATAACTCT GAAGAAGCTT#GATTGTTGCTGAAAAAATTGGCTATCCTGTTATGCTCAAGGCTTCAGCAGGTGGAGGTG GTIAAAGGATTCGTAAGGTTGAAAAACCAGATGACCTCGTTTCTGCCTTTGAAACTGCCTCTAGTGAGGC CALATOCTAGOTGATGAGCATGGACATGTGATTCACTTGGGTGAACGGGATTGTTCTCTTCAAAGGAATA ACCAAAAGGTTTTGAAAGAAAGTCCCTCGATTGCAATCGGAAAAACGCTGCGTCATGAAATAGGTGCTG CTBCTGITCGAGCGGCAGAGTTTGTTGGCTATGAGAATGCAGGAACCATTGAATTTCTTCTTGATGAAGC A4GTAQAAATJTCTATTTCATGGAGATGAATACTCGTGTTCAGGTAGAACATCCAGTAACAGAGTTTGTT TCAGGTOTTGATATCGTTAAGGAACAGATTTGCATTGCGGCAGGTCAGCCTTTGTCTGTTAAGCAAGAAG ATATTGTCCTACGCGGTCATGCCATCGAGTGTCGTATCAATGCAGAAAACCCAGCCTTTAACTTTGCTCCA ACTCCAGGTAAGATTACTAATCTCTATCTGCCAAGTGGTGGAGTTGGCTTGCGCGTGGATTCAGCAGTTT ATCCAGGTTA FACCATTCCGCCTTATTATGATAGTATGATTGCCAAAATCATAGTACACGGCGAAAATCG TITTOACGCCTTGATGAAAATGCAACGTGCCCTCTATGAATTAGAGATTGAAGGAGTGCAGACCAATGCA AACCTTCTTACCTAAATATCAAGAAAAAGAACTCGAGCACCACCACCACCACCACCACTGA

"homologue of SEQ. ID NO. 56" TTGAATACCGTGGCTATGATTCTGCGGGAATTTTTGTCCTAGATGGTGCTGATAACCATTTGGTGAAGGCT GTTOGTCGTATCGCAGAATTGTCTGCCAAGACAGCTGGTGTTGAGGGAACAACTGGTATCGGACATACTC OTTGGGGAACTCATGGGAAACCAACGGAAGACAATGCTCACCCACACCGCTCTGAGACAGAACGTTTTG TCTTCGTTCACAATGGGGTGATTGAAAACTACCTTGAAATTAAAGAAGAATACCTTGCTGGGCACCACTT CAMAGGGCAAACAGATACGGAAATCGCCGTACATTTGATTGGAAAATTTGCGGAAGAAGACGGTCTCTC AAAATCCAGATGTCATCTATGTAGCGAAAAACAAATCTCCACTTTTGATTGGTCTTGGGGAAGGCTACAA DI TATEGTCEGCTQAGATGCTATGGCTATGATTCGTGAAACCAACCAATACATGGAAATTCATGACCAAGAG TTGGTAAICGTGAAGGCTGATAGCGTGGAAGTTCAAGACTATGATGGTAACAGTCGTGAACGTGCTAGCT ATACTOCOGAACTTGACTTGTCAGATATCGGTAAGGGAACTTATCCTTACTACATGCTTAAGGAAATTGA CCTGCTATCATTAAGGCTGTTCAAGACGCAGACCGCATCTACATCCTTGCAGCTGGAACATCTTACCATG CAGPATTINGCT ICTAAGAAAATGTTGGAAGAATTGACAGATACACCAGTTGAACTTGGCATCTCATCTGA GTGGGGGTACGGTATGCCACTTCTCAGCAAGAAACCACTCTTCATCTTTATCAGCCAATCTGGTQAAACA

2 CFE 60 (contd)

"homologue of SEQ. ID NO. 58" 2 CFE62 (ATOCCC|AAAGAAGTGAATTTAACAGGCGAAGAAGTTGTCGCTTTAACCAAAGAATATTTAACGGAAGAG CAITGTTCATTTTGTCCATAAGGCCTTGGTCTATGCTGTTGAATGCCACAGTGGTCAATATCGCAAATCAGG CENGCCTTATATCATTCACCCTATCCAAGTGGCAGGTATTTTAGCTAAGCTAAAGCTGGATGCTGTAACA **GTAGCTTGTGGATTCTTGCATGATGTGGTGGAAGATACAGATGCGACTTTGGACGATTTGGAAAGAGAGT** GGAGCAATTAGCGGAAAATCATCGCAAGATGCTCATGGCCATGTCTGAGGACATCCGCGTTATTTTGGTC ANACTG CTGACCGCTTGCACAATATGCGGACCCTGAAACATCTTCGAAAAGACAAGCAGCAGGAGCGTATTT CCAAAGAAACCATGQAAATCTATGCCCGGCTTGCCCATCGTTTGGGGATTTCCAGTGTCAAATGGGAATT AGAGACTTGTCTTTCCGTTATCTCAATCCAACGGAGTTTTACAAGATTACCCATATGATGAAGGAAAAG CGCAGGBAGCGTGAGGCCTTGGTGGATGAGGTAGTCACAAAATTAGAGGAGTATACGACAGAACGTCAC TTGAMAGGGAAGATTTATGGTCGTCCCAAGCATATTTACTCAATTTTCCGCAAAATGCAGGACAAGAGAA AAÇOGTTTGAGGAAATCTATGATCTGATTGCTATTCGTTGTATTTTAGATACCCAAAGTGATGTTTATGCC ATGCTTGGTTACGTGCATGAATTTTGGAAACCGATGCCAGGTCGCTTCAAAGACTATATCGCCAACCGCA AGGCCAATGGTTATCAGTCTATCCATACGACTGTTTATGGACCAAAAGGGCCGATTGAATTCCAGATTCG AA¢CAA¢GAAATGCACGAGGTGGCTGAGTACGGGOTTGCGGCTCACTGGGCTTATAAGAAAGGTATAAA GGGGCAAGTTAACAGCAAGGAATCAGCTATTGGAATGAACTGGATCAAGGAGATGATGGAGCTCCAAGA CCAGGCTGATGATGCTAAGGAATTTGTGGACTCTGTTAAGGAAAACTATTTGGCTGAGGAGATTTACGTT TACAACGTCGGTGAAAAAGCAACTGGTGCCAAGGTCAATGGCCGCATGGTTCCACTGACAACCAAGTT AAAGACAGGGGATCAGGTTGAAATTATCGCCAACCCGAACTCCTTTGGACCTAGCCGTGACTGGCTCAAT ATGCTCAGGACTAGCAAGGCGCGCAATAAGATTCGCCAGTTCTTTAAAAACCAAGATAAGGAATTGTCT ACAAGCCCACATGGATCAAGTTCTGCAAAAGACCAGTTACAAGACAGAAGACTCCCTCTTTGCGGCCAT TGGTTTTBGGGAAATCGGTGCGATTACCGTCTTAACCGTCTGACTGAAAAGGAGCGCCGTGAGGAAGAG CGTGCCAAGGCCAAGGCTGAGGCAGAGGAGCTTGTCAAAGGTGGCGAGGTCAAGGTTGAAAATAAAGA AACTCTCAAGGTCAAGCATGAGGGGGGAGTGGTTATTGAAGGTGCTTCTGGTCTCCTAGTGCGGATTGGT AACTGTTGTAACCCCGTGCCTGGTGACGATATTGTTGGCTACATTACCAAGGGTCGTGGTGGCTATTC ACCUTGTUGACTOTATGAACCTGCGTGCCCAAGAAACTACGAGCAACGTCTCCTTGATGTGGAATGGGA AGACCACTACTCTAGCTCAAATAAGGAGTATATGGCCCATATCGATATCTACGGTCTCAACCGTACAGGA

2 CFE 62 (Conta)

2 CFE64 "homologue of SEQ. ID NO. 60" AFGAGAAGAAATCAAAAATCTGCAGGCACAGGATTATGATGCCAGTCAAATTCAAGTTTTAGAGGGC TTABAGGCTGTTCGTATGCGTCCAGGGATGTACATTGGATCAACCTCAAAAGAAGATCTTCACCATCTAG DAGCCAGATGATTCGATTACTGTTGTGGATGATGGGCGTGGTATCCCAGTCGATATTCAGGAAAAAACAG GTCGTCCTGCTGTTGAGACCGTCTTTACAGTCCTTCACGCTGGAGGAAAGTTCGGCGGTGGTGGATACAA GETTTCAGGTGGTCTCACGGGGTGGGGTCGTCAGTTGTTAATGCCCTTTCCACTCAATTAGACGTTCATG TCATAAAAACGGTAAGATTCATTACCAAGAATACCGTCGTGGTCATGTTGTCGCAGATCTTGAAATAGT AATCHTGATTTTGATAAATTAAATAAACGGATTCAAGAGTTGGCCTTTCTAAATCGCGGTCTTCAAATTT CTATCACTGATAAGCGCCAAGGTTTGGAACAAACCAAGCATTATCATTATGAAGGTGGGATTGCTAGTTA COTTCHATATATCAACGAGAACAAGGATGTAATCTTTGATACACCAATCTATACAGACGGTGAGATGGAT GATATGACAGTTGAGGTAGCCATGCAATACACAACGGGTTACCATGAAAATGTCATGAGTTTCGCCAATA ATATTCATACACATGAAGGTGGAACGCATGAACAAGGTTTCCGTACAGCCTTGACACGTGTTATCAACGA THATGITCGTAAGAATAAGTTACTGAAAGACAATGAAGACAATCTAACAGGGGAAGATGTTCGCGAAGG CITAACTGCAGTTATCTCAGTTAAACACCCCAAATCCACAGTTTGAAGGACAAACGAAGACCAAATTGGGA AATAG¢GAAGTGGTCAAGATTACCAATCGCCTCTTCAGTGAAGCCTTCTCCGATTTCCTCATGGAAAATC CACAGATTGCCAAACGTATCGTAGAAAAAGGAATTTTGGCTGCCAAGGCTCGTGTGGCTGCCAAGCGTGC GGTGAGTCACACGTAAAÁAATCTGGTTTGGAAATTTCCAACCTTCCAGGGAAACTAGCAGACTGTTCT
TCTAATAACCCTGCTGAAACAGAACTCTTCATCGTCGAAGGAGACTCAGCTGGTGGATCAGCCAAATCTG
GTCGTAACCGTGAGATTTCAGCTATCCTTCCAATTCGCGGTAAGATTTTGAACGTTGAAAAAGCAAGTAT
GGATAAGATTCTAGCTAACGAAGAAATTCGTAGTCTTTTCACAGCCATGGGAACAGGATTTGGCGCAGAA
TTTGATGTTTCGAAAGCCCGTTACCAAAAACTCGTTTTGATGACGATGCCGATGCAGTGCAGAGCCCACA TTEGTACCCTTCTTTTAACCTTGATTTATCGTTATATGAAACCAATCCTAGAAGCTGGCTATGTTTATATTG CCCAACCACCAATCTATGGTGTCAAGGTTGGAAGCGAGATTAAAGAATATATCCAGCCGGGTGCAGATC ANGANATCANACTCCAAGAAGCTTTAGCCCGTTATAGTGAAGGTCGTACCAAACCGACTATTCAGCGTTA TANGGIGCTAGGTGAAATGGACGATCATCAGCTGTGGGAAACAACCATGGATCCCGAACATCGCTTGAT GGCTAGAGTTTCTGTAGATGATGCTGCAGAAGCAGATAAAATCTTTGATATGTTGATGGGGGATCGAGTA GAPCCTPGTCGTGAGTTTATCGAAGAAAATGCTGTCTATAGTACACTTGATGTCCTCGAGCACCACCACC ACCACCACTGA

2 CR65 ("homologue of SEQ ID NO. 61,"
ATGGANTTACTGAAGAAACAGTACGTTTAAATTGGACGATTCCAATAAAAAAGAAATTAGCGAAACTT
TÜACAGATGTTTATGCTTCGTTGAACGATAAGGGTTACAACCCAATTAACCAAATCGTAGGTTACGTATT
GAGTGGAGACCCTGCCTACGTTCCTCGTTATAATAATGCACGAAATCAAATCCGTAAGTATGAGCGTGAT
GAAATCGTTGAGGAATTGGTTCGCTACTATCTCAAAGGACAAGGAGTCGATCTACTCGAGCACCACCACC
ACÇACCACTGA

2CFE 7 "homologue of SEQ. ID NO. 63"

2 CFE 67 homolyue of SEQ DNO: 63

- 2 CRETI "homologue of SEQ. ID NO. 67"

 ATGAGAAITCGAACTATTGACTCCCTTTACCAAGGTAGAGTTGGAGCCAGAAATCAAGGAGAAAAAACGC

 AAACAAGTTGGGATTTTAGGGGGGGAATTTTAACCCTGTTCACAATGCCCATCTCATTGTTGCGGATCAAG

2 CFE 71 (CONDA)

TACGGÉAACAGTTGGGACTGGATCAAGTTCTTCTCATGCCTGAATACCAACCTCCTCACGTTGATAAAAA

GÉAAACCATCCCTGAACACCATCGTCTCAAGATGCTTGAGTTGGCAATTGAGGGGATTGACGGCCTAGTC

ATTGAAACCATTGAGTTGGAGCGCAAGGGTATTTCCTACACCTACGATACCATGAAGATTTTGACAGAGA

AGAATCCAGATACGGATTATTACTTTATCATCGGTGCCGACATGGTTGACTATCTGCCTAAGTGGTACCG

AATTGATGAACTGGTTGACATTGTTGTGGGGGTTCAGCGTCCACGCTACAAGGTAGGGACTTCC

TATCCAGTTATCTGGGTGGACGTACCGCTCATGGATATCTCGTCCAGCATGGTGCGGGACTTCCTTGCCCA

AGGTCGGAAACCCAACTTTCTCCTACCTCAGCCAGTGCTAGACTACATCGAGAAGGGGGGCTCTACCTC

GAGCACCACCACCACCACTGA

- - 2 CFE78 "homologue.of SEQ. ID NO. 74"
 ATGTCTACAATCGATAAAGAAAAATTTCAGTTTGTAAAAACGTGACGATTTTGCCTCTGAAACTATTGATG
 CGCAGCATATTCTTACTGGAAATCAGTGTTTAAACAATTTATGAAGAAAAAATCAACTGTAGTCATGTT
 GGCAATCTTGGTAGCCATCATTTTGATAAGTTTCATCTACCCAATGTTTTCTAAGTTTCAATGATG
 TCAGCAAGGTAAACGACTTTAGTGTTCGTTATATCAAGCCAAATGCGGAGCATTGGTTCGGTACTGACAG
 TAACGGTAAATCGCTCTTTGACGGTGTCTGGTTCGGAGCTCGTACTCCATTCTCTGATTGCGA
 CAGTGATTAACCTTGGTTATCGGTGTTTTTGTCGGTGGTATTTGAAAATCAGTTGACTTACTCAAT
 CGCAGCTGGATTCTGGAATCTGAAACATCCCACCTCTTTTGATTGTTATTGTCTTGACTTACTCAAT
 CGCAGCTGGATTCTGGAATCTGATTTTTGCCATGAGCGTAACAACATGGTACTTTGGGAAACAACCTT
 GAAGATTOTTGCCAAAAATATCATGCCTCAATTGGTATCTGTTATTGTGACAACCATGACTCAAATGCTTC
 CAAGCTTTATCTCATACGAAGCCTTCTTGTCTTTCTTCGGTCTTACTTGTTACAAATTTTG
 GGTCGTTTTGATTTCCCAAAAATTTCACAAAACGTAACAACCAATGCTTACTTGTTCTTGGATTACAGTGCCAAGTTTTG
 GGTCGTTTGATTTCGGATTATTCACAAAACGTAACAACCAATGCTTACTTGTTCTTGGATTACAGTGCCAAGTTTTG
 GGTCGTTTGATTTCGGATTATTCACAAAACGTAACAACCAATGCTTACTTGTTCTTGGATTACAGTGCCAAGTTTTG
 GGTCGTTTGATTTCGGATTATTCACAAAACGTAACAACCAATGCTTACTTGTTCTTGGATTCCATTGACAAC

CCTTGTGTTGGTATCCTTGTCCCTTTTCGTAGTTGGTCAAAACTTAGCGGATGCTAGTGATCCACGTACAC ATAGAÇTCGAGCACCACCACCACCACTGA "homologue of SEQ. ID NO. 75" ATTATAACCTATTATTAACCATTTTATTAGTATTATCTGTTGTGATTGTGATTGCAATTTTCATGCAACCA 2 CFE80 "homologue of SEQ. ID NO. 76" ATOTTT GTAGAAATAAATTATTTTTTT GGACCACAGAAATTTTACTCTTAACCATCATCTTTTACCTATGG AGACAGATGGGATCTTTGATTAACCCTTTTGTTAGCGTGCTTAATACAATTATGATTCCATTTTTATTAGG TG\$TATTTAATTACCTTGTGTACTTTGGTCTGGGGAATGGTCATAGGTGTTGTCTATCTCTTACCTATTTT GATTAATCAGTTATCTAGTTTATATCTAGTCAAACTATTTATAGTCGAGTACAAGACTTAATCATAG ACTTATCTAATTATCCTGCGCTCCAGAATTTGGATGTAGAAGCTACAATTCAGCAGTTAAACTTATCCTAT TACTGTTTTGATTTTTGATTATGACTCCAGTTTTTTTTGGTTTATTTCTTATTAGATGGACATAAATTCTTGCC6 AT CTT GAAAGAACGATTCTAAAGAGGGATCGCTTGCATATTGCAGGCTTATTAAAGAATTTAAATGCGA CGATTGCTCGCTATATTACTGCAGTTTCGATTGACGCAATCATTATAGGTTGTTTTGGCTATATTGGCTAT AGTATTATTGGTTTAAAATATGCTTTAGTTTTTGCCATTTTTTCTGGTGTAGCCAATTTAATTCCTTATGTG GG&CCAAGTATTGGTTTGATTCCTATGATCATCGCAAATATATTCACTGATCCCCATAGACTGCTGATTGC AG TGAT TATATGCTTGTTGTTCAGCAGGTAGATGGCAATATCTTATATCCTCGAATTGTAGGAAGTGTTA TO A AGGIT CATCCAATCACGATTTTAGTTTTACTTTTGTTGTCAAGCAATATCTATGGTGTAGTTGGAATO ATTGTCCCAGTGCCAACCAATTCTATCTTGAAAGAAATTTCTAAGTTCTTATCCCGTTTGTATGAAAATCA "homologue of SEQ. ID NO. 77" CTAAGACTCTTJAAACAAGCGGTGGAGCAAGAGAAAATAAGTCACGCTTATCTTTTTTCTGGTCCTCGTGG ACCTTOCAATAACTGCTATATTTGTCAAGCAGTGACGGACGGTAGTTTAGAAGATGTCATTGAAATGGAT GC/GCT-CTAATAATGGGGTAGATGAAATTCGCGAAATTCGTGATAAATCTACCTATGCGCCTAGCCTTG CTCGTTATAAGGTTTATATCATAGATGAGGTTCACATGCTGTCTACAGGGGCTTTTAATGCCCTCTTAAAG ACCCTGCAAGAACCAACACAGAATGTAGTCTTTATTTTGGCCACTACTGAATTGCACAAGATTCCTGCTA CTATTCTATCCCGTGTGCAACGTTTTGAGTTTAAATCAATTAAGACACAGGATATTAAGGAACATATTCAC TATATOTTAGAMAAAGAAAATATCAGTTCTGAACCAGAGGCTGTGGAAATCATTGCCAGACGGCGGAA G01|GGAATGCGGGACGCCTTGTCTATTTTGGATCAAGCCCTGAGTTTGACACAGGGAAATGAGCTGACGA CTOCTATCTCTGAAGAAATTACTGGCACCATTAGCCTACCAGCCTTGGATGATTATGTGGCGGCCTTGTCT CAACAGGATGTTCCCAAAGCTTTGTCTTGCTTGAATCTTCTTTTTGACAATGGTAAGAGCATGACTCGTTT TOTPACCIGATCTTTTGCACTATTTAAGAGACTTGTTAATTGTTCAAACAGGGGGAGAAAATACTCATCAT AGTICACTCTTTGTAGAAAATTTGGCACTTCCTCAAAAAAATCTGTTTGAAATGATTCGCTTAGCAACAGT GAAATCAAGTCCGAACCAGCTCTATCAGGAGCGGTTGAAAATGAAATTGCTACGCTGAGACAGGAAGTT GCCGTCTCAAACAAGAGCTTTCTAATGTAGGTGCGGTTCCTAAACAAGTTGCACCAGCTCCTAGTCGAC AAATCCTGATTTAGCACGTCAAAATTTAATTCGTTTGCAGAATGCCTGGGGAGAGGTAATTGAAAGTCTA GGTGGGGGGACAGCTCTGCCTCGAGCACCACCACCACCACCACTGA

2 CFE32 "homologue of SEQ. ID NO. 78"

ATPITTCGATTAACCAATAAGTTAGCGGTATCGAACTTGATTAAAAACCGCAAACTGTACCTTTTGC
GCTGGCTGTTCTCTTGGCAGTCACCTGTCACCTATCTCTTTTACTCTCTAACCTTCAATCCTAAGATTGCGGA
AATCCGTGGAGGAACAACCATTCAGGCTACACTTGGATTTGGTATGTTTGTCGTCACCCTTGCGTCAGCC
ATTATCGTTCTCTATGCCAATAGTTTTGTCATGAAGAACCGTTCCAAGGAACTAGGAATTTATGGCATGTT
GGGCTTGGAGAAGCGTCATCTTATCAGTATGACCTTTAAGGAGTTAGTGGTATTTGGGATTCTAACTGTTG
GAGCGGGTATCGGTATTGGAGCCTTGTTTGACAAGTTAATTTTCGCTTTCCTGCTCAAACTAATGAAATTG

2 CFE 82 (contd)

CCTAGGCCTCATGTTCCTGAATGCCCTTCGAATCGCCCGTATGAATGCCCTCCAGCTCTCTCGTGAGAAA(CTAGTGGAGAAAAAAGGTCGCTTCCTTCCTCCAAACCATTCTTGGTTCCATAAGTTTAGGAATTGG CT/TTA/CTTGCCCTTACGGTAAAAGATCCTCTTACAGCCTTAACAACCTTCTTCATAGCTGTTTTACTGGT TATCTTIGGGACTTATCTCTTGTTTAATGCAGGGATTACCGTTTTCCTCCAAATCTTAAAGAAAAATAAGA AATACTATTACCAACCAAATAACCTCATATCTGTTTCTAACTTGATTTTCCGTATGAAGAAAAATGCAGTT GGACTAGCCACCATCGCTATCTTGTCAACAATGGTTTTGGTAACCATGTCAGCAGCGACAAGCATTTTCA ATTCCTGAGAAAGCTTTAAAAAAGTTCTAAATCCTCATGATTTTGGGGTTTCAGGGCAAAATGTTGAAAA ATTTCGTTACACTTACTTTGCTGTTGCGAATCAAGAAGGAACCAAGTTAACTATTTTTGAAAAAGGACAA AACCTICTCCAACCAAAAACAGTTTTCATGGTATTTGACCAAAAAGATTATGAAAATATGACTGGTCAAA AACTOTCTCTATCAGGAAATGAGGTCGGACTCTTTGCAAAGAATGAGGGGGTTAAAGAACAGAAAGCTC TAACTCHAAATGATCATCAATTTTCTGTAAAAGAAGAATTTACTAAAGATTTTATTGTCAACCATGTTCCA AATCAGTTTAATATTTTGACTGCTGATTACAATTACCTTGTTGTACCTGATTTACAAGCCTTTTTGGATCAA
TTGCCAGATTCGGCTATCTATAATCAGTTTTACGGTGGTATGAATGTAAATGCCAGTGAAGCAGAACAAC TCAAGGTCGCTGAGGAGTATGAAAAATACTTACAAAAGTTTAATGCTCAATTAAACACTGAAGGTAACTA TGTGTATGGTAGCACTCTAGCAGATGCTAGTGCTCAGATGAGTGCCCTCTTTGGTGGTGTCTTCTTTATCG TATGAAGACCGTGAGCGCTTTATTATCTTGCAGAAAGTCGGTTTAGATCAAAGCAAATCAAGCAAACCA TOJACAJACAGGTTTTAACTGTATTCTTCCTTCCTTTGCTCTTTGCCTTCCTACATCTAGCCTTTGCCTACC ATATGCTTAGTCTGATTTTAAAAGTGATTGGTGTACTGGATACGACTATGATGTTGATTGTGACCTTGTCTATTGCGCTATCTTGCTGATTTTCATGATTGTTGATTGTTGACCTTGTCTGATTGTCATGATTTTCATGATTACTTCAAGAAGTTATCGCAAGATTGT

2 CRES "homologue of SEQ. ID NO. 81"

ATGGTAGTATTTACAGGTTCAACTGTTGAAGAAGCAATCCAGAAAGGATTGAAAGAATTAGATATTCCAA
GAATGAAGGCTCATATCAAAGTCATTTCTAGGGAGAAAAAAGGCTTTCTTGGTCTATTTGGTAAAAAACC

2 CFE 85 (conta)

AGCCAAGTGGATATTGAAGCGATTAGTGAAACGACTGTTGTCAAAGCAAATCAACAGGTAGTAAAAGG
CGTTCCGAAAAAAATCAATGATTTGAACGAGCCTGTGAAGACGGTTAGTGAAGAAACCGTTGACCTTGGT
CATGTGGTTGATGCTATTAAAAAAAATAGAGGAAGAAGGTCAAGGTATTTCTGATGAAGTCAAGGCTGAA
ATCTTAAAACATGAAAGACATGCCAGCACTATCTTAGAAGAAACTGGTCACATTGAGATTTTAAATGAAC
TTCAAATCGAGGAAGCGATGAGGGAAGAAGCAGGCGCTGATGACCTTGAAACTGAGCAAGACCAAGCTG
AAGTCAAGAACTAGAAGACTTGGGCTTGAAAGTTGAAACGAACTTTGATATTGAACAAGTAGCTACGG
AAGTAATGGCTTATGTTCAAACGATTATTGATGACATTGAGGCTACCATTGTAAATTATAA
CCGTCGTAGCATCAATCTACAAATTGACACCAACGAACCAGGTCGTATTATCCGCTACCATGGTAAAGTC
TTGAAGGCCTTGCAACTGTTGGCTCAAAATTATCTTTACAACCGCTATTCCAGAACCTTCTACGTTACAAT
CAATGTCAATGATATTATGTCGAACACCGTGCAGAAGTCTTGCAGACCTATGCGCAAAAATTGGCGACTCGT
CTTTCGAAGAAGGGCGCAGTCATAAAACAGATCCAATGTCAAAATGCGCAACGCAAGATTATCCATCGT
ATTATTTCACGTATGGATGGCTGACTAGTTACTCTGAAGGTGATGAGCCAAAATTGGTTGTTGTAG
ATTATTTCACGTATGGATGGCTGACTAGTTACTCTGAAGGTGATGAGCCAAAATTGGTTGTTGTAG
ATTATTTCACGTATGGATGGCTGACTAGTTACTCTGAAGGTGATGAGCCAAAATCGCTATGTTGTTGTAG
ATACAGAACTGGAGCACCACCACCACCACCACCACTGA

2 CFT86 ("homologue of SEQ. ID NO. 82"
ATGTCAAATTTTGCCATTATTTTAGCAGCGGGTAAAGGGGACTCGCATGAAATCTGATTTGCCAAAAGTTTT ACTCAATCTGAACAGTTGGGAACTGGTCATGCAGTTATGATGACAGAGCCTATCTTAGAAGGTTTGTCAG GAÇACACCTTGGTCATTGCAGGAGATACTCCTTTAATCACTGGTGAAAGCTTGAAAAACTTGATTT CCATATGAATGATAAAAATGTGGCCACTATCTTGACTGCTGAAACGGATAATCCTTTTGGCTATGGACGA AT GTT GTAAT GACAAT GCT GAGGTT CTT CGTATT GTT GAGCAGAAGGAT GCT ACAGATTTT GAAAAGC CATACCAATAACGCTCAAGGCGAATACTATATTACAGACGTCATTGGTATTTTCCGTGAAACTGGTGAA AAAGTTGGCGCTTATACTTTGAAAGATTTTGATGAAAGTCTTGGGGTAAATGACCGTGTGGCGCTTTGCGA CAGCTGAGTCAGTTATGCGTCGCCATCAATCATAAACACATGGTCAACGGTGTTAGCTTTGTCAATCC AGAAGGAACTTATATCGATATTGATGTTGAGATTGCTCCGGAAGTTCAAATCGAAGCCAATGTTATCTTG AAAGGCAAACGAAAATTGGTGCTGAGACTGTTTTGACAAACGGTACTTATGTAGTGGACAGCACTATCGGAGCAGGAGAGCGGTCATTACCAATTCTATGATTGAGGAAAGTAGTGTTGCAGACGGTGTGACAGTCGGT CCTTATGCTCACATTCGTCCAAATTCAAGTCTGGGTGCCCAAGTTCATATTGGTAACTTTGTTGAGGTGAA AGGATCTTCAATCCGTGAGAATACCAAGGCTGGTCATTTGACTTATATCGGAAACTGTGAAGTGGGAAGC AAGGTT/ATTTCGGTGCTGGAACTATTACAGTCAACTATGACGGCAAAAACAAATACAAGACAGTCATTG GAGACAATGTCTTTGTTGGTTCAAATTCAACCATTATTGCACCAGTAGAACTTGGTGACAATTCCCTCGTT GGGGCTGGTTCAACTATTACTAAAGACGTGCCAGCAGATGCTATTGCTATTGGTCGCGGTCGTCAGATCA ATAAAGAEGAATATGCAACACGTCTTCCTCATCATCCTAAGAACCAGCTCGAGCACCACCACCACCACCA CTCA

© 2 CFESS: "homologue of SEQ. ID NO. 84"
ATRATTCAAACAGATTAGAATTGGTAGCTTCCTTTGTGTCACAGGGGGCTATTTTACTAGATGTGGGAA
GTGACCATGCTTATCTGCCTATCGAGTTGGTTGAGAGAGGCCAAATCAAAAGCGCTATTGCAGGTGAGGT

2CFE 88 (contd)

2 CF90 "homologue of SEQ. ID NO. 86"
ATQAAATCGAGTAGTGGTAACAGGTTATGGAGTAACATCTCCAATCGGAAATACACCAGAAGAA TTIIIGGAATAGTTTAGCAACTGGGAAAATCGGCATTGGTGGCATTACAAAATTTGATCATAGTGACTTTG ATCTGCATAATGCGGCAGAAATCCAAGATTTTCCGTTCGATAAATACTTTGTAAAAAAAGATACCAACCG TITIGATAACTATICTTTATATGCCTTGTATGCAGCCCAAGAGGCTGTAAACCATGCCAATCTTGATGTAG A O O CTC TITAATAGGGATCGTTTTGGTGTTATCGTTGCATCTGGTATTGGTGGAATCAAGGAAATTGAAGA TCAGGTACTTCGCCTTCATGAAAAAGGACCCAAACGTGTCAAACCAATGACTCTTCCAAAAGCTTTACCA AATATGGCTTCTGGGAATGTAGCCATGCGTTTTGGTGCAAACGGTGTTTGTAAATCTATCAATACTGCCTG CTOTTCATCAAATGATGCGATTGGGGATGCCTTCCGCTCCATTAAGTTTGGTTTCCAAGATGTGATGTTGG ACAGAGATCGAACTCGTGCTTCGATCCCATTTGATAAGGATCGCAATGGGTTTGTTATGGGTGAAGGTTCAGGGATGTTCTAGAAAAGTCTTGAACACGCTGAAAAACGTGGAGCTACTATCCTGGCTGAAGTGGT TGTTACGGAAATACTTGTGATGCCTACCACATGACTTCTCCACATCCAGAAGGTCAGGGAGCTATCAAG GCCATCAAACTAGCCTTGGAAGAAGCTGAGATTTCTCCAGAGCAAGTAGCCTATGTTAATGCTCACGGAA CCTICAACTCCTGCCAATGAAAAAGGAGAAAGTGGTGCTATCGTAGCTGTTCTTGGTAAGGAAGTACCTGT ATCATCAACCAAGTCTTTTACAGGACATTTGCTGGGGGCTGCGGGTGCAGTAGAAGCTATCGTCACCATCGAAGCTATGCGTCAACCTTTGTACCAATGACAGCTGGGACAAGTGAAGTATCAGATTATATCGAAGCTA ATCITCGTFTATGGACAAGGTTTGGAGAAAGAAATTCCATACGCTATTTCAAATACTTTTGGTTTTGGAGGC CACAATCAGTTCTTGCTTTCAAACGTTGGGAGAATAGACTCGAGCACCACCACCACCACCACCACTGA

2CFE 91 (Contd)

2CHE92 "homologue of SEq. ID NO. 88" ATGCCCTACACTCTTAAACCTGAAGAAGTCGGCGTTTTTGCCATCGGTGGTCTAGGAGAAATCGGGAAAA Adactiacggaattgaataccaagacgagattatcatcgtcgatgctgggattaaattcccagaagatga CTITIGCTTTGGTATCGACTATGTCATTCCTGACTACTCTTACATCGTAGACAATATCGACCGCGTCAAGGCTG TAITTTAIGCTGGACCGCTTGCCTTGGCTTTGATCCGTGGGAAACTCGAAGAACACGGCCTCTTGCGCAAC CHACTCHATTCCAGAGCCTTTGGGGATTGTCATTCATACTCCTCAAGGGAAAATCGTCTGTACGGGT CACTTAAGTTCGACTTTACTCCAGTTGGAGAACCTGCGGACTTGCATCGTATGGCTGCGCTTGGTGAAG AAGGCGTGCTCTCTCTCTCTGACTCGACAAATGCGGAAGTACCAACCTTTACCAACTCTGAAAAAGT CCTTGCTCAGTCCATTATGAAGATTATCCAAGGTATTGAAGGACGTATCATCTTTGCATCCTTTGCCTCAA ATIATCTTCCGTCTCCAGCAGCAACAGAAGCTGCTGTTAAGACTGGACGCAAGATTGCGGTCTTTGGTCG TIPETATOGAAAAGGCCATTGTCAACGGAATCGATCTTGGCTACATCAAAGCTCCTAAGGGAACCTTTATC **GAUCCHAATGAAATCAAAGATTATCCTGCAGGAGAAGTTCTTATCCTCTGTACAGGTAGTCAGGGTGAGC** CTATGGCAGCCCTCTCTCGTATCGCCAACGGAACCCACCGTCAAGTACAATTACAACCAGGTGATACCGT TAPCPTOTTCTAGTCCCATCCCTGGAAACACTACTAGCGTCAACAAGCTGATTAACATCATTTCTGAAG CTBOTOTCGAAGTTATCCACGGTAAAGTGAACAATATCCATACATCTGGACACGGTGGCCAGCAAGAGC M AAAAATCATGCTCCGCTTGATTAAGCCAAAATACTTCATGCCTGTCCACGGTGAATACCGCATGCAAAA ABTCCAPGCTGGACTAGCAGTGGATACTGGTGTTGTGAAGGACAATATCTTTATCATGAGCAATGGCGAT GF DCTF DCCCTTACTGCTGACTCAGCTCGTATCGCAGGTCATTTCAACGCCCAAGATATCTATGTCGATGG CTAGCABTCGCAACTGTTGACTTCAAATCGCAGATGATTCTGTCTGGCCCAGATATCCTCAGCCGAGGCT TTOTTCTACATGAGAGAGTCTGGAGACTTGATTCGCCAAAGCCAGCGTATCCTCTTCAATGCCATTCGTATC GCACTGAAAATAAGGATGCTAGCGTGCAATCTGTCAA~~ TCTATGAAAATACCGAACGTGAACCGATCATCATCCCG/ CCACCACCACCACTGA

2 CFE94

ATGCCTACGGCAACAAAAAAGAAAAAAATCAACAGTTA/ AAGGCCAAGACGATTGAAAAATATCTAGGCAGAAACTACAAGGTTTTAGCCAGTGTCGGGCATATCCGT GATTTOAAGAAATCCAGTATGTCCGTCGATATTGAAAATAATTATGAACCGCAATATATTAATATCCGAG GAAAAGCCCTCTTATCAATGACTTGAAAAAAGAAGCTAAAAAAGCTAATAAAGTTTTTCTCGCGAGTO ACCCGGACCGTGAAGGAGAAGCGATTTCTTGGCATTTGGCCCATATTCTCAACTTGGATGAAAATGATGC CAACCGTGTGGTCTTCAATGAAATCACCAAGGATGCAGTCAAAAATGCTTTTAAAGAACCTCGTAAGATC GATATGGACTTGGTCGATGCCCAACAAGCTCGTCGGATCTTGGATCGCTTGGTAGGGTATTCGATTTCGC CTATTTTTTGGAAGAAGGTCAAGAAGGGCTTGTCAGCAGGTCGCGTTCAGTCCATTGCCCTTAAACTCAT CATTGACCTCAAAATCAATCCCTTCCAGCCAGAAGAATACTGGACAGTTGATGCTGTCTTTAAA AAGGGAACCAAACAATTTCATGCTTCCTTCTATGGAGTAGATGGTAAAAAGATGAAACTGACCAGCAAT AAGGAAGTCAAGGAAGTCTTGTCTCGTCTGACGAGTAAAGACTTTTCAGTAGATCAGGTGGATAAGAAA ATTICCGTACTCGAAAAACCATGATGGTTGCCCAACAGCTCTATGAAGGAATTAATATCGGTTCTGGTGT TCAAGGITTGATTACCTATATGCGTACCGATTCGACTCGTATCAGTCCTGTAGCGCAAAATGAGGCGGCA AGGTTCATTACOGATCGTTTTGGTAGCAAGTATTCTAAGCACGGTAGCAAGGTCAAAAACGCATCAGGTG CTCAGGATGCCCATGAGGCTATTCGTCCGTCAAGTGTCTTTAATACACCAGAAAGCATCGCTAAGTATCT GGACAAGGATCAGCTCAAGCTATATACCCTTATCTGGAATCGTTTTTGTGGCTAGCCAGATGACAGCGGCC GTTTTGATACCATGGCTGTTAAATTGTCTCAAAAAGGGGTTCAATTTGCTGCCAATGGTAGTCAGGTTAA GTTTGATGGTTATCTTGCCATTTATAATGATTCTGACAAGAATAAGATGTTACCGGACATGGTTGTTGGAG ATGIGGTCAAACAGGTCAATAGCAAACCAGAGCAACATTTCACCCAACCGCCTGCCCGTTATTCTGAAGCAACACTGATTAAAACCTTAGAGGAAAATGGGGTTGGACGTCCATCAACCTACGCGCCAACCATTGAAAC CATTCAGAAACGTTATTATGTTCGCCTGGCAGCCAAACGTTTTGAACCGACAGAGTTGGGAGAAATTGTCAAAACGTCACAGCTGAAATGGAAGGTAAACAACGTGACCTTCACAGCTGAAATGGAAGGTAAAC TGGATGATGTCGAAGTCGGAAAAGAGCAGTGGCGACGGGTCATTGATGCCTTTTACAAACCATTCTCTAA

1 DCFE 94 (contd)

ACAAGTTGCCAAGGCTGAAGAAGAAATGGAAAAAATCCAGATTAAGGATGAACCAGCTGGATTTOACTG
TGAAGTGTGTGGTAGTCCAATGGTCATTAAACTTGGTCGTTTTTGAAATTCTACGCTTGTAGCAATTTCC
CAGATTGCCATCATACCCAAGCAATCGTGAAAGAGATTGGTGTTGAGTGTCCAAGCTGTCATCAGGGACA
AATTATTGAGCGAAAAACCAAGCGTAATCGCCTATTCTATGGTTGCAATCGCTATCCAGAATGTGAATTT
ACCTCTTGGGACAAGCCTGTTGGTCGTGACTGTCCAAAATGTGGCAACTTCCACATGGAGAAAAAAGTCC
GTTGGTGTGGCAAGCAGCAGCTTGTTGTAGCAAAGGCGGACTACGAGGAAAAAAGATGCCTCTTTGTCAACT

"homologue of SEQ. ID NO. 91" 2 CFE95 ATTITITE TIT TO CATCAGT GCTGGAATTGTGACATTTTTACTAACTTTAGTAGGAATTCCGGCCTTTATCCA **ATTITATAGAAAGGCGCAAATTACAGGCCAGCAGATGCATGAGGATGTCAAACAGCATCAGGCAAAAGC** TGBGACTCCTACAATGGGAGGTTTGGTTTTCTTGATTACTTCTGTTTTGGTTGCTTTTTTTCGCCCTATTT ADITAGCCAATICAGCAATAATGTGGGAATGATTTTGTTCATCTTGGTCTTGTATGGCTTGGTCGGATTTTT AGIATOACTITCTCAAGGTCTTTCGTAAAATCAATGAGGGGCTTAATCCTAAGCAAAAATTAGCTCTTCAG CITCATTTGGGATTTTTCTATATTTTCTTCGCTCTTTTCTGGCTAGTCGGTTTTTCAAACGCAGTAAACTTG TGTGCAAGGTCAGATGGATATTCTTCTAGTGATTCTTGCCATGATTGGTGGTTTGCTCGGTTTCTTCATCTT TAACCATAAGCCTGCCAAGGTCTTTATGGGTGATGTGGGAAGTTTGGCCCTAGGTGGGATGCTGGCAGCT AFETCT/TGGCTCTCCACCAGGAATGGACTCTCTTGATTATCGGAATTGTGTATGTTTTTGAAACAACTTC TGTTATGATGCAAGTCAGTTATTTCAAACTGACAGGTGGTAAACGTATTTTCCGTATGACGCCTGTACATC ACCATTTGAGCTTGGGGGATTGTCTGGTAAAGGAAATCCTTGGAGCGAGTGGAAGGTTGACTTCTTCTT TTGGGGAGTTGGTCTTCTAGCAAGTCTCCTGACCCTAGCAATTTTATATTTGATGCTCGAGCACCACCACC **ACCACCACTGA**

"homologue of SEQ. ID NO. 92" AT&GCACGCGAATTTTCACTTGAAAAAACTCGTAATATCGGTATCATGGCTCACGTCGATGCCGGTAAAA ACAACTACTGAGCGTATTCTTTACTACACTGGTAAAATCCACAAAATCGGTGAAACTCACGAAGGTGC GT¢ACA\$ATGGACTGGATGGAGCAAGAGCAAGAACGTGGTATCACGATCACATCTGCTGCGACAACAGC TCAATGUAACAACCACCGCGTAAACATCATCGACACACCAGGACACGTGGACTTCACAATCGAAGTACA ACOTTCTCTCGTGTATTGGATGGTGCGGTTACCGTTCTTGACTCACAATCAGGTGTTGAGCCTCAAACTG AAACAGTTTGGCGTCAAGCAACTGAGTACGGAGTTCCACGTATCGTATTTGCCAACAAAATGGACAAAAT CGGTGGTGACTTCCTTTACTCTGTAAGCACACTTCACGATCGTCTTCAAGCAAATGCACACCCAATCCAAT TOOCANTCOOTICTGAAGATGACTTCCCTGGTATCATTGACTTGATCAAGATGAAAGCTGAAATCTATAC TAACGA@CTTGGTACGGATATCCTTGAAGAAGACATCCCAGCTGAATACCTTGACCAAGCTCAAGAATAC CCTGAAAAATTOATTGAAGCAGTTGCTGAAACTGACGAAGAATTGATGATGAAATACCTCGAAGGTGAA GAAATCACTAACGAAGAATTGAAAGCTGGTATCCGTAAAGCGACTATCAACGTTGAATTCTTCCCAGTAT TGTGTGTTCAGCCTTCAAAAACAAAGGTGTTCAATTGATGCTTGATGCGGTTATCGACTACCTTCCAAGT CCACTTGACATCCCAGCAATCAAAGGTATTAACCCAGATACAGACGCTGAAGAAATTCGTCCAGCATCTG ACQAAQAGCCATTTGCAGCTCTTGCCTTCAAGATCATGACTGACCCATTCGTAGGTCGTTTGACATTCTTC CGIGTTIACTCAGGTGTTCTTCAATCAGGTTCATACGTATTGAATACTTCTAAAGGTAAACGTGAACGTAT CGGACGTATCGTTCAAATGCACGCTAACAGCCGTCAAGAAATCGACACTGTTTACTCAGGTGATATCGCT GCTGGCTTTGGAAAGATACTACAACTGGTGACTCATTGACAGATGAAAAAGCTAAAATCATCCTTG AGTCAATCAAGGTTCCAGAACCAGTTATCCAATTGATGGTTGAGCCAAAATCTAAAGCTGACCAAGACAA GATGGGTATCGCCCTTCAAAAATTGGCTGAAGAAGATCCAACATTCCGCGTTGAAACAACGTTGAAACT GCTGAAACAGTTATCTCAGGTATGGGTGAACTTCACCTTGACGTCCTTGTTGATCGTATGCGTCGTGAGTT CAMAGTIGAAGGGAACGTAGGTGCTCCTCAAGTATCTTACCGTGAAACATTCCGCGCTTCTACTCAAGCA CGCGGATTCTTCAAACGTCAGTCTGGTGGTAAAGGTCAATTCGGTGATGTATGGATTGAATTTACTCCAA ACGAAGAAGGTAAAGGATTCGAATTCGAAAACGCAATCGTCGGTGGTGTGGTTCCTCGTGAATTTATCCC AGGGTTGAAAAAAGGTTTGGTAGAATCTATGGCTAACGGTGTTCTTGCAGGTTACCCAATGGTTGACGTT AAAGCTAAGCT/TATGATGGTTCATATCACGATGTCGACTCATCTGAAACTGCCTTCAAGATTGCGGCTTC ACT||TCC||TTAA|AGAAGCTGCT||AATCAGCACAACCAGCTATCCTTGAACCAATGATGCTTGTAACAATC **ACTOTTCCAGAGAAAAACCTTGGTGATGTTATGGGTCACGTAACTGCTCGTCGTGGACGTGTAGATGGTA** TGGAAGGACACGGTAACAGCCAAATCGTTCGTGCTTACGTTCCACTTGCTGAAATGTTCGGTTACGCAAC ACTIVITECTTCTGCATCTCAAGGACGTGGTACATTCATGATGGTATTTGACCACTACGAAGATGTACCTA

2CFE 96 (costd)

® AGTCAGTACAAGAGAAATTATTAAGAAAAATAAAGGTGAAGACCTCGAGCACCACCACCACCACCACTG

CFE97 "homologue of SEQ. ID NO. 93"
ATDCCAAATTACAATATTCCATTTTCACCGCCTGATATCACAGAAGCAGAAATTGCTGAAGTAGCGGATA 2 CFE97 CCCTGCDTTCTGGTTGGATCACAACAGGTCCTAAAACAAAAGAACTGGAGCGCCGCTTGTCTCTTTACAC ach gadaccthagactgtttgtctcaactctgcgacagccgctctggagttgattttacgcgttttggaa0 TOPGACTGGTGATGAAGTCATCGTTCCAGCCATGACCTATACGGCTTCATGTAGTGTCATTACGCACGT GGBAGGAACCCTGTCATGGTGGATATCCAAGCAGATACGTTTGAGATGGACTATGACCTGCTTGAGCAA **GCTATCACTGAGAAAACTAAGGTGATTATCCCAGTAGAGCTCGCAGGGATTGTTTGCGATTATGACCGTT** TGTTCCLAGTEGTGGAGAAAAACGTGACTTCTTTACCGCTTCAAGCAAGTGGCAAAAGGCCTTTAACCG
TATTGTCATTGTCTCTGATAGTGCCCACGCTTTGGGATCTACTTATAAAGGAGAAACCTTCTGGTTCTATCG CTPAITTTACTTCCTTCTCATTCCATGCTGTTAAGAACTTTACAACGGCAGAAGGTGGAAGTGCGACTTGG *a*akgccaatccagtgattgatgacgaagagatgtacaaggaattccaaatcctttcccttcacggcaaa A CT AGGATGCTCTTGCCAAGATGCAACTGGGGTCATGGGAATACGATATCGTTACACCAGCCTATAAGTO <u>CAACATBACCGATATCATGGCTTCACTTGGTTTGGTACAATTGGACCGCTATCCAAGTTTGTTGCAACGCC</u> <u>Toaaactgtcgaatcttcacgccacctctacatcacccgtotagaaggaotaagcctagaagaacgcaac</u> CT¢ATCATCCAAGAATTGGCTAAAGCAGGAATTGCAAGTAATGTTCACTACAAACCGCTTCCTCTTGA CAGCCTATAAGAATCTTGGATTTOATATGACGAACTATCCTAAGGCCTATGCCTTCTTTGAGAATGAAATT ADDETECTETTCATACTAAATTAAGCGATGAAGAAGTAGACTATATCATTGAGACTTTCAAAACAGTTT CTGAAAAAGTOCTAACTTTATCAAAAAAACTCGAGCACCACCACCACCACCACCACTG

2 CFE 02 "homologue of SEQ. ID NO. 98"

ATGGAAATTTCATTATTAACAGATGTTGGTCAGAAACGAACAAATAACCAAGACTATGTCAACCACTATG

TCAATAGAGCTGGACGTACCATGATTATTTTAGCTGATGGGATGGGAGGTCATCGCGCAGGGAATATCGC

2 CFE 102 (CONd)

- CFEIGA "homologue of SEO. ID NO. 100"
 ANGUALAAGAAATTAAAATTTCATCAGATGCCCGTTCAGCCATGGTTCGTGGTGTCGATATCCTTGCAG ACACTGTTAAAGTAACCTTGGGACCAAAAGGTCGCAATGTCGTTCTTGAAAAGTCATTCGGTTCACCCTT GATTACCAATGACGGTGTGACCATTGCCAAAGAAATCGAATTGGAAGACCATTTTGAAAATATGGGTGCT AAGTTAGTATCAGAAGTAGCTTCTAAAACCAATGATATCGCAGGTGACGGGACTACGACCAGTCT TGACCCAAGCTATCGTCCGTGAAGGAATCAAAAACGTCACAGCAGGTGCAAAATCCAATCGGTATTCGTCG TGGGATTGAAACAGCAGTTGCCGCAGCAGTCGAAGCTTTGAAAAACAACGCCATCCCTGTTGCCAATAA AGAAGCTATCGCTCAAGTTGCAGCCGTATCTTCTCGTTCTGAAAAAGTTGGTGAGTACATCTCTGAAGCA ATGGAAAAAGUTGGCAAAGACGGTGTCATCACCATCGAAGAGTCACGTGGTATGGAAACAGAGCTTGAA GTQTAQAAGQAATGCAGTTTGACCGTGGTTACCTTTCACAGTACATGGTGACTGATAGCGAAAAAATGG TGGCTGACCTTGAAAATCCGTACATTTTGATTACAGACAAGAAAATTTCCAATATCCAAGAAATCTTGCC ACITTTGGAAAGCATTCTCCAAAGCAATCGTCCACTCTTGATTATTGCGGATGATGTGGATGGCGAGGCTCTTCCAACTCTTGTTTTTGAACAAGATTCGTGGAACCTTCAACGTAGTAGCAGTCAAGGCACCTGGTTTTTGG TGACCGTCGCAAAGCCATGCTTGAAGATATCGCCATCTTAACAGGCGGAACAGTTATCACAGAAGACCTT GGTCTTGAGTTGAAAGATGCGACAATTGAAGCTCTTGGTCAAGCAGCGAGAGTGACCGTGGACAAAGAT AGGACGGTTATTGTAGAAGGTGCAGGAAATCCTGAAGCGATTTCTCACCGTGTTGCGGTTATCAAGTCTC AAATGGAAACTACAACTTCTGAATTTGACCGTGAAAAATTGCAAGAACGCTTGGCCAAATTGTCAGGTGG TOTAGCCGTTATTAAGGTTGGAGCCGCAACTGAAACTGAGGTTGAAGAAATGAAACTCCGCATTGAAGA TGCCTCAACGCTACTCGTGCAGCTGTTGAAGAAGGTATTGTTGCAGGTGGTGGAACAGCTCTTGCCAAT GTGATTCCAGCTGTTGCTACCTTGGAATTGACAGGAGATGAAGCAACAGGACGTAATATTGTTCTCCGTG AAAAATGCTGAGCTTGGTATAGGATTTAACGCAGCAACTGGCGAGTGGGTTAACATGATTAATCAAGGT ATCATTGATCCAGTTAAAGTGAGTCGTTCAGCCCTACAAAATGCAGCATCTGTAGCCAGCTTGATTTTGA CAACAGAAGCAGTCGTAGCCAATAAACCAGAACCAGTAGCCCCAGCTCCAGCAATGGATCCAAGTATGA

2 CTE 105 homologue of SEQ 10 NO: 101 (Contd)

AGECATEAGTTTGATTGCCATGGAGTTCTATGGTAATCCACAAGAGAAACTCAAACTCCTTGCCTTTACT QGTACTAAGGGTAAGACAACAGCAACCTATTTCGCCTATAACATCTTATCTCAAGGGCATAGACCTGCTA TATTGACCTCTTTGACATGATGAATCAGGCTGTGCAAAATGACCGTACCCACCTCATCATGGAAGTCTCC TGACCATATCGGCCCGATTGAACACCCTAGCTTTGAAGACTATTTCTACCACAAGCGTCTCTTGATGGAA AATAGCCGAGCAGTCATCATTAACAGTGACATGGACCACTTCTCAGTCTTGAAAGAACAGGTTGAAGATC AA&ACCATGATTTCTATGGTAGCCAATTTGATAACCAAATCGAGAATTCCAAAGCCTTTAGCTTTTCAGCT ACCOGTA AACTCGCTGGAGATTATGATATCCAACTCATTGGCAACTTCAACCAAGAAAATGCAGTTGCTG CTGGACTTGTCTCCGTCTCGGAGCAAGTCTTGAGGACATCAAAAAAGGCATCGCTGCAACCCGCGT TCTTGGTCGTATGGAAGTCCTCACTCAGAAAAATGGAGCCAAGGTCTTCATCGACTATGCCCACAATGGG GATAGTETGAAAAAACTCATCAATGTGGTTGAAACTCATCAAACCGGAAAGATTGCTCTGGTTCTGGGAT CAACAGDAAACAAGGGAGAAAGTCGTCGTAAGGACTTTGGCCTCCTCCAATCAACACCCTGAGATTC AAGTCTTTCTGACTGCTGATGACCCTAACTATGAAGACCCAATGGCCATTGCAGATGAAATTAGTAGCTA CATCANTCATCCTGTTGAAAAGATTGCGGATCGCCAAGAAGCCATCAAGGCGGCAATGGCTATCACAAA TCACGAATTAGATGCAGTTATTATTGCGGGTAAGGGAGCCGATTGTTACCAAATCATCCAGGGCAAGAAA GA TECTACCEAGGAGATACAGCCGTCGCAGAAAATTATTTACTCGAGCACCACCACCACCACCACCACTGA

2 CFR106 "homologue of SEQ. ID NO. 102"
ATGATCGAAATCGGCAAGATTTTTGCCGGACGCTATCGGATTGTCAAACAGATTGGTCGAGGAGGCATGG CGGATGTCTACCTAGCCAAAGACTTAATCTTAGATGGGGAAGAAGTGGCAGTGAAGGTTCTGAGGACCA ACTACCAGACGGACCCGATAGCTGTAGCTCGTTTTCAGCGTGAAGCGAGAGCTATGGCAGATCTAGACCA TCCTCATATCCTTCCGCATAACAGATATTGGTGAGGAAGACGGTCAACAGTATCTTGCAATGGAGTATCTT GCTGGACTAGACCTCAAACGCTATATCAAGGAACATTATCCTCTTTCTAATGAAGAAGCAGTCCGTATCA TGGGACAAATTCTCTTGGCTATGCGCTTGGCCCATACTCGAGGAATTGTTCACAGGGACTTGAAACCTCA AAATAT¢CTTTTGACACCAGATGGGACTGCCAAGGTCACAGACTTTGGGATTGCTGTAGCCTTTGCAGAG ACAAGT CTGACCCAGACTAACTCGATGTTGGGCTCAGTTCATTACTTGTCACCAGAGCAGGCGCGTGGTT CGAAGG¢GACTGTGCAGAGTGATATCTATGCCATGGGGATTATTTTCTATGAGATGTTGACAGGCCATAT CAGAAAATTCATCTGTACCTCAGGCTTTAGAAAATGTTATTATCAAGGCAACTGCTAAAAAGKTGACCAA TOCCTATCGCTCGGTTTCAGAGATGTATGTAGACTTGTCTAGTAGCTTGTCCTACAATCGTAGAAATGAAA GTAAGTTAATOTTTGATGAAACGAGCAAGGCAGATACCAAGACCTTGCCGAAGGTTTCTCAGAGTACCTT ACAGGAAACTTACCAACCACAAGCACCGAAAAAACATAGATTTAAGATGCGTTACCTGATTTTGTTGGCC AGQCTTQTATTGGTGGCAGCTTCTCTTATTTGGATACTATCCAGAACTCCTGCAACCATTGCCATTCCAGA TGTGGCAGGTCAGACAGTTGCAGAGGCCAAGGCAACGCTCAAAAAAGCCAATTTTGAGATTGGTGAGGA GAAGACAGAGGCTAGTGAAAAGGTGGAAGAAGGGCGGATTATCCGTACAGATCCTGGCGCTGGAACTGG TCGAAAAGAAGGAACGAAAATTAATCTGGTTGTCTCATCAGGCAAACAATCCTTCCAAATTAGTAATTAT GTCGGCCGGAAATCTTCTGATGTTATCGCGGAATTAAAAGAGAAAAAAGTTCCAGATAATTTGATTAAAA TTGAGGAAGAAGAGTCGAATGAAAGTGAGGCTGGAACGGTCCTGAAGCAAAGTCTACCAGAAGGTACG ACCITATE ACTION OF ACCIDANCE CANALITY OF THE STREET OF THE GGACTATATTGGACGGAACTCTACAGAAGTAATCTCAGAACTCAAGCAGAAGAAGAAGGTTCCTGAGAATT TGATTAAGATAGAGGAAGAAGAGTCCAGCGAAAGCGAACCAGGAACGATTATGAAACAAAGTCCAGGT GCCGGAACGACTTATGATGTGAGTAAACCTACTCAAATTGTCTTGACAGTAGCTAAAAAAGTTACAAGTG TTOCCATOCCOAGTTACATTGGTTCCAGCTTGGAGTTTACTAAGAACAATTTGATTCAAATTGTTGGGATT AAGGAAGCTAATATAGAAGTTGTAGAAGTGACGACAGCGCCTGCAGGTAGTGTAGAAGGCATGGTTGTT GAACAAAGTCCTAGAGCAGGTGAAAAGGTAGACCTAAATAAGACTAGAGTCAAGATTTCAATCTACAAA CCTAMAACAACTTCAGCTACTCCTGCGGCCGCACTCGAGCACCACCACCACCACTGA

2CFE 107 (contd)

2. CFE109 "homologue of SEQ. ID NO. 105"
ATGACTÁGTCCACTATTAGAATCTAGACGCCAACTCCGTAAATGCGCTTTTCAAGCTCTCATGAGCCTTGA
GTTCGGTACGGATGTCGAAACTGCTTGTCGTTTCGCCTATACTCATGATCGTGAAGATACGGATGTACAA
CTTCCAGCCTTTTTGATAGACCTCGTTTCTGGTGTCAAGCTAAAAAGGAAGAACTAGATAAGCAAATCA
CTCAGCATTTAAAAGCAGGTTGGACCATTGAACGCTTAACGCTCGTGGAGAGAAACCTCCTTCGCTTGGG
AGTCTTTGAAATCACTTCATTTGACACTCCTCAGCTGGTTGCTTAATGAAGCTATCGAGCTTGCAAAAG
ACTTCTCCGATCAAAAATCTGCCCGTTTTATCAATGGACTGCTCAGCCAGTTTGTAACAGAAGAACAACT

2 CFELLI homologue of SEQ. ID NO. 107" ATGACAAAACGTGTAACGATTATTGATGTAAAAGACTATGTTGGTCAGGAAGTGACGATTGGCGCTTGGG TTGCCAACAATCAGGAAAAGGGAAAATCGCTTTCTTACAATTGCGTGATGGAACAGCCTTCTTTCAAGG TGTGACTTTTAAACCAAACTTTGTCGAAAAATTTGGTGAAGAAGTGGGACTTGAGAAGTTTGATGTTATC AAACGCTTGAGCCAAGAAACGTCTGTTTATGTGACAGGTATTGTCAAAGAGGACGAACGTTCTAAATTTG GCTATGAGTTGGACATCACAGACATCGAAGTGATCGGTGAATCTCAAGACTACCCAATCACACCAAAAG AAGACGGAACAGACTTTTTGATGGATAACCGTCACTTGTGGCTACGCTCTCGTAAGCAAGTAGCTGTGTT GCAAATCCGTAACGCTATTATCTATGTAACTTATOAGTTCTTTGACAAGAATGGTTTTATGAAGTTTGACA GCCCAATTCTTCAGGAAATGCGGCAGAAGATTCTACAGAACTCTTTGAAACTGACTACTTCGGAACGCC AGCTACTTGAGCCAATCAGGTCAGCTTTACCTAGAAGCAGGGGCTATGGCTCTTGGTCGTCTTTGACT TGAGTIACTCATACTTGACACATGATGAGTCGCTTGACTTGCAAGAAGCTTATGTGAAAGCTCTTCTACAA GGTGTTCTTGACCGCGCGCCTCAAGCCTTGGAAACCTTGGAACGTGATACAGAACTCTTGAAACGCTACA TTGEAGAGCCATTCAAACGTATCACTTACGATCAAGCCATTGACCTCTTGCAAGAGCATGAAAATGATGA AGATGCTGACTACGAGCATCTTGAGCATGGTGATGACTTTGGGTCACCACGAAACTTGGATTTCAAAC CACITTGGTGTGCCAACATTTGTCATGAACTATCCAGCAGCCATCAAGGCCTTCTACATGAAACCAGTTCC ATGATTCTACCTTGACCTTCGTAAATACGGTACAGTTCCACACGGAGGATTTGGTATCGGTATCGAACG TATGGTAACCTTCGCAGCAGGAACAAAACATATCCGTGAAGCTATTTCATTCCCACGTATGTTGCACCGT ATCAAACEACTOOAGCACCACCACCACCACTOA

CF#14 "homologue of SEG. ID NO. 109"
ATGAAGATAAGTTGGAATGGATTTCTAAAAAATCATACCAAGAGCGCCTCGAGCTGCTAAAAGCTCAG **OCCUTAGACIO DE LA CARRESTA DEL CARRESTA DE LA CARRESTA DEL CARRESTA DE LA CARRESTA DE LA CARRESTA DE LA CARRESTA DEL CARRESTA DEL CARRESTA DEL CARRESTA DE LA CARRESTA DEL CA** CLACTGAGTGAGAATGTGGTGGGAACTTTTTCTCTGCCTTATTCGCTGGTTCCGGAGGTACTTGTCAACGG TCAGGAATACACCGTTCCCTATGTGACAGAAGAACCCTCTGTGGTTGCGGCGGCCAGCTATGCCAGCAAA ATCATCAGCCTGCAGGTGCTTTTACTGCACAAGTCCATCAGCGCCAGATGATTGGGCAGGTAGCCCTTT ATQAAGTTGCT|AATCCTAAACTAGCGCAAGAGAAGATTGCCAGCAAGAAAGCGGAGCTCTTGGAGCTTO AGGCGAACCAGACTTTCTCGTTGTTTATATTCATGTCGATACCCAGGAAGCCATGGGTGCCAATATGCTC CIGTCC/ACTA/CGCGACTGATTCTCTGGTGACTGCAAGCTGTCGCATCGCCTTTCGCTACTTGAGCCGCCA AAAGGA†CAA&GACGAGAGATTGCGGAGAAAATTGCGTTGGCTAGTCAGTTTGCGCAGGCTGATCCTTA CCOAGCTGCTACTCATAATAAAGGAATTTTTAATGGTATTGATGCGATTTTGATTGCCACTGGTAATGACT GGGGTGCATCGAAGCTGGGGCCCATGCCTTTGCCAGTCGAGATGGACGCTATCAAGGTCTTAGCTGCTG GAGGCTGGACCTTGAAAGAGAAGAATTGGTCGGTGAGATGACCCTGCCCATGCCTGTAGCGACTAAGGG TGGCTGTATCGGCCTCAACCCACGTGTAGCTCTCAGTCATGATCTACTAGGAAATCCTTCTGCCAGAGAAT TACCCAGATTATCGTGTCCATCGGTCTTGCTCAAAATTTTGCAGCCCTCAAAGCCTTGGTAAGTACGGGC aticagiaaggccacatgaaactacaggccaaatccctagctcctagctggggctagtgaatctgaag TTOCTCCCTAGTAGAGCGCCTCATCTCAGATAAAACCTTTAACCTAGAGACAGCCCAGCGCTATCTCGA AAATTTAAGATCAGCGGCCGCACTCGAGCACCACCACCACCACCACTGA

 2CFE 115 (conta)

CCGTGAATGGAATCAAAAATGGGTCGATTTATCTCTCAACTCTTTTGCCGATATTGAAAATAATCTCTTTG AABCABAAGGCTATAACCATTCATTTCGTTTTCTCAAGGCCAGTCATCAAATTGACCAAATTGAGAGTCA *AA*TTACTTTGATTGAAGAAGATATTGCGGCAATTCGCAATGCTTTGGCAGACTTAGAGAAGCAAGAATCT AAAAATAGTGGTCGTGTTCTTCATGCTTTGGATTTATTTGAGGAACTTCAGCATAGAGTTGCTGAAAATTC aghacastatggtcaagccttggatgaaattgaaaaaacaattagaaaatatccaatctgaattttcacaa TITGTAACCTEGAATTCATCGGGTGACCCTGTGGAAGCCGCAGTGATTTTGGATAATACAGAAAATCACA TTTTGGCCTTA'AGTCATATTGTGGATCGTGTTCCAGCCTTGGTTACGACGCTTTCTACAGAATTGCCAGAT CAATTACAGGATTTGGAAGCCGGTTATCGTAAACTAATTGATGCTAATTATCATTTTGTTGAAACGGATAT TGARGCGCGTTTCCACTTGCTTTATGAAGCATTCAAGAAAAACCAAGAGAATATTCGTCAGTTGGAATTG **GATAATECCGAATATGAGAATGGACAGGCACAAGAGGAAATCAATGCCTTGTATGATATTTTTACTCGAG** AAATTOCTGCTCAGAAAGTAGTGGAAAATCTACTTGCAACTCTCCAACTTACCTTCAACATATGAAAGA GALTAAFACTITATTGGGAGAAGATATTGCACGTTTOAACAAGACCTATTTACTTCCTGAGACAGCTGCA AGCATOTTCGTCGTATTCAGACAGAATTAGAGAGTTTTTGAGGCAGCTATTGTTGAGGTAACTTCAAATC AAAAAGAACCAACCCAAGCTTATTCAGTTCTTGAAGAAAATCTTGAGGATTTACAAACTCAACTAAAAG ATATTGAAGATGAGCAAATTTCAGTTAGTGAGCGCCTGACACAAATTGAGAAAGATGATATTAATGCAC SGT GAAAAGGCCAATGTTTATGTCAATCGTCTCCATACTATCAAGCGATACATGGAAAAACGCAATCTGCC `ag¢tat†ccacaaactttcttgaagttattctttacggcaagcaataataccgaggatttaatggttgagt TAGAACAAAAATGATTAACATTGAATCTGTTACCCGAGTTCTTGAAATTGCAACGAATGATATGGAAGC TTTAGAAACGGAAACTTATAATATTGTACAATATGCAACTTTGACAGAGCAACTCTTGCAATATTCTAAC CGCTATCGCTCATTTGATGAACGCATTCAAGAAGCATTTAACGAAGCTTTAGATATTTTTGAAAAAGAAT TTGATTATCACGCTTCATTTGACAAGATTTCTCAAGCATTGGAAGTGGCAGAGCCTGGTGTAACCAATCG CTITGTTACCTCATATGAGAAAACACGTGAAACGATTCGTTTTGCGGCCGCACTCGAGCACCACCACCAC CACCACTGA |

2 CFR116 "homologue of SEQ. ID NO.112" ATOCTTATATCTTATAAATGGTTAAAAGAATTGGTGGACATTGATGTGCCATCACAAGAGTTGGCTOAAA AAATGT¢AACTACAGGAATCGAGGTAGAGGGTGTCGAATCACCAGCTGCTGGTCTCTCAAAAATTGTCGT CGGTGAGGTCTTGTCTTGCGAAGATGTGCCAGAGACTCACCTCCATGTTTGTCAGGTTAACGTTGGCGAA GAAGAGEGTCAGATCGTTTGTGGTGCCCCAAATGTGCGTGGTGGGTCAAGGTCATGGTGGCTCTTCCAG GAGCTCGTATCGCTGATAACTACAAAATCAAAAAAGGAAAAATCCGTGGTTTGGAGTCACTTGGAATGA TCTGTTCACTTGGTGAATTGGGAATTTCTGACTCAGTTGTGCCTAAGGAATTCGCAGATGGCATCCAAATC TTGCCTGAAGATGCCGTGCCAGGTGAGGAAGTCTTTTCTTACCTAGACTTGGATGAAGACATCATCGAAC TTTCCATCACCAAACCGTGCAGATGCCCTTTCTATGTGTGGAGTGGCTCACGAAGTGGCAGCCATCTA TGACAAGGCAGTCAACTTTAAAGAATTTACTCTAACAGAAACTAATGAAGCTGCGGCAGATGCCCTTTCT GTCAGCATTGAGACAGACAAGGCGCCTTACTATGCAGCTCGTATCTTGGACAATGTGACCATCGCACCAA GTCACATGCTTCCAAAACCTTCTCATGAACGAAGGAATCCGTCCCATCAATAACGTAGTGGACGTGAC CAACTACATCCTCCTCTATTTTGGTCAACCAATGCATGCCTTTGACTTGGATAACTTTGAAGGGACTGACA TCCGTGTGCGTGAAGCGCGTGCTGGTGAAAAATTGGTGACCTTGGACGTGAAGAACGTGACTTGGACGT GAATGA¢CTAGTCATCACTGTCGCAGACAAGCCAGTAGCCCTTGCAGGTGTCATGGGTGGTCAAGCAACA GAAATCTCTGAAAAATCTAGTCGTGTTGTCCTTGAAGCTGCTGTTTTCAATGGCAAATCTATCCGTAAGAC AAGTGGTCGCCTGAACCTTCGTTCTGAGTCATCTTCTCGCTTTGAAAAAGGAATTAATGTGGCAACAGTT AATGAAGCCCTTGATGCGGCAGCTAGCCTGATTGCGGAACTTGCAGGTGCGACGGTGGGTAAGGGCATC GTTTCAGCGGGTGAGCTTGATACTTCAGATGTAGAAGTTTCTTCAACCCTTGCTGATGTTAACCGTGTCCT CCCAACTGAGCTGTCTTATGCTGATGTAGAAGACGTCTTCCGTCGTCTTTGGCTTTTGGTCTTTCTGGAAATG CACACCACTTACAGTCAGAGTCCCACGTCGTCGTTGGGATATCACAATCGAAGCTGACCTCTTTGAAGA AATITGCTCGTATCTATGGTTATGACCGCTTGCCAACTAGTCTACCAAAAGACGATGGTACAGCAGGTGAA TTGACAGCACACAAAAACTCCGCCGTCAAGTTCGTACTATTGCTGAAGGAGCAGGTTTGACAGAAATCA TCAECTAFACTCTAACAACTCCTGAAAAAGCAGTTGAGTTTACGGCTCAACCAAGTAACCTTACGGAACT CATGTGGCCAATGACTGTGGATCGTTCAGTCCTCCGTCAAAATATGATTTCAGGTATCCTTGATACCGTTG TAATICCALAAGAAGAACTTCCAAATGAAATCAACAGTTTTGCCTTGACCAGGCTTGGTTGCTQAA AAAGATHTCCAAACAGCAGCAGTTCCAGTTGATTTCTTCTATGCTAAGGGAATCCTTGAAGCCCTATTTAC TCPTTGGGACTCCAAGTAACCTATACAGCAACATCTGAAATCGCTAGCCTTCATCCAGGTCGTACAGCC GTGATT CACTOGGTGACCAAGTTCTTGGTTTCCTTGGCCAAGTGCATCCAGTCACTGCCAAGGCTTACGA TTTTTAGAAATTCCCGGCAGTCAGCCGTGACGTTGCCCTTCTCCTCAAGGCAGAAGTGACTC

2CFE 116 (conta)

2 CEE177 "homologue of SEQ. ID NO. 113"
ATGITAGAAAACGATATTAAAAAAGTCCTCGTTTCACACGATGAAATTACAGAAGCAGCTAAAAAACTA
CGTGCTCAATTAACTAAAGACTATGCAGGAAAAAATCCAATCTTAGTTGGGATTTTAAAAGGATCTATTC
CGTGGTGGAACGAGTAGTGGTGTTATCAATATTAAACAAGATGTGACTCAAGATATCAAAGGAAGA
CATGTTCTATTTGTAGAAGATATCATTGATACAGGTCAAACTTTGAAGAATTTGCGAGATATCAAAGGAAGA
AAAGAAAGCAGCTTCTGTTAAAATTGCAACCTTGTTGGATAAACCAGAAGTTTGCGAGATATGTTTAAAG
AGGCAAACTATACCTGCTTTACTATCCCAAATGAGTTTGTAGTAGGTTATTGGTTTTAGACTACAAAGAAAA
TTATCGTAATCTTCCTTATATTGGAGTATTGAAAGAGGAAGTGTATTCAAATCTCGAGCACCACCAC
CACCACTGA

闰

SEQUENCE LISTING

```
<110> Dougherty, Thomas J.
             Pucci, Michael J.
  5
             Dougherty, Brian A.
            Davison, Daniel B.
            Bruccoleri, Robert E.
            Thanassi, Jane A.
 10
      <120> NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL
            FOR CELL VIABILITY AND THEIR USES
      <130> 30436.44USU1
 15
      <140> Not yet known
      <141> 2000-12-30
      <160> 226
 20
      <170> PatentIn Ver. 2.0
      <210> 1
      <211> 708
      <212> DNA
 25
     <213> Streptococcus pneumoniae
      <400> 1
     atgatttatg caggaattct tgccggtgga actggcacac gcatgggaat cagtaacttg 60
      ccaaaacaat ttttagagct aggtgatcga cctattttga ttcatacaat tgaaaaattt 120
30
     gtcttggaac caagtattga aaaaattgta gttggggttc atggagactg ggttttacat 180
     gcagaagate ttgtagataa atatetteet etteataagg aacgtattat cattacaaag 240
     ggtggtgctg accgcaatac aagtattgag aacatcattg aagccattga tgcttatcgc 300
     cogettacte cagaggatat cgttgttace cacgattetg ttcgtccatt tattacgett 360
     cgcatgattc aagacagtat caaacttgct caaaatcatg acgcagtgga tacagtagta 420
35
     gaagcagtgg atactatcgt tgaaagtacc aatggtcaat tcattacagg tattccaaat 480
     cgtgctcacc tctatcaggg acaaacacct caaacattcc gttgcaagga cttcatggac 540
     ctttatggat ctctttctga tgaagagaag gaaatcttga cagatgcatg taaaatcttt 600
     gtgatcaaag gaaaagatgt agccttggcc aaaggcgaat actcaaatct gaagattaca 660
     accytaacag atttgaagat tycaaaaagt atgattgaga aagactag
40
     <210> 2
     <211> 558
     <212> DNA
     <213> Streptococcus pneumoniae
45
     <400> 2
     atggctaacg taattattga aaaagctaaa gagagaatga cccagtctca ccaatcactt 60
     getegtgaat ttggtggtat cegtgetggt cgtgccaatg caagettget tgacegtgta 120
     catgtagaat actatggagt cgaaactcct cttaaccaaa tcgcttcaat tacgattcca 180
50
     gaagegegtg ttttgttggt aacaccattt gacaagtett cattgaaaga categaaegt 240
     geettgaaeg ettetgatet tggtateaea eeggetaatg aeggttetgt gattegettg 300
     gttateceag etettacaga agaaactegt egtgacettg etaaagaagt gaagaaggte 360
    ggcgaaaatg ctaaagtggc tgtccgcaat atccgtcgcg atgctatgga cgaagctaag 420
    aaacaagaaa aagcacaaga aatcactgaa gacgaattga agactcttga aaaagatatt 480
55
    caaaaagtaa cagacgatgc tgttaaacac atcgacgaca tgactgctaa caaagagaaa 540
    gaacttttgg aagtctaa
                                                                       558
```

```
<210> 3
       <211> 1353
       <212> DNA
       <213> Streptococcus pneumoniae
  5
      atgggtaaat attttgggac tgatggagtc cgtggagaag ctaacctaga actaacacca 60
      gaattageet ttaaactagg acgttttgga ggctatgtte ttagtcaaca tgaaacggaa 120
      gegeegaaag tetttgtagg aegtgacaea egtattteag gggaaatget ggaateggee 180
 10
      ttggtggcag gtctcctttc agtagggatt cacgtataca aacttggtgt ccttgcaaca 240
      ccagcagtag cttacttggt tgaaactgaa ggagcaagtg ccggtgtcat gatttctgct 300
      agccacaacc cagcccttga taacggaatc aagttctttg gcggtgatgg cttcaaacta 360
      gatgatgaaa aagaagcaga aattgaagcc ttgctagatg ctgaggaaga cactcttcct 420
      cgtccaagtg cagaaggctt aggaattttg gtagattatc cagaaggctt gcgtaagtat 480
      gaaggatacc gtgtgtcaac tggaactcct cttgatggaa tgaaggttgc cttggataca 540
 15
      gctaatggag cagcttctac cagtgcccgt caaatctttg cagaccttgg tgcccaattg 600
      acggttatcg gggaaacacc agacggtctt aacatcaacc ttaatgttgg ttcaacacat 660
      ccagaagccc ttcaagaagt ggtcaaagaa agtgggtcag ctattggttt ggcctttgat 720
      ggagacagtg accepttgat tgctgttgat gagaatggtg acatcgtcga tggtgacaag 780
 20
      attatgtaca tcatcggaaa atacctttct gaaaaaggac aattggctca aaatacaatt 840
      gtgacaactg ttatgtctaa ccttggtttc cacaaggcct tgaatcgcga aggtattaac 900
      aaggcagtta ctgcagttgg tgaccgctac gttgttgaag aaatgagaaa atcaggctac 960
      aaccttggtg gtgaacagtc tggtcacgtt atcttgatgg attacaatac cacaggtgat 1020
      ggtcaattat cagcagttca attgactaaa atcatgaagg aaactggtaa gagcttatca 1080
 25
      gagttggcgg cagaagtaac gatttatcca caaaaattag ttaatatccg agtggaaaac 1140
      gtcatgaagg aaaaggccat ggaagtgcca gctatcaagg ccatcatcga gaagatggaa 1200
      gaagaaatgg cggggaacgg ccgtatcctt gttcgtccaa gtggaacaga gcccctcttg 1260
     cgtgttatgg cagaagcgcc tacaacagaa gaagtggact actatgttga taccatcaca 1320
      gatgtagttc gtgctgaaat tgggattgac taa
30
      <210> 4
      <211> 705
     <212> DNA
     <213> Streptococcus pneumoniae
35
     atgaaaaaa tactaattgt agatgatgag aaaccaatct cggatattat caagtttaat 60
     atgaccaagg aaggttatga agttgtaact gcttttaatg gtcgtgaagc gctagagcaa 120
     tttgaagcag agcaaccaga tattattatt ctggatttga tgcttccaga aattgatggt 180
     ttagaagttg ctaagaccat tcgtaagaca agcagtgtgc ccattcttat gctttcagcc 240
     aaagatagtg aatttgataa ggttatcggt ttggaacttg gggcagatga ctatgtaacg 300
     aaaccettet ecaategtga gttgeaggeg egtgttaaag etettetgeg tegtteteaa 360
     cctatgccag tagatggtca ggaagcagat agtaaacctc aacctatcca aattggggat 420
     ttagaaattg ttccagacgc ctacgtggct aaaaaatatg gcgaagaact agacttaacc 480
45
     catcgtgaat ttgagctttt gtatcattta gcatcgcata caggtcaagt catcacgcgc 540
     gaacacttgc ttgagactgt ctggggttat gactattttg gtgatgtccg cacagttgat 600
     gtgactgtac gacgtctgcg tgagaagatt gaagatacgc ccagccgacc agagtatatc 660
     ttgacgcgcc gtggtgtagg gtattacatg agaaataatg cttga
50
     <210> 5
     <211> 1107
    <212> DNA
    <213> Streptococcus pneumoniae
55
    atggaagaaa ttctctgtat tggttgtgga gcaaccattc agacgacaga taaagctggt 60
    cttggtttta cccccagtc ggcacttgaa aaaggtttgg agactggcga agtctattgc 120
```

```
caacgetgtt teegteteeg ceactacaat gaaateacag atgteeagtt gaegaacgat 180
       gatttcctca agctcttgca cgaggtggga gacagtgatg ctttagtggt caatgtcatt 240
       gatatetttg attttaatgg atetgteate ceaggtttae caegtttegt etegggeaat 300
       gatgtcctct tggtaggaaa taaaaaagat atccttccta agtcagttaa gtctggtaag 360
      attagecagt ggetcatgaa acgtgeccat gaagaaggte ttegtecagt egatgtggte 420
       ctaacttcag cacaaaataa acatgccatt aaggaagtca ttgacaagat tgaacactac 480
      cgtaagggcc gcgatgtcta tgtggtcggt gtgaccaacg ttggaaaatc aactctaatc 540
      aatgetatta tecaagaaat caegggtgat cagaatgtea teactaette aegetteeca 600
      gggacaacct tggacaaaat agagatteeg ettgacgacg gatettatat ttacgatacg 660
      eegggaatta teeacegeea eeagatgget eactaettga eggeeaaaaa eeteaagtat 720
      gtcagtccta aaaaggaaat caagcctaag acctatcagc ttaatcctga gcaaacccta 780
      tttttaggtg gtttgggacg ctttgacttt atagcaggag aaaagcaagg atttactgct 840
      ttetttgata atgaacteaa acteeategt ageaagettg aaggagetag tgetttetae 900
      gataagcacc tgggaactct tctgacacca ccaaatagca aggaaaaaga agatttccca 960
      aggetagtee ageatgtett taccattaaa gataagacag acetagteat etcaggeeta 1020
 15
      ggatggattc gtgtaacagg cacagcaaaa gtcgccgtct gggcaccaga aggcgtcgcc 1080
      gtcgtcacac gaaaagcaat tatttaa
                                                                         1107
      <210> 6
 20
      <211> 1461
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 6
 25
      atgtatccag atgatagttt gacattgcac acggacttgt accagatcaa catgatgcag 60
      gtttactttg accaagggat tcacaataag aaggeggtet ttgaggtgta tttccgccaa 120
      cagcetttta agaacggeta tgeggttttt geaggtttgg aaagaattgt gaactatett 180
      gaagacttgc gtttttcaga tagtgatata gcctatttgg agtcgcttgg ttatcatggg 240
      gcgttcttgg attaccttcg caatttcaag ttggagttga ccgttcgttc tgcccaagaa 300
. 30
      ggggatttgg tttttgctaa tgaaccgatt gtgcaggtgg aaggacctct agcccaatgt 360
      cagttggtcg aaacggctct tttgaacatc gtcaactacc agaccttggt ggcgacgaag 420
      gcagctcgta ttcgttcggt tatcgaagat gaacccttga tggagtttgg gacacgtcgg 480
      geteaagaaa eggatgegge catetgggga acaegegeag eggtgattgg tggegeeaat 540
      ggaaccagca acgtgcgtgc gggtaagctc tttgacattc ctgttttggg aacccatgcc 600
35
     catgccttgg tacaggttta tggcaatgac tatgaggctt tcaaggctta cgctgcgacc 660
     cacaaaaatt gtgtctttct tgtggatacc tatgataccc ttcgcatcgg tgtaccagct 720
     gccattcagg tggcgcgtga gctgggtgat cagattaact ttatgggtgt gcggattgac 780
     tetggggata ttgcctacat ttctaagaaa gteegteage aactggacga ggetggattt 840
     acagaggeta agatttatge ttetaatgat ttggaegaaa ataetateet caateteaag 900
40
     atgcaaaagg ccaagattga tgtctggggt gtgggtacca agctgattac agcctatgac 960
     cageeggete ttggggeggt ttacaagatt gttgcaatcg aagatgaaac tggtcagatg 1020
     cgcaatacga ttaagctgtc taataatgcg gaaaaagtgt cgacgccagg taagaagcag 1080
     gtgtggcgca ttaccagtcg tgaaaaaggt aagtcagaag gtgattacat cacttatgat 1140
     ggtgtggata ttagcgacat gacagaaatc aagatgttcc atccgaccta tacatacatc 1200
     aagaagacgg ttcgtaattt tgatgccgtt cctctcttgg tggatatctt caaagaagga 1260
     atattagttt acaacttgcc tagtttgact gacattcagg attatgcccg taaagaattt 1320
     gacaagttgt gggatgagta taagcgtgtg ctcaatccgc agcactatcc agtggatttg 1380
     gcgcgtgatg tatggcaaga taagatggac ttgattgata agatgcgcaa ggaagccctt 1440
     ggtgaaggag aagaagaatg a
50
     <210> 7
     <211> 852
     <212> DNA
     <213> Streptococcus pneumoniae
55
    <400> 7
```

3

atggctacta ttcaatggtt teetggteac atgtetaaag etegtegaca ggtgeaggag 60

```
aatttaaaat ttgttgattt tgtgacgatt ttagtagatg cacgcttgcc tctatctagt 120
       caaaatceta tgttgaccaa gattgttggt gataaaccaa aactcttgat tttaaacaag 180-
       gccgacttgg ctgatccagc aatgaccaag gaatggcgtc agtattttga atcacaagga 240
       atccagacgc tagctatcaa ctccaaagag caagtgactg taaaagttgt aacagatgcg 300
       gccaagaagc tcatggctga taagattgct cgccagaaag aacgtgggat tcagattgaa 360
       accttgcgta ctatgattat cgggattcca aacgctggta aatcaactct gatgaaccgt 420
       ttggctggta aaaagattgc tgttgttgga aacaagccag gggtcacaaa aggtcaacaa 480
       tggcttaaaa ccaataaaga cctggaaatc ttggatacac cggggattct ctggcctaag 540
       tttgaggatg aaactgttgc acttaagttg gcattgactg gagctatcaa ggatcagttg 600
  10
       cttcctatgg atgaggttac catttttggt atcaattatt tcaaagaaca ttatccagaa 660
       aagctggctg aacgcttcaa acaaatgaaa attgaagaag aaccgtctgt gattattatg 720
       gatatgaccc gegeeetegg ttteegtgat gactatgacc gtttttacag tetettegtg 780
       aaggaagtte gtgatggcaa acteggtaac tatacettag atacattgga agacetegat 840
       ggcaacgatt aa
  15
      <210> 8
      <211> 471
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      <400> 8
      atgattaaca atgttgtact tgtagggcgt atgacacgtg acgctgagtt gcgttatacc 60
      ccatcaaatg tagcagttgc gacttttact cttgcagtaa accgtacatt taagagtcaa 120
      aatggtgaac gtgaggctga ttttatcaat gtcgttatgt ggcgccaaca ggctgaaaat 180
 25
      cttgctaact gggctaaaaa aggctcactt atcggggtga caggtcgtat ccagactcgt 240
      agttacgata accagcaagg acaacgtgtc tacgtgacag aggtcgtggc tgagaatttc 300
      caaatgttgg aaagccgtag tgtgcgtgag ggccacacag gtggagctta ctctgcacca 360
      actgcaaact attcagcacc tacaaattca gtaccagact tttcacgtaa tgaaaatcca 420
      tttggagcaa caaacccatt ggatatttca gatgatgatt taccattcta a
 30
      <210> 9
      <211> 975
      <212> DNA
      <213> Streptococcus pneumoniae
 35
     <400> 9
     atgaaaacgc gtattacaga attattgaag attgattatc ctattttcca aggagggatg 60
     gcctgggttg ctgatggtga tttggcaggg gctgtttcca aggctggagg attaggaatt 120
     40
     ttgactgata aaccetttgg ggtcaacatc atgetettat etceetttgt ggaagatate 240
     gtggatctcg ttattgaaga aggtgttaaa gttgtcacaa caggagcagg aaatccaagc 300
     aagtatatgg aacgtttcca tgaagctggg ataatcgtta ttcctgttgt tcctagtgtc 360
     getttageta aacgeatgga aaaaateggt geagaegetg ttattgeaga aggaatggaa 420
     getgggggge atateggtaa attaacaace atgacettgg tgcgacaggt agccacaget 480
45
     atatctatte etgttattge tgeaggagga attgeggatg gtgaaggtge tgeggetgge 540
     tttatgctag gtgcagaggc tgtacaggtg gggacacggt ttgtagttgc aaaagagtcg 600
     aatgeceate caaactacaa ggagaaaatt ttaaaagcaa gggatattga cactacgatt 660
     tcagctcagc actttggtca tgctgttcgt gctattaaaa atcagttgac tagagatttt 720
     gaactggctg aaaaagatgc ctttaagcag gaagatcctg atttagaaat ctttgaacaa 780
    atgggagcag gtgccctagc caaagcagtt gttcacggtg atgtggaggg tggctctgtc 840
    atggcaggtc aaatcgcagg gcttgtttct aaagaagaaa cagctgaaga aatcctaaaa 900
    gatttgtatt acggagccgc taagaaaatt caagaagaag cctctcgctg gacaggagtt 960
    gtaagaaatg actaa
                                                                      975
55
    <210> 10
    <211> 423
    <212> DNA
```

```
<213> Streptococcus pneumoniae
      <400> 10
      atgategata tteaaggaat caaagaagee etteeceace gttateetat gettetagtg 60
      gaccgtgtet tggaggtgag cgaggatacc attgttgcta tcaaaaatgt gaccatcaac 120
      gagcetttet ttaacggcca ettteetcaa tacccagtta tgccaggtgt tetgattatg 180
      gaageettgg egeaaactge eggtgtgttg gagttateaa aacetgaaaa taaaggaaaa 240
      ctggtctttt acgctggtat ggataaggtt aagttcaaga agcaagttgt accaggcgac 300
      caattggtta tgacagcgac ttttgtaaaa cgtcgtggca ccatagctgt ggttgaagca 360
      aaggetgaag tggatggcaa gettgeagee agtggtaeee ttacttttge aattgggaae 420
 10
      <210> 11
      <211> 1023
 15
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 11
      atgattaatc aaatttatca actaactaaa cctaagttta tcaatgtcaa atatcaggaa 60
 20
      gaggetattg accaagagaa tcatateett ateegteeca actaeatgge tgtetgteat 120
      geggateage gttactacea gggaaaaegt gateceaaga ttttgaataa aaagetteea 180
      atggcaatga ttcacgagtc atgtggaatc gtcatttctg acccgagcgg aacctacgag 240
      gttggtcaaa aagttgtcat gattcccaat cagtctccta tgcagagtga tgaagaattc 300
     tatgaaaact acatgacagg gacccatttc ttgtctagtg gatttgatgg ctttatgaga 360
 25
     gagtttgttt ctctccctaa agatcgtgtg gtggcttatg atgctattga agatacggtt 420
     geagecatta cagagtttgt cagtgtgggc atgeacgeta tgaategtet attgactett 480
     geteatagea agegggageg gateceegtt attggagatg gaagtttage ttttgtggtt 540
     gccaatatta tcaactatac tttgccagaa gcagagattg tggttattgg tcgtcattgg 600
     gaaaagttgg aactettete atttgeeaaa gaatgetata ttaeggataa tatteetgaa 660
     gagttggcct ttgaccatgc ttttgaatgt tgtggtggtg atggtactgg accagctatt 720
     aatgacttga ttcgctacat tcgtcctcag ggaacaattc tcatgatggg agttagcgaa 780
     tataaagtca atctcaatac tcgcgatgcc ttagaaaagg gcttgctctt ggttgggtca 840
     tetegttetg gtegeattga ttitgaaaat getateeaaa tgatgaaagt caagaaattt 900
     gccaatcgtc ttaaaaatat cctttatcta gaagaacctg taagagaaat taaagatatt 960.
35
     caccgtgtct ttgcaaccga tttaaacaca gcctttaaaa cagtgtttaa gtgggaagta 1020
     <210> 12
     <211> 1344
40
     <212> DNA
     <213> Streptococcus pneumoniae
     atgaacttaa aaactacttt gggccttctt gctggacgtt cttcccactt cgttttaagc 60
    cgtcttggac gtggaagtac gctcccaggg aaagtcgccc ttcaatttga taaagatatt 120
    ttacaaaacc tagctaagaa ctacgagatt gtcgttgtca ctggaacaaa tggaaaaacc 180
    ctgacaactg ccctcactgt cggcatttta aaagaggtct atggtcaagt tctaaccaat 240
    ccaageggtg ccaacatgat tacagggatt gcaacaacct tectaacage caaatettet 300
    aaaactggga aaaatattgc cgtcctcgaa attgacgaag ccagtctatc tcgtatctgt 360
    gactatatcc agcctagtct ttttgtcatt actaatatct tccgtgacca gatggaccgt 420
50
    ttcggtgaaa tctatactac ctataacatg atattggatg ccattcggaa agttccaact 480
    gctactgttc tccttaacgg agacagtcca cttttctaca agccaactat tccaaaccct 540
    atagagtatt ttggttttga cttggaaaaa ggaccagccc aactggctca ctacaatacc 600
    gaagggattc tctgtcctga ctgccaaggc atcctcaaat atgagcataa tacctatgca 660
    aacttgggtg cctatatctg tgagggttgt ggatgtaaac gtcctgatct cgactatcgt 720
    ttgacaaaac tggttgagtt gaccaacaat cgctctcgct ttgtcataga cggccaagaa 780
    tacggtatec aaatcggcgg getetataat atctataacg ecctagetge tgtggecate 840
```

```
gcccgtttcc tcggcgcaga ttcccaactc atcaaacagg gatttgacaa gagccgtgct 900
       gtctttggac gccaagaaac ctttcatatc ggtgacaagg aatgtaccct tgtcttgatt 960
      aaaaatccag teggtgcaac ccaagctate gaaatgatca aactagcace ttatccattt 1020
      agcetatetg teeteettaa tgecaactat geagatggaa ttgacactag etggatetgg 1080
      gatgcagact ttgagcaaat cactgacatg gacattcctg aaatcaacgc tggcggtgtt 1140
     . cgtcattctg aaatcgctcg tcgcctccga gtgactggct atccagctga gaaaatcact 1200
      gaaacgagta atctggagca agttctcaag accattgaga atcaagactg caagcatgce 1260
      tatattctgg caacttatac tgccatgctg gaatttcgtg aactgctggc tagtcgtcag 1320
      attgttagaa aggagatgaa ctaa
 10
      <210> 13
      <211> 783
      <212> DNA
      <213> Streptococcus pneumoniae
 15
      <400> 13
      atggtttata cttcactttc ctcaaaagat ggcaattacc cctatcagct caacattgcc 60
      cacctctacg gaaatctcat gaatacctac ggggacaatg gaaacatcct catgctcaag 120
      tatgtggetg aaaaactggg agcccatgtg accgttgaca tcgtttetet ccatgatgae 180
 20
      tttgatgaaa atcactacga catcgccttt ttcggtggtg gtcaagactt tgaacaaagt 240
      atcattgcag acgacctacc tgctaaaaaa gagagcattg acaactacat ccaaaacgac 300
      ggtgtagtte tggctatctg cggtggttte caactattgg gtcaatatta tgttgaaget 360
      tcaggaaaac gtatcgaagg gctaggggtc atgggacact acacgctcaa ccagaccaat 420
      aaccgtttta tcggtgacat caagattcac aatgaagatt tcgatgaaac ctactatgga 480
 25
     tttgaaaatc accaaggtcg taccttcctc tctgatgacc aaaaaccgct gggacaggtt 540
     gtctatggaa atggaaacaa cgaagaaaag gtcggtgaag gggttcatta taagaatgtc 600
     tttggtteet acttecacgg geetateete tetegtaatg ceaatetgge ttategeeta 660
     gttactactg ccctcaagaa gaaatatggt caggacatcc aactccctgc ctatgaggac 720
     atteteagee aagaaatege tgaagagtae agtgaegtea aaageaagge tgaetttet 780
30
     <210> 14
     <211> 276
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 14
     atggcaaaca aacaagattt gatcgctaaa gtagcagaag ctacagaatt aactaagaaa 60
     gactcagcag cagcagttga agctgtattt gcagcagtag ctgactatct tgcagctggt 120
     gaaaaagtte agttgategg ttttagtaac tttgaagtte gtgagegege agaacgtaaa 180
     ggtcgcaacc cacaaactgg taaagaaatg acaattgcag cttctaaagt accagcattc 240
     aaagctggta aagctcttaa agacgctgtt aaataa
     <210> 15
45
     <211> 840
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 15
50
    atgggaattg ctctagaaaa tgtgaatttt acatatcaag aaggtactcc cttagcttca 60
    gcagctttgt cggatgtttc tttgacgatt gaagatggct cttatacagc tttaattggg 120
    cacacaggta gtggtaaatc aactattta caactettaa atggtttatt ggtgccaagt 180
    caagggagtg tgagggtttt tgatacetta atcacetega ettetaaaaa taaagatatt 240
    cgtcaaatta gaaaacaggt tggcttggta tttcagtttg ctgaaaatca gatttttgaa 300
    gaaacggttt tgaaggacgt tgcttttgga ccgcaaaatt ttggagtttc tgaagaagat 360
    getgtgaaga etgegegtga gaaaetgget etggttggaa ttgatgaate aetttttgat 420
    cgtagtccgt ttgagctgtc agggggacaa atgagacgtg ttgccattgc aggcatactt 480
```

```
gccatggagc cagctatatt agtcttagat gagccaacag ctggtctaga tcctctaggg 540
      agaaaagagt tgatgaccct gttcaaaaaa ctccaccagt cagggatgac catcgtcttg 600
      gtaacgcatt tgatggatga tgttgctgaa tatgcgaatc aagtctatgt aatggaaaag 660
      ggacgtttag taaagggggg caaaccaagt gatgtctttc aagacgttgt ttttatggaa 720
  5
      gaagttcagt tgggagtacc taaaattacg gccttttgta aacgattggc tgatagaggc 780
      gtgtcattta aacgattacc ggttaagata gaggagttca aggagtcgct aaatggatag 840
      <210> 16
      <211> 930
 10
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 16
      atggatattc aattittagg aacgggggct ggtcagccct ctaaagcccg caacgtttca 60
      agtetegece tgaaactttt ggatgagatt aacgaagttt ggetetttga etgtggagaa 120
 15
      ggtacgcaaa atcgcattct ggaaaccaca attcgaccac gtaaggtcag caaaatcttt 180
      attacccate tgcatggaga ccacattttt ggtttgccag gtttcctttc tagccgtgcc 240
      tttcaggcca atgaagagca gacagatttg gaaatctacg gacctcaagg aatcaagtca 300
      tttgtettaa ccagcetteg tgtgteaggt tetegtetge ectaeegeat teattteeat 360
 20
      gagtttgacc aagattctct aggtaaaatt cttgaaatcg ataaattcac tgtgtatgca 420
      gaggagetgg accacactat tttctgtgtt ggctatcgtg tcatgcaaaa ggatctagaa 480
      gggacgetgg atgetgaaaa acteaagget getggtgtte egtteggeee getttttggt 540
      aaaatcaaaa atggccagga tcttgttttg gaagacggaa ctgaaatcaa ggcagcagac 600
      tatateteag egecaegtee aggtaagatt ateaetattt taggagaeac tegaaaaaeg 660
25
     gatgccagtg tgcgtctggc tgtcaatgca gatgtcctag ttcatgagtc cacttatggc 720
     aagggtgatg aaaaaattgc tcgtaaccat ggtcactcaa ctaatatgca agctgcacaa 780
     gtageggtag aageaggtge caaacgeete etacteaace atateagtge cegtiteete 840
     tcaaaagata ttagcaaact caagaaagac gctgccacaa tttttgaaaa tgtccatgtg 900
     gtcaaagact tggaagaagt ggaaatctag
30
     <210> 17
     <211> 1662
     <212> DNA
     <213> Streptococcus pneumoniae
35
     <400> 17
     atgagtaata tcagtttaac aacacttggt ggtgtgcgtg agaatggaaa aaatatgtac 60
     attgctgaaa ttggagagtc catttttgtt ttgaatgtag ggttaaaata tcctgaaaat 120
     gaacaattag gggtcgatgt ggtgattcca aacatggatt acctttttga aaatagcgac 180
     cgtattgctg gggttttctt gacccacggg catgcggatg cgattggtgc tctaccttat 240
     ctcttggcag aggctaaagt tcctgtattt gggtctgagt tgaccattga gttggcaaag 300
     ctctttgtca aaggaaatga tgccgttaag aaatttaatg atttccatgt cattgatgag 360
     aatacggaga ttgattttgg tgggacagtg gtttccttct tccctacgac ttactccgtt 420
     ccagagagte tgggaattgt cttgaagaca tcggaaggaa gcatcgttta tacaggtgac 480
.45
    ttcaaatttg accaaacggc tagtgaatct tatgcaactg attttgctcg tttggcagag 540
     attggtcgtg acggcgtcct ggctctcctc agtgattcgg ccaatgcaga cagcaatatt 600
    caggtggcta gtgaaagtga agttagggat gaaattaccc aaactattgc tgactgggaa 660
    ggtcgtatca tcgttgcagc tgtttccagt aatctttctc gtattcagca gatttttgac 720
    getgeggata aaacaggteg acgtategte ttgacaggat ttgatattga aaatategte 780
50
    cgcacagcga ttcgtcttaa gaagttgtct ttagccaacg aaattctctt gattaagcct 840
    aaagatatgt ctcgctttga agaccatgag ttgattattc ttgagacagg tcgtatgggt 900
    gaacctatca atggacttcg taagatgtcg attggtcgcc atcgttatgt agaaatcaag 960
    gatggggacc tggtctatat tgctacggct ccgtctattg ctaaagaagc ctttgttgcg 1020
    cgtgtagaaa atatgattta tcaggcaggt ggggttgtca aattgattac ccaaagttta 1080
    catgtatcag ggcacggaaa tgtgcgtgat ttgcagctga tgatcaatct tttgcaacct 1140
    aagtacetet teeetgteea aggggagtat egtgagttgg atgeteaege taaggetgee 1200
    atggcagttg ggatgttgcc agaacgcatc ttcattccta aaaaggggac gaccatggct 1260
```

```
tacgagaatg gagactttgt tccagctgga tcggtttcag caggagatat cttaattgat 1320
       gggaatgcca ttggtgatgt tggaaatgtt gttcttcgtg accgtaaggt cttgtcagag 1380
       gatggaattt tcatcgtggc tattacagtc aaccgtcgtg agaagaaaat tgtggctaga 1440
       getegtgtte acacgegtgg atttgtttat etcaagaaga gtegegatat teteegtgaa 1500
       agttcagaat tgattaacca aacggtagaa gattatcttc aaggagatga ctttgactgg 1560
       gcagatetta aagggaaggt tegagataat ttgaccaagt atetetttga ccaaaccaag 1620
       cgtcgtccag ctattttacc agtagtcatg gaagcaaaat aa
       <210> 18
  10
       <211> 951
       <212> DNA
       <213> Streptococcus pneumoniae
      <400> 18
 15
      atgacaaaag aatttcatca tgtaacggtc ttactccacg aaacgattga tatgcttgac 60
      gtaaaacctg acggtatcta cgttgatgcg actttgggtg gagcaggcca tagcgagtat 120
      ttattaagta aattaagtga aaaaggccat ctctatgcct ttgaccagga tcagaatgcc 180
      attgacaatg cgcaaaaacg cttggcacct tacattgaga agggagtggt gacctttate 240
      aaggataact teegteatti acaggeaegt ttgegegaag etggtgttea ggaaattgat 300
      ggaatttgtt atgacttggg agtgtctagt cctcaattgg accagegtga gcgtggtttt 360
      tettataaaa aggatgegee actggacatg eggatgaate aggatgetag tetgacagee 420
      tatgaagtgg ttaatcatta tgactatcat gatttggttc gtattttctt caaatacggt 480
      gaggataaat tototaaaca gattgogogt aagattgago aagogogtga agtgaagoog 540
      attgagacaa cgactgagtt agcagagatt atcaagttgg tcaaacctgc caaggaactc 600
 25
      aagaagaagg gtcatcctgc taagcagatt ttccaggcta ttcgaattga agtcaatgat 660
      gaactggggg cggcagatga gtccatccag caggctatgg atatgttggc tctggatggt 720
      agaattteag tgattacett teatteetta gaagaceget tgaccaagea attgtteaag 780
      gaagetteaa eagttgaagt teeaaaagge ttgeetttea teecagatga teteaageee 840
      aagatggaat tggtgtcccg taagccaatc ttgccaagtg cggaagagtt agaagccaat 900
 30
     aaccgctcgc actcagccaa gttgcgcgtg gtcagaaaaa ttcacaagta a
      <210> 19
      <211> 999
      <212> DNA
35
     <213> Streptococcus pneumoniae
     atgagtagaa ttttagataa tgagataatg ggggatgagg agttagtaga acgcacgctc 60
     cgtcctcagt atttacgtga atatatcgga caggataagg tcaaggacca gctacaaatc 120
40
     tttattgaag ctgccaaaat gcgggatgaa gcgctggatc atgtgctctt atttgggcct 180
     ccaggteteg ggaaaacgae catggeettt gttattgeea acgaactggg agtcaatett 240
     aagcagacgt cgggtccagt cattgaaaaa gccggagatc tggtagctat tttgaatgag 300
     ttagageetg gggatgtact ttttattgat gagateeate gtttgeeaat gteagtggaa 360
     gaggtgettt atagtgetat ggaggaette tacategata ttatgattgg ggetggtgag 420
45
     ggtagtegta gtgttcattt ggagttacca ccttttacct tgattggtgc gacgactcgg 480
     gctggtatgc tctccaatcc gctacgggca cgttttggga ttacaggcca tatggagtat 540
     tatgcccatg ctgacttgac agaaattgtc gagcggacgg cagatatttt tgagatggaa 600
     atcactcatg aggcagcatc tgagttggcc ctacgtagtc gtgggacccc tcgtattgcc 660
     aatogtotoo toaagogogt gogogatttt goocagataa tggggaatgg ggtaattgat 720
    gatattatta ccgataaggc tttgactatg ctggatgttg accatgaagg tttggactat 780
50
    gtggatcaaa aaatcetteg taceatgatt gagatgtaea gtggaggaee tgttggteta 840
    ggaactettt etgtgaatat egeegaagag egtgagaeag ttgaagaeat gtatgageet 900
    tacttgattc aaaaaggttt tatcatgcgg acacggtctg gacgggtggc gactgctaag 960
    gcatatgagc acttaggtta tgaatacagt gaaaaataa
55
    <210> 20
    <211> 1311
```

```
<212> DNA
       <213> Streptococcus pneumoniae
      atgagtatgt ttttagatac agctaagatt aaggtcaagg ctggtaatgg tggcgatggt 60
      atggttgcct ttcgtcgtga aaaatatgtc cctaatggag gcccttgggg tggtgatggt 120
      ggtcgtggag gcaatgtggt cttcgttgta gacgaaggac tacgtacctt gatggatttc 180
      cgctacaatc gccatttcaa ggctgattct ggtgaaaaag ggatgaccaa agggatgcat 240
      ggtcgtggtg ctgaggacct tagagttcga gtatcacaag gtacgactgt tcgtgatgcg 300
 10
      gagactggca aggttttaac agatttgatt aaacatgggc aagaatttat cgttgcccac 360
      ggtggtcgtg gtggacgtgg aaatattcgt tttgcgacac caaaaaatcc tgcaccggaa 420
      atctctgaaa atggagaacc aggtcaggaa cgtgagttac aattggaact aaaaatcttg 480
      gcagatgtcg gtttagtagg attcccatct gtagggaagt caacactttt aagtgttatt 540
      acctcagcta agcctaaaat tggtgcctac cactttacca ctattgtacc aaatttaggt 600
 15
      atggttcgca cccaatcagg tgaatccttt gcagtagccg acttgccagg tttgattgaa 660
      ggggctagtc aaggtgttgg tttgggaact cagttcctcc gtcacatcga gcgtacacgt 720
      gttatcette acateattga tatgteaget agegaaggee gtgatecata tgaggattae 780
      ctagctatca ataaagagct ggagtcttac aatcttcgcc tcatggagcg tccacagatt 840
      attgtagcta ataagatgga catgcctgag agtcaggaaa atcttgaaga atttaagaaa 900
 20
      aaattggctg aaaattatga tgaatttgaa gagttaccag ctatcttccc aatttctgga 960
      ccagaatttt tgctctacga cgagtccgat atggaagaag aagcttacta tggatttgac 1080
      gaagaagaaa aagcetttga aattagtegt gatgaegatg egacatgggt actttetggt 1140
      gaaaaactca tgaaactett taatatgacc aactttgate gtgatgaate tgtcatgaaa 1200
 25
      tttgcccgtc agcttcgtgg tatgggggtt gatgaagccc ttcgtgcgcg tggagctaaa 1260
      gatggggatt tggtccgcat tggtaaattt gagtttgaat ttgtagacta g
      <210> 21
      <211> 519
. 30
      <212> DNA
      <213> Streptococcus pneumoniae
     <400> 21
     atgaactact ttaatgttgg gaaaatcgtt aatacgcagg gattacaggg tgagatgcga 60
35 gtettgtetg tgacggattt tgcagaagaa cggtttaaaa aaggagetga getggetttg 120
     tttgatgaaa aagatcagtt tgtccaaaca gtgaccatcg ctagccaccg taaacagaag 180
     aactttgaca ttattaaatt caaagatatg taccatatca atactatcga aaagtacaag 240
     ggatacagtc tcaaggtcgc tgaggaagat ttgaatgacc tagacgatgg tgaattttac 300
     tatcacgaga ttatcggttt ggaagtctat gagggtgata gcttggttgg aaccatcaag 360
40
     gaaatcctgc aaccaggtgc taatgatgtc tgggtggtca aacgaaaagg caaacgtgat 420
     ttgcttttac cttatatccc accagtggtt ctcaatgttg atattccaaa taaacgggtc 480
     gatgtggaaa tcttagaagg gttagacgat gaagattga
     <210> 22
45
     <211> 720
     <212> DNA
     <213> Streptococcus pneumoniae
50
     atgaagattg atattttaac cetettteea gagatgtttt etecaetgga geaeteaate 60
     gttggaaagg ctcgagaaaa agggctcttg gatatccagt atcataattt tcgagaaaat 120
     gctgaaaagg cccgtcatgt agatgatgag ccctacggag gcggtcaggg catgttgctc 180
     agagcacaac ctattttcga ttcctttgat gctattgaaa agaaaaatcc gcgcgttatt 240
     ctcctcgatc ctgctggaaa gcagtttgat caggcttatg ctgaagattt ggctcaagag 300.
    gaagagctaa tetttatetg tgggcactat gagggttatg atgagegcat taagacettg 360
    gtaacagatg agatttccct aggcgactat gtcctcactg gtggagaatt ggcagctatg 420
    accatgattg atgctacagt tcgcctgatt ccagaagtga ttggcaagga gtctagccac 480
```

```
caagatgata gtttttette aggtetttta gaatateate agtacacacg teeetatgat 540
        tategaggea tggtegtgee agatgtattg atgagtggee atcatgaaaa gattegteag 600
       tggcgattgt acgagagttt aaagaaaacc tacgagcgca gaccggattt acttgaacat 660
       tatcaactga cagtagaaga agaaaaatg ctggcagaaa tcaaagaaaa caaagaataa 720
   5
       <210> 23
       <211> 561
       <212> DNA
       <213> Streptococcus pneumoniae
  10
       <400> 23
       atgattgaag caagtaaatt aaaagctggt atgacctttg aaacagctga cggcaaattg 60
       attegegttt tggaagetag teaceacaaa ceaggtaaag gaaacacgat catgegtatg 120
       aaattgcgtg atgtccgtac tggttctaca tttgacacaa gctaccgtcc agaggaaaaa 180
  15
       tttgaacaag ctattatcga gactgtccca gctcaatact tgtacaaaat ggatgacaca 240
       gcatacttca tgaatacaga aacttacgac cagtacgaaa tccctgtagt caatgttgaa 300
       aacgaattgc tttacatcct tgaaaactct gatgtgaaaa tccaattcta cggaactgaa 360
      gtgatcggtg tcaccgttcc tactactgtt gagttgacag ttgctgaaac tcaaccatct 420
      atcaaaggtg ctactgttac aggttctggt aaaccagcaa cgatggaaac tggacttgtc 480
      gtaaacgttc cagacttcat cgaagcagga caaaaactcg ttatcaacac tgcagaagga 540
  20
      acttacgttt ctcgtgccta a
      <210> 24
      <211> 1572
 25
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 24
      atggcatttg aaagtttaac agaacgtttg cagaacgtct ttaaaaaatct acgtaaaaaa 60
 30
      ggaaaaatct ctgaatctga tgtccaagag gcaaccaaag aaattcgctt ggccttgctc 120
      gaggeegaeg ttgeettgee tgttgtaaag gaetttatea agaaagtteg tgagegtgea 180
      gtegggeatg aggteatiga tacaéttaat éetgegeaac agattattaa aategttgat 240
      gaggaactga cagccgtttt aggttctgat acggcagaaa ttatcaagtc acctaagatt 300
      ccaaccatca tcatgatggt tggtttacaa ggggctggta aaacaacctt tgctggtaaa 360
 35
      ttggccaaca aactcaagaa agaagaaaat gctcgtcctt tgatgattgc ggcggatatt 420
     tatogtocag etgecatiga coagettaag acettgggac aacagattga tgtgcetgte 480
     tttgcacttg gaacagaagt accagctgtt gagattgtac gtcaaggttt ggagcaagcc 540
     caaactaatc ataacgacta tgtcttgatt gatactgcgg gtcgtttgca gattgatgag 600
     ctcctcatga atgagcttcg tgatgtgaaa acattggctc aaccaaatga aatcttgctt 660
     gtcgttgatg ctatgattgg tcaggaagca gccaatgttg cgcgtgagtt taatgctcag 720
     ttggaagtga ctggggtcat cettaccaag attgatggcg atactcgtgg tggtgctgct 780
     ctgtctgttc gtcacattac tggaaaacca atcaagttca ctggtacagg tgaaaagatt 840
     acggacattg aaacctteca eccagacege atgtetagee gtateettgg tatgggggat 900
     atgeteactt tgattgagaa agetteteag gaatacgatg aacaaaaage cettgaaatg 960
     getgagaaga tgegegaaaa cacetttgat tttaatgatt teategatea attagateag 1020
     gtgcaaaata tggggccgat ggaagacttg ctcaagatga ttccaggtat ggcaaacaat 1080
     ccagccette aaaacatgaa ggtggatgaa cgccagattg ctcgtaaacg tgccattgtg 1140
     tettegatga cacetgaaga gegtgaaaac ceagatttgt taaateeaag eegtegeegt 1200
     cgtattgctg ctggttctgg aaatacattc gtcgaagtca ataaattcat caaggacttt 1260
50
    aaccaggeta aacageteat geagggtgtt atgtetgggg atatgaataa aatgatgaag 1320
    caaatgggga ttaatccaaa taaccttcct aaaaatatgc caaatatggg aggaatggat 1380
    atgtetgeec ttgaaggaat gatgggacaa ggeggtatge etgaettate agetetegga 1440
    ggagcaggaa tgccagatat gagccagatg tttggtggcg gtttgaaagg taaaattggt 1500
    gaatttgcta tgaaacagtc catgaaacgt atggctaaca aaatgaagaa agcgaagaag 1560
55
    aaacgcaagt aa
                                                                       1572
```

<210> 25

```
<211> 846
      <212> DNA
      <213> Streptococcus pneumoniae
  5
      <400> 25
      atqtatctta ttgaaatttt aaaatctatc ttcttcggga ttgttgaagg aattacggaa 60
      tggttgccga tttccagtac aggtcatttg attttagcag aggagtttat ccaataccaa 120
      aatcaaaatg aagcctttat gtccatgttt aatgtcgtga ttcagcttgg tgctatttta 180
      gcagttatgg tgatttattt taacaagctc aatcctttta aaccgactaa ggacaaacag 240
 10
      gaagttcgta agacttggag actatggttg aaggtcttga ttgctacttt acctttactt 300
      ggtgtcttta aatttgatga ttggtttgat acccacttcc ataacatggt ttcagttgct 360
      ctcatgttga ttatctacgg ggttgccttc atctatttgg aaaagcgcaa taaagcgcgt 420
      gctatcgagc caagtgtaac agagttggac aagcttcctt atacgaccgc tttctatatc 480
      ggactettee aagttettge tettttacca gggactagee gtteaggtge aacgattgte 540
 15
      ggtggtttgt taaatggaac cagtcgttca gttgtgacag aatttacctt ctatcttggg 600
      attcccgtta tgtttggagc tagtgcctta aagattttca aatttgtgaa agccggagaa 660
     etettgaget ttgggcaatt gtttttgete ttggtegega tgggagtage ttttgeggte 720
      agcatggtgg ctattcgctt cttgaccagc tatgtgaaaa aacacgactt cacccttttt 780
      ggtaaatacc gtatcgtgct tggtagtgtt ttgctacttt acagttttgt ccgtttattt 840
20
     gtataa
     <210> 26
     <211> 1290
     <212> DNA
25
     <213> Streptococcus pneumoniae
     <400> 26
     atgggattat ttgaccgtct attcggaaaa aaagaagaac ctaaaatcga agaagttgta 60
     aaagaagete tggaaaatet tgatttgtet gaagatattg ageetgeett cacagaaget 120
30
     gaggaagttt ctcaagaaga agcagaggtt gaaagttctg aagaatctgt gttccaagaa 180
     qaqqataqtc aagacacagt cgaagaaaat ctggatttag agccagttgt agaggtttct 240
     caagaagaag tagaagaatt tccaaactca caagaagtca cagaggaaga gaagcttgag 300
     cacgaaggaa ctgtagaaga aaataatttt gaagtgcttg aaccagaagc tcctcaaaca 360
     gaagaaactg ttcaggaaaa atatgaccgc agtcttaaga aaactcgcac aggtttcggt 420
35
     gecegettga atgeettett tgetaactte egetetgttg acgaagaatt tttegaggaa 480
     ctggaagaac tgttgattat gagtgatgtt ggtgtccaag tcgcttctaa cttaacggag 540
     gaactacgtt acgaagccaa gcttgaaaat gccaagaaac ctgatgcact tcgtcgtgtc 600
     atcattgaga aattggttga gctttatgaa aaggatggta gctacgatga aagcatccac 660
     ttccaagata acttgacagt tatgctcttt gttggtgtga atggtgttgg gaaaacaact 720
40
     tctatcggaa aactagccca ccgctacaaa cgagctggta agaaggtcat gctggttgca 780
     gcagatacet teegtgeggg tgcagtaget cagetagetg aatggggeeg acgagtagat 840
     gttccagtag taactggacc tgaaaaagct gatccagcca gcgtggtctt tgatggtatg 900
     gaacgtgccg tggctgaagg tatcgatatt ctcatgattg atactgctgg tcgtctgcaa 960
     aataaggata accttatggc tgagttggaa aagattggtc gtattatcaa acgtgttqtq 1020
45
     ccagaagcac cacatgaaac cttcttggca cttgatgcat caacaggtca aaatgcccta 1080
     gtacaggcca aagaattttc gaaaatcaca cctttaacgg gaattgtttt gactaagatt 1140
     gatggaactg ctcgaggagg tgtggttcta gccattcgtg aagaactcaa tattcctgta 1200
     aaattgattg gttttggtga aaaaatcgat gatattggag agtttaactc agaaaacttc 1260
     atgaaaggtc tcttggaagg tttaatctaa
50
    <210> 27
    <211> 498
    <212> DNA
    <213> Streptococcus pneumoniae
55
    <400> 27
```

atgtatattg aaatggtaga tgaaactggt caagtttcaa aagaaatgtt gcaacaaacc 60

```
caagaaattt tggaatttgc agccaaaaaa ttaggaaaag aagacaagga gatggcagtc 120
      acttttgtga ccaatgagcg tagtcatgaa cttaatctgg agtaccgtga caccgaccgt 180
      ccgacagatg tcatcagcct tgagtataaa ccagaattgg aaattgcctt tgacgaagag 240
      gatttgcttg aaaatccaga attggcagag atgatgtctg agtttgatgc ctatattggg 300
      gaattgttca tctctatcga taaggctcat gagcaggccg aagaatatgg tcacagcttt 360
      gagcgtgaga tgggcttctt ggcagtacac ggctttttac atattaacgg ctatgatcac 420
      tatactccgg aagaagaagc ggagatgttc ggtttacaag aagaaatttt gacagcctat 480
      ggactcacaa gacaataa
 10
      <210> 28
      <211> 768
      <212> DNA
      <213> Streptococcus pneumoniae
 15
      <400> 28
      atgagtattc gagtaattat tgccggtttt aagggaaaga tgggccaggc tgcttgtcag 60
      atggtattga ctgatccaga cttggacttg gtggcagttt tggatccttt tgagtctgag 120
      tcagaatggc agggtattcc tgttttcaag gataaggctg atttagctgg ttttgaagcg 180
      gatgtctggg tagattttac tactccagct gttgcctacg aaaatacacg ttttgctctt 240
 20
      gaaaatggct ttgctccagt agttggaacg actggtttca cgagtgaaga aattgcagag 300
      ctaaaagaat tttctcgtgc ccaagacttg ggtggcctga ttgcccctaa ctttgccttg 360
      ggtgctgtct tactcatgca atttgcgacg caggctgcca aatatttccc aaatgtggag 420
      attattgagc tccatcatga caagaaaaag gatgctccga gtggaacagc cattaaaaca 480
      gctgagttga tggcagaggt tcgagagtca attcagcaag gtgcagcaga tgaggaagag 540
 25
      ctgattgctg gtgctcgtgg tgctgacttt gatggtatgc gcatccactc agttcgtttg 600
      ccaggettgg tagetcatca ggaagtcate tttggcaatc agggagaagg gttgaccete 660
      cgtcatgact cctatgatcg catctccttc atgacaggag tcaatttggg aattaaagaa 720
      gttgtcaagc gtcatgagct tgtctatgga ttagaacact tattatga
 30
      <210> 29
      <211> 276
      <212> DNA
     <213> Streptococcus pneumoniae
35
     <400> 29
     atggcaaaca aacaagattt gatcgctaaa gtagcagaag ctacagaatt aactaagaaa 60
     gactcagcag cagcagttga agetgtattt gcagcagtag ctgactatct tgcagctggt 120
     gaaaaagttc agttgatcgg ttttagtaac tttgaagttc gtgagcgcgc agaacgtaaa 180
     ggtcgcaacc cacaaactgg taaagaaatg acaattgcag cttctaaagt accagcattc 240
40
     aaagctggta aagctcttaa agacgctgtt aaataa
     <210> 30
     <211> 921
     <212> DNA
45
     <213> Streptococcus pneumoniae
     <400> 30
     atgactaaaa cagcettttt atttgetggt caaggtgeee agtatetagg gatgggaegg 60
     gatttctatg atcagtatcc gattgttaaa gaaacgattg atcgagcgag tcaggtgctc 120
     ggttatgatt tgcgttatct catcgatacg gaagaggaca aactcaatca gacccgctat 180
     acgcaaccag ccattctage gactteggtt getatctace gtttattgca agaaaaggge 240
     tatcagcetg atatggtcgc tggtttgtct cttggagaat actctgcctt ggtggcaagc 300
     ggcgccttgg attitgaaga tgcggttgcc ttggtagcta agcgtggagc ctatatggaa 360
     gaagcggete etgetgacte tggcaagatg gtagcagtte teaatacgce agtagaggte 420
55
     attgaagaag cotgtcaaaa agottotgaa ottggagtgg ttactccago caactataac 480
     acacetgeae aaategteat tgetggagaa gtggttgeag ttgategage ggttgaactt 540
     ttgcaagaag caggtgccaa acgcttgatt cctcttaagg tgtcaggtcc ctttcacacc 600
```

```
gctctccttg agccagctag ccagaaacta gctgaaactc tagctcaggt aagtttttca 660
       gattttactt gtcccctagt cggcaataca gaagctgctg tgatgcaaaa agaggacatt 720
       getcagetet tgacgegtca ggtcaaggaa eeegttegtt tetatgaaag tattggggte 780
       atgcaagaag caggcataag caactttatc gagattggac cggggaaagt cttgtcaggt 840
       tttgttaaaa aaattgatca aactgctcac ttagctcatg tggaagatca agcgagttta 900
       gtagcacttt tagaaaaata q
       <210> 31
       <211> 732
  10
       <212> DNA
       <213> Streptococcus pneumoniae
      <400> 31
      atgaaactag aacataaaaa tatctttatt acaggttega gtcgtggaat tggtcttgcc 60
 15
      ategeceaca agtttgetea ageaggagee aacattgtet taaacagteg tggggeaate 120
      tcagaagaat tgctcgctga gttttcaaac tatggtatca aggtggttcc catttcagga 180
      gatgtatcag attttgcaga cgctaagcgt atgattgatc aagctattgc agaactgggt 240
      teagtagatg ttttggteaa caatgeaggg attacceaag atactettat geteaagatg 300.
      acagaagcag attttgaaaa agtgctcaag gtcaatctga ctggtgcctt taatatgaca 360
      caatcagtet tgaaaccgat gatgaaagcc agagaaggtg ctatcattaa tatgtctagt 420
 20
      gttgttggtt tgatggggaa tattggtcaa gctaactatg ctgcttctaa ggctggcttg 480
      attggcttta ccaagtctgt ggcacgcgag gtcgctagtc ggaatatacg agtcaatgtg 540.
      attgctccag gaatgattga gtctgatatg accgctatct tatcagataa gattaaggaa 600
      gctacactag ctcagattcc gatgaaagaa tttgggcagg cagagcaggt tgcagatttg 660
 25
      acagtatttt tagcaggcca agattatcta actggtcaag tggttgccat tgatggtggc 720
      ttaagtatgt ag
      <210> 32
      <211> 831
 30
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 32
     atgggagtga aaaagaaact aaagttgact agtttgctag gactgtctct gttaatcatg 60
35
     acagectgtg cgactaatgg ggtaactage gatattacag ccgaatcggc tgatttttgg 120
     agtaaattgg titacttctt tgcggaaatc attcgctttt tatcgtttga tattagtatc 180
     ggagtgggga ttattetett taeggtettg. attegtacag teetettgee agtettteag 240
     gtgcaaatgg tggcttctag gaaaatgcag gaagctcagc cacgcattaa ggcgcttcga 300
     gaacaatate caggtegaga tatggaaage agaaccaaae tagageagga aatgegtaaa 360
40
     gtatttaaag aaatgggtgt cagacagtca gactetettt ggeegatttt gatteagatg 420
     ceggttattt tggccctgtt ccaageceta teaagagttg acttittaaa gacaggteat 480
     ttettatgga ttaacettgg Gagtgtggat acaaceettg ttetteegat tttageagea 540
     gtattcacct ttttaagtac ttggttgtcc aacaaagctt tgtctgagcg aaatggcgct 600
     acgactgcga tgatgtatgg gattccagtc ttgattttta tctttgcagt ttatgcgcca 660
45
     ggtggagtcg ccctatactg gacagtgtct aatgcttatc aagtcttgca aacctatttc 720
     ttgaataatc cattcaagat tatcgcagag cgcgaggccg tagtacaggc acaaaaagat 780
     ttggaaaata gaaaaagaaa agccaagaaa aaggctcaga aaacgaaata a
     <210> 33
50
     <211> 1230
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 33
55
    atgaagatta gtaagaggca cttattaaat tattccatct tgattcccta cttactttta 60
    totatittgg gettgatigt ggtctattcg accaccagtg ctattttaat tgaagaagge 120
     aagagcgcct tgcagttggt tcgaaaccaa ggaatctttt ggattgttag tttgatactg 180
```

```
attgccttaa tttataaatt gagactagat tttttgagaa atgagcgact aatcatttta 240
      gttatattaa tagaaatgot tttattgtto ttggctogtt ttattggtat ttcagtaaac 300
      ggggcatacg gttggatttc ggttgcagga gtaactattc agccagctga gtacttaaaa 360
      atcattatta tttggtattt agctcaccga ttctccaaac agcaagaaga aatagctact 420
      tatgattttc aagttttgac tcaaaatcaa tggcttcccc gtgcttttaa tgattggcga 480
      ttcgttctcc tagttctgat tggaagtttg ggaattttcc ctgatttagg aaatgcgact 540
      attitagtet tggttteett gattatgtat acagttagtg gaategetta tegetggttt 600
      tcaaccattc tggcgctcgt atctgccact tctgtctttg tcttgaccac tatcagccta 660
      atcggtgttg agaccttttc aaaaattcca gtatttggct atgtagccaa gcgctttagt 720
      goottitta atcottitge egategiget gatgeaggie accagitage taattottat 780
      tttgccatgg tcaatggtgg ttggtttggt ctaggtcttg gaaactcgat tgaaaaacga 840
      ggttatttgc cagaagctca tacagacttt gtcttttcta tcgtgattga agaatttggc 900
      titgttggtg ccagtottat tttagctctc ttgtttttca tgattttgcg gattatcttg 960
      gtcggtatcc gagcggagaa tcctttcaat gccatggttg cactcggtgt cggagggatg 1020
      atgttggttc aggtatttgt caatatcgga gggatttcgg gcttgattcc atctacagga 1080.
 15
      gtgactttcc ctttcttatc ccagggtgga aatagtcttc tagtcttatc agtggcagta 1140
      gcctttgtct taaatattga tgccagtgaa aaacgcgcta agttgtaccg agaattggaa 1200
      aatcaaccaa tgaaccttct gttgaagtag
 20
      <210> 34
      <211> 1260
      <212> DNA
      <213> Streptococcus pneumoniae
25
     <400> 34
     atgctcggaa ttttaacctt tattctggtt tttgggatta ttgtagtggt gcacgagttc 60
     gggcacttet actttgccaa gaaatcaggg attttagtac gtgaatttgc catcggtatg 120
     ggacctaaaa totttgctca cattggcaag gatggaacgg cotataccat togaatottg 180
     cctctgggtg gctatgtccg catggccggt tggggtgatg atacaactga aatcaagaca 240
30
     ggaacgcctg ttagtttgac acttgctgat gatggtaagg ttaaacgcat caatctctca 300
     ggtaaaaaat tggatcaaac agccctccct atgcaggtga cccagtttga ttttgaagac 360
     aagctcttta tcaaaggatt ggttctggaa gaagaaaaaa catttgcagt ggatcacgat 420
     gcaacggttg tggaagcaga tggtactgag gttcggattg cacctttaga tgttcaatat 480
     caaaatgcga ctatctgggg caaactgatt accaattttg caggtcctat gaacaatttt 540
     atcttaggtg tcgttgtttt ttgggtttta atctttatgc agggtggtgt cagagatgtt 600
     gataccaatc agttccatat catgccccaa ggtgccttgg ccaaggtagg agtaccagaa 660
     acggcacaaa ttaccaagat cggctcacat gaggttagca actgggaaag cttgatccaa 720
     gctgtggaaa cagaaaccaa agataagacg gcaccgactt tggatgtgac tatttctgaa 780
     aaggggagtg acaaacaagt cactgttaca cccgaagata gtcaaggtcg ttaccttcta 840
40
     ggtgttcaac cgggggttaa gtcagatttt ctatccatgt ttgtaggtgg ttttacaact 900
     gctgctgact cagctctccg aattctctca gctctgaaaa atctgatttt ccaaccggat 960
     ttgaacaagt tgggtggacc tgttgctatc tttaaggcaa gtagtgatgc tgctaaaaat 1020
     ggaattgaga atatottgta ottottggca atgatttoca toaatattgg gatttttaat 1080
     cttattccga ttccagcctt ggatggtggt aagattgtgc tcaatatcct agaagccatc 1140
45
     cgccgcaaac cattgaaaca agaaattgaa acctatgtca cettggccgg agtggtcatc 1200
    atggttgtct tgatgattgc tgtgacttgg aatgacatta tgcgactctt ttttagataa 1260
     <210> 35
     <211> 594
50
     <212> DNA
    <213> Streptococcus pneumoniae
    <400> 35
    atgtacgcat atttaaaagg aatcattacc aaaattactg ccaaatacat tgttcttgaa 60
    accaatggta ttggttatat cctgcatgtg gccaatcctt atgcctattc aggtcaggtt 120
    aatcaggagg ctcagattta tgtgcatcag gttgtgcgtg aggacgccca tttgctttat 180
    ggattteget cagaggatga gaaaaagete tttettagte taattteggt etetgggatt 240
```

```
ggtcctgtàt,cagctcttgc tattatcgct gctgatgaca atgctggctt ggttcaagcc 300
       attgaaacca agaacatcac ctacttgacc aagttcccta aaattggcaa gaaaacagcc 360
       cagcagatgg tgctggactt ggaaggcaag gtagtagttg caggagatga ccttcctgcc 420
       aaggtegeag tgeaageaag tgetgaaaac caagaattgg aagaagetat ggaageeatg 480
       ttggctctgg gctacaaggc aacagagctc aagaaaatca agaaattctt tgaaggaacg 540
       acagatacag ctgagaacta tatcaagtcg gcccttaaaa tgttggtcaa atag
       <210> 36
       <211> 774
 10
       <212> DNA
      <213> Streptococcus pneumoniae
      <400> 36
      atgaagaata atcgtatttt agcactttct ggaaatgata tttttagtgg tggtggactg 60
 15
      tcagctgatt tggctaccta taccttgaac ggcttgcatg ggtttgtagc agtgacttgt 120
      ttgacagcet tgacagaaaa aggatttgaa gtetttecaa etgatgatae cattttecaa 180
      catgaattag atagcttgcg tgatgtggaa tttgggggaa ttaagattgg tcttctccct 240
      actgtcagtg tggctgagaa ggccttggac tttatcaaac aacgcccagg agtacctgtg 300
      gtgttggatc ctgtcttggt ctgcaaggaa acgcatgatg tagctgtcag tgagctctgc 360
 20
      caagagttga ttcgcttctt cccttatgtc agtgtgatta cgcctaatct cccagaagca 420
      gaattattat coggtcagga aattaaaacc ttggaagaca tgaaaactgc agcgcagaaa 480
      ttgcatgatt taggagcgcc agcagtcatt atcaagggag gcaatcgtct tagtcaggac 540
      aaggetgtgg atgtetttta tgatggacag acetttaeta teetagaaaa teeagttate 600
      caaggccaaa atgetggtge aggttgtace tttgeeteta geattgeeag teaectggtt 660
 25 aaaggtgata aatttttgcc agcagtagaa agctctaagg ctttcgttta tcgtgctatt 720
      gcacaagcag atcagtatgg agtaagacaa tatgaagcaa acaaaaacaa ctaa
      <210> 37
      <211> 1239
 30
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 37
     atgattgaaa cggagaaaaa agaggagcga gtcctgctga ttggtgtgga attgcagggt 60
35
     atggacagtt ttgacctctc catggaagaa ttggctagtt tagcgaaaac ggcaggggca 120
     gtcgttgtag atagctacag acaaaaacgt gaaaaatatg attccaagac cttcgtcggc 180
     tetggtaagt tggaagagat tgegettatg gtggatgeag aagaaateae tactgteate 240
     gtcaacaatc gtctgacccc aaggcagaat gtcaatctag aggaagttct cggtgttaag 300
     gtcattgacc gtatgcagtt gattttggat atctttgcca tgcgggctcg aagccatgaa 360.
     gggaagetee aagteeacet ageceaatte aaatacetet tgeetegett ggttggteag 420
40
     gggattatgc tcagccgtca ggcaggggga attggttccc gtggtcctgg tgaaagccaa 480
     ctggagctga accgtcgtag cgttcgcaat caaatcacgg atatcgagcg ccagcttaag 540
     gtggttgaga aaaatcgtgc gactgtcaga gaaaaacgtt tggagtctag cacttttaag 600
     attggtttga ttggttatac taatgctggg aaatcaacta tcatgaacat cttgaccagt 660
45
     aagacccagt atgaagcaga tgagctcttt gcgactctgg atgcgacaac caagagtatt 720
     catctgggag gcaatctcca agtaactttg acagataccg ttggctttat ccaagatttg 780
     ccgacagagt tggtgtccag tttcaagtca accttggaag aaagcaagca tgtggacctt 840
     ctggttcatg ttatcgatgc tagcaatcct taccacgagg agcatgaaaa aacggttctc 900
     tecateatga aagaeetgga eatggaagat attecteact tgaegettta taataaageg 960
50
     gatttggtgg aggatttcac gcctacccaa acgccatata ccctcatttc tgccaagtct 1020
     gaggacagtc gtgaaaactt gcaagcatta ttgctagata agattaagga aatttttgaa 1080
    gcatttaccc tgcgagtgcc tttttcaaag tcctacaaga ttcatgattt agagagtgtt 1140
    gcaattetgg aagaacgiga ttatcaggaa gacggcgaag tgattacagg ctacattice 1200
    gagaaaaata aatggaggtt agaagaattt tatgactga
55
    <210> 38
    <211> 483
```

```
<212> DNA
      <213> Streptococcus pneumoniae
      atggcagaaa aaacatatcc tatgaccctt gaggaaaagg aaaaacttga aaaagaatta 60
      gaagaattga aattggttcg tcgaccagaa gtggtagaac gcattaagat tgcccgttca 120
      tacggtgacc tttcagaaaa cagtgagtac gaagcagcta aggatgaaca agcctttgtc 180
      gaaggacaaa tototagott agaaacaaaa atoogotatg otgaaatogt caatagogac 240
      geagttgece aggacgaagt agegattggt aaaacagtca ccatccaaga aattggtgag 300
 10
      gacgaagaag aagtttatat tatcgtaggt tcagctggtg cggatgcctt tgcaggtaag 360
      gtttcaaatg aaagcccaat tgggcaggcc ttgattggca agaaaacagg tgatacagca 420
      accattgaaa cgcctgttgg tagctatgat gtaaaaatct tgaaggttga aaaaacagcc 480
 15
      <210> 39
      <211> 570
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      <400> 39
      atgaccaaat tacttgtagg cttgggaaat ccaggggata aatattttga aacaaaacac 60
      aatgttggtt ttatgttgat tgatcaacta gcgaagaaac agaatgtcac ttttacacac 120
      gataagatat ttcaagctga cctagcatcc tttttcctaa atggagaaaa aatttatctg 180
      gttaaaccaa cgacctttat gaatgaaagt ggaaaagcag ttcatgcttt attaacttac 240
      tatggtttgg atattgacga tttacttatc atttacgatg atcttgacat ggaagttggg 300
 25
      aaaattegtt taagageaaa aggeteagea ggtggteata atggtateaa gtetattatt 360
      caacatatag gaactcaggt ctttaaccgt gttaagattg gaattggaag acctaaaaat 420
      ggtatgtcag ttgttcatca tgttttgagt aagtttgaca gggatgagta tatcggtatt 480
      ttacagtctg ttgacaaagt tgacgattct gtaaactact atttacaaga gaaaaatttt 540
30
     gagaaaacaa tgcagaggta taacggataa
                                                                        570
     <210> 40
     <211> 852
     <212> DNA
35
     <213> Streptococcus pneumoniae
     <400> 40
     atgattttaa ttacaggggc aaatggccaa ttaggaacgg aacttcgcta tttattggat 60
     gaacgtaatg aagaatacgt ggcagtagat gtggctaaga tggacattac caatgaagaa 120
40
     atggttgaga aagtttttga agaggtgaaa ccgactttag tctaccattg tgcagcctac 180
     accgctgttg atgcagcaga ggatgaagga aaagagttgg acttcgccat caatgtgacg 240
     gggacaaaaa atgtcgcaaa agcatctgaa aagcatggtg caactctagt ttatatttct 300
     acggactatg tctttgacgg taagaaacca gttggacaag agtgggaagt tgatgaccga 360
     ccagatccac agacagaata tggacgcact aagcgtatgg gggaagagtt agttgagaag 420
45
     catgtgtcta atttctatat tatccgtact gcctgggtat ttggaaatta tggcaaaaac 480
     ttcgttttta ccatgcaaaa tcttgcgaaa actcataaga ctttaacagt tgtaaatgat 540
     cagtacggtc gtccgacttg gactcgtacc ttggctgagt tcatgaccta cctagctgaa 600
     aatcgtaagg aatttggtta ttatcatttg tcaaatgatg cgacagaaga cacaacatgg 660
     tatgattttg cagttgaaat tttgaaagat acagatgtcg aagtcaagcc agtagattcc 720
50
     agtcaatttc cagccaaagc taaacgtccg ctaaactcaa cgatgagcct ggccaaagcc 780
     aaagctactg gatttgttat tccaacttgg caagatgcat tgcaagaatt ttacaaacaa 840
     gaagtgagat aa
    <210> 41
55
    <211> 1224
    <212> DNA
    <213> Streptococcus pneumoniae
```

```
<400> 41
       atgaaacgtt ctctcgactc aagagtcgat tacagtttgc tcttgccagt atttttcta 60
       ctggtcatcg gtgtggtggc tatctatata gccgttagtc atgattaccc caataatatt 120
       ctgcccattt tagggcagca ggtcgcctgg attgccttgg ggcttgtgat tggttttgtg 180
       gtcatgctct ttaatacaga atttctttgg aaggtgaccc cctttctata tattttaggc 240
       ttgggactta tgatcttgcc gattgtattt tataatccaa gcttagttgc atcaacgggt 300
       gccaaaaact gggtatcaat aaatggaatt accctattcc aaccgtcaga atttatgaag 360
       atateetata teeteatgtt ggetegtgte attgteeaat ttacaaagaa acataaggaa 420
      tggagacgca cggttccgct ggactttttg ttaattttct ggatgattct ctttaccatt 480
  10
       ccagtectag ttettttage actteaaagt gaettgggga eggetttggt ttttgtagee 540
      attttctcag gaatcgtttt attatcaggg gtttcttgga aaattattat cccagtattt 600
      gtgactgctg taacaggagt tgctggtttc ttagctatct ttattagcaa ggacggacga 660
      gettttette accagattgg aatgeegace taccaaatca ateggatttt ggettggete 720
      aatccctttg agtttgccca aacaacgact taccagcagg ctcaagggca gattgccatt 780
 15
      gggagtggtg gettatttgg teagggattt aatgettega atetgettat eecagttega 840
      gagtcagata tgatttttac ggttattgca gaagattttg gctttattgg ctctgtcctg 900
      gttattgccc tetateteat gttgatttac egtatgttga agattactet taaatcaaat 960
      aaccagttet acaettatat ttecacaggt ttgattatga tgttgetett ceacatettt 1020
      gagaatateg gtgetgtgae tggactaett cetttgaegg ggatteeett geettteatt 1080
 20
      tegeaagggg gateagetat tateagtaat etgattggtg ttggtttget tttategatg 1140
      agttaccaga ctaatctagc tgaagaaaag agcggaaaaag ttccattcaa acggaaaaag 1200
      gttgtattaa aacaaattaa ataa
 25
      <210> 42
      <211> 609
      <212> DNA
      <213> Streptococcus pneumoniae
 30
      <400> 42
     atgggaaaaa tcatcggaat cactggggga attgcctcag gtaagtcaac tgtgacaaat 60
     tttctaaaac accaagggct ttcaagcagt ggattgccga cgcagtgttc caccaactac 120
     agaaaacctg gtggtcgtct gtttgaggct ttagtacagc actttgggca agaaatcatt 180
     cttgaaaacg gagaactcaa tcgccctctc atagctagtc tcatcttttc aaatcctgaa 240
35
     gagcaaaaat ggtctaatca aattcaaggg gagattatcc gtgaggaact ggctactttg 300
     agagaacagt tggctcagac agaagagatt ttcttcatgg atattcccct actttttgaa 360
     caggactaca gegattggtt tgctgagact tggttggtct atgtggaccg agatgcccaa 420
     gtagaacget taatgaaaag ggaccagttg tecaaagatg aagetgagte tegtatggea 480
     gcccagtggc ctttagaaaa aaagaaagat ttggccagcc aggttcttga taataatggc 540
     aatcagaacc agcttcttaa tcaagtgcat atcettcttg agggaggtag gcaagatgac 600
40
     agagattaa
     <210> 43
     <211> 1260
45
     <212> DNA
     <213> Streptococcus pneumoniae
   . <400> 43
     atgagaaaaa ttgttatcaa tggtggatta ccactgcaag gtgaaattac tattagtggt 60
50
     gctaaaaata gtgttgtggc cttaattcca gctattatat tggctgatga tgtggtgact 120
    ttggattgtg ttccagatat ttcggatgta gccagtcttg tcgaaatcat ggaattgatg 180
    ggagetactg ttaagegtta tgacgatgte ttggagattg atccaagagg tgttcaaaat 240
    attocaatgo ottatggtaa aattaacagt ottogtgoat ottactattt ttatgggage 300
    ctcttaggcc gttttggtga agcgacagtt ggtctaccgg gaggatgtga tcttggtcct 360
55
    egteegattg acttacacet taaggegttt gaagetatgg gtgeeactge tagetacgag 420
    ggagataaca tgaagttatc tgctaaagat acaggacttc atggtgcaag tatttacatg 480
    gatacggtta gtgtgggagc aacgattaat acgatgattg ctgcagttaa agcaaatggt 540
```

```
cgtactatta ttgaaaatgc agcccgtgaa cctgagatta ttgatgtagc tactctcttg 600
       aataatatgg gtgcccatat ccgtggggca ggaactaata tcatcattat tgatggtgtt 660
       gaaagattac atgggacacg tcatcaggtg attccagacc gcattgaagc tggaacatat 720
       atatetttag etgetgeagt tggtaaagga attegtataa ataatgttet ttaegaacae 780
       ctggaagggt ttattgctaa gttggaagaa atgggagtga gaatgactgt atctgaagac 840
       agcattittg tegaggaaca gtetaatttg aaagcaatea atattaagae ageteettae 900
       ccaggetttg caactgattt gcaacaaccg ettacceete ttttactaag agegaatggt 960
       cgtggtacaa ttgtcgatac gatttacgaa aaacgtgtaa atcatgtttt tgaactagca 1020
       aagatggatg cggatatttc gacaacaaat ggtcatattt tgtacacggg tggacgtgat 1080
  10
      ttacgtgggg ccagtgttaa agcgaccgac ttaagagctg gggctgcact agtcattgct 1140
       gggcttatgg ctgaaggtaa aactgaaatt accaatattg agtttatctt acgtggttat 1200
      tctgatatta tcgaaaaatt acgtaattta ggagcggata ttagacttgt tgaggattaa 1260
      <210> 44
 15
      <211> 696
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 44
 20
      atgtcaagaa ttgaattttc accatctttg atgaccatgg atttggacaa attcaaagag 60
      cagattactt ttttgaatga taaagtagca tcttatcata tcgatattat ggatggccat 120
      tttgttccca atattacctt gtctccttgg ttcattcaag aagttcaaaa aattagtgac 180
      acacetttat cagtteatet gatggteaca gaceeaacet tttgggtaga teaagttete 240
      gatttacaat gtgagtatat ttgtattcat gctgaagttc tgaatggtct tgcttttcgt 300
 25
      ttgattgata aaattcatga tgcaggtcta aaggctggtg ttgtccttaa tcctgaaaca 360
      cctgtttcta caatctttcc ctacattgat ttacttgaca aagtaactat tatgactgta 420
      gatccaggtt ttgcaggaca acgetttttg gagtctacet tgtataaaat ccaagaacte 480
      cgtcagctta gagttcagaa tggttatcac tacatcattg agatggatgg ttcttcgagt 540
     cgtaagactt tcaaacaaat tgatgtggca ggaccagata tttatgttat aggtcgcagt 600
 30
     ggattatttg gtttggatga cgatattgcc aaagcctggg atatctgttc tagagattac 660
      gaagaaatga ccggaaaaac aatgccaatc aaataa
     <210> 45
     <211> 1125
35
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 45
     atgagaaata tggctttgac agcaggtatc gttggtttgc caaacgttgg taaatcaaca 60
40
     ctatttaatg caattacaaa agcaggagca gaggcagcaa actacccatt tgcgactatt 120
     gatccaaatg ttggaatggt ggaagatcca gatgaacgcc tacaaaaact aactgaaatg 180
     ataacteeta aaaagacagt teecacaaca tttgaattta eggatattge agggattgta 240
     aaaggagctt caaaaggaga agggctaggg aataaattct tggccaatat tcgtgaagta 300
     gatgcgattg ttcacgtagt tcgtgctttt gatgatgaaa atgtgatgcg cgagcaagga 360
45
     cgtgaagacg cetttgtaga tecaettgca gatattgata caattaatet ggaattaatt 420
     cttgctgact tagaatcagt gaacaaacga tatgcgcgtg tagaaaagat ggcacgtacg 480
     caaaaagata aagaatcagt agcagaattc aatgttcttc aaaagattaa accagtccta 540
     gaagacggga aatcagctcg taccattgaa tttacagatg aggaacaaaa ggttgtcaaa 600
     ggtcttttcc ttttgacgac taaaccagtt ctttatgtag ctaatgtgga cgaggatgtg 660
50
    gtttcagaac ctgactctat cgactatgtc aaacaaattc gtgaatttgc agcgacagaa 720
    aatgctgaag tagtcgttat ttctgcgcgt gctgaggaag aaatttctga attggatgat 780
    gaagataaaa aagagtttct tgaagccatt ggtttgacag aatcaggtgt agataagttg 840
    acgcgtgcag cttaccactt gcttggattg ggaacttact tcacagctgg tgaaaaagaa 900
    gttcgcgctt ggactttcaa acgtggtatg aaggctcctc aagcagctgg tattatccac 960
55
    tcagactttg aaaaaggctt tattcgtgca gtaaccatgt catatgaaga tctagtgaaa 1020
    tacggatetg aaaaggeegt aaaagaaget ggacgettge gtgaagaagg aaaagaatat 1080
    atcgttcaag atggcgatat catggaattc cgctttaatg tctaa
                                                                       1125
```

```
<210> 46
      <211> 333
     <212> DNA
  5
     <213> Streptococcus pneumoniae
      <400> 46
      atggaaatcg aaaaaaccaa tcgtatgaat gcgctctttg aattttatgc ggcgcttttg 60
      acagataagc aaatgaatta tatagagctt tactacgctg atgattacag tcttgctgag 120
 10
      atagctgagg agtttggtgt tagtcgtcag gctgtctatg acaatatcaa gcgaacagaa 180
      aagattctgg aagattatga gatgaaattg cacatgtact cggactacat tgtccgtagt 240
      cagatttttg accaaatctt ggagcgctat cccaaggatg attttctgca ggagcagata 300
      gaaattttaa caagcattga taatagagaa taa
 15
      <210> 47
      <211> 672
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      atgaccttag aatgggaaga atttctagat ccttacattc aagctgttgg tgagttaaag 60
      attaaacttc gtggtattcg taagcaatat cgtaagcaaa ataagcattc tccaattgag 120
     tttgtgaccg gtcgagtcaa gccaattgag agcatcaaag aaaaaatggc tcgtcgtggc 180
     attacttatg cgaccttgga acacgatttg caggatattg ctggcttacg tgtgatggtt 240
25
     cagtttgtag atgacgtcaa ggaagtagtg gatattttgc acaagcgtca ggatatgcga 300
     atcatacagg agcgagatta cattactcat agaaaagcat caggctatcg ttcctatcat 360
     gtggtagtag aatatacggt tgataccatc aatggagcta agactatttt ggcagaaatt 420
     caaattcgta ctttggccat gaatttctgg gcaacgatag aacattctct caactacaag 480
     taccaagggg atttcccaga tgagattaag aagcgactgg aaattacagc tagaatcgcc 540
30
     catcagttgg atgaagaaat gggtgaaatt cgtgatgata tccaagaagc ccaggcactt 600
     tttgatcctt tgagtagaaa attaaatgac ggtgtaggaa acagtgacga tacagatgaa 660
     gaatacaggt aa
     <210> 48
35
     <211> 588
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 48
40
     atggaactta atacacacaa tgctgaaatc ttgctcagtg cagctaataa gtcccactat 60
     ccgcaggatg aactgccaga gattgcccta gcagggcgtt caaatgttgg taaatccagc 120
     tttatcaaca ctatgttgaa ccgtaagaat ctcgctcgta catcaggaaa acctggtaaa 180
   acccagetee tgaacttttt taacattgat gacaagatge getttgtgga tgtgeetggt 240
     tatggctatg ctcgtgtttc taaaaaggaa cgtgaaaagt gggggtgcat gattgaggag 300
   tacttaacga ctcgggaaaa tctccgtgcg gttgtcagtc tagttgacct tcgtcatgac 360
     ccgtcagcag atgatgtgca gatgtacgaa tttctcaagt attatgagat tccagtcatc 420
     attgtggcga ccaaggcgga caagattcct cgtggtaaat ggaacaagca tgaatcagca 480
     atcaaaaaga aattaaactt tgacccaagt gacgatttca tcctcttttc atctgtcagc 540
     aaggcaggga tggatgaggc ttgggatgca atcttagaaa aattgtga
50
     <210> 49
     <211> 294
     <212> DNA
     <213> Streptococcus pneumoniae
55
    <400> 49
    atgaaaacaa gaaaaatccc tttgcgcaag tctgttgtgt ctaacgaagt gattgataag 60
```

```
cgtgatttgc tccgcattgt taagaacaag gaaggacaag tctttattga tcctacgggc 120
      aaggccaatg geegeggege ttatateaaa etagacaatg cagaageeet agaggegaaa 180
      aagaagaagg tctttaaccg cagctttagc atggaagtgg aagaaagctt ttatgacgag 240
      ttgatcgctt atgtggatca caaagtgaaa agaagagagt tgggacttga ataa
  5
      <210> 50
      <211> 312
      <212> DNA
      <213> Streptococcus pneumoniae
10
      <400> 50
      atgttaaaac cctctattga taccttgctc gacaaggttc cttcaaaata ttcactcgta 60
      atcttggaag caaaacgtgc ccacgaattg gaagcaggtg ccccaqcaac tcaaqqtttc 120
      aagtotgaaa aatcaactot togogottta gaagaaatog aatcaggaaa ogttacaatt 180
15
      cacccagatc cagaaggaaa acgtgaagca gtgcgtcgcc gtatcgaaga agaaaaacgc 240
      cgcaaagaag aagaagaaaa gaaaatcaaa gagcaaattg ctaaagaaaa agaagatggt 300
      gaaaaaattt aa
      <210> 51
20
      <211> 312
      <212> DNA
      <213> Streptococcus pneumoniae
25
     atgtcattaa catcaaaaca acgtgccttc ctcaacagcc aggcacacac cctcaaacct 60
      atcatccaaa tcgggaaaaa tggactcaac gaccaaatca aaaccagcgt ccgtcaagct 120
     cttgatgcgc gtgaattaat caaggttact ctcttacaaa acacagatga aaacatccac 180
     gaagtagctg aaattttgga agaagaaatc ggtgtggata cagtccaaaa aataggacgc 240
     atcttgattt tgtttaaaca atctagcaag aaagaaaatc gcaagatttc taagaaagtc 300
30
     aaagaaatct aa
     <210> 52
     <211> 528
     <212> DNA
35
     <213> Streptococcus pneumoniae
     <400> 52
     atggcgattg aaaattatat accagatttt gctgtggaag cagtctatga tctgacagtc 60
     ccaagcctgc aggcgcaggg aatcaaggct gttttggtcg atttggataa taccctcatt 120
40
     gcttggaaca accctgatgg aacgccagag atgaagcaat ggctacatga ccttcgggac 180
     gegggtattg geattategt agtgteaaat aacaccaaaa aacgegttea acgageagtt 240
     gagaaatttg ggattgatta cgtttactgg gccttgaagc ccttcacatt tggtattgac 300
     cqtqctatga aggaattcca ctatgacaaa aaggaagtgg tcatggttgg tgaccagctc 360
     atgacagata tacgagcagc ccaccgtgca gggattcggt caattttagt caaacccttg 420
45
     gtccaacatg actcaatcaa aacgcagatt aaccgaactc gtgagcgtcg tgttatgaga 480
     aaaatcactg aaaagtacgg accgattaca tataaaaaag gaatttaa
     <210> 53
     <211> 1368
50
     <212> DNA
     <213> Streptococcus pneumoniae
     atgtttcgaa aaattttaat tgccaatcgt ggtgaaattg cggttcgtat tatccgtgcg 60
55
     gcacgtgaat tggggattgc gacggtagcg gtttattcaa ctgctgataa ggaagctctt 120
     catacgctgt tggcagatga agcagtttgt attggtcctg gcaaggcaac agagtcttat 180
     ctcaatatta atgcagttct atcagctgca gtcttgactg aggcagaagc tattcaccct 240
```

```
ggttttggat ttctcagtga aaattccaaa tttgcgacca tgtgtgaaga aataggtatc 300
      aagtttatcg gtccatctgg tcatgttatg gatatgatgg gggataaaat caatgcgcgt 360
      gctcagatga ttaaagcagg tgtgcctgtt ataccaggtt cagatggaga agtgcataac 420
      tctgaagaag ctttgattgt tgctgaaaaa attggctatc ctgttatgct caaggcttca 480
    gcaggtggag gtggtaaagg gattcgtaag gttgaaaaac cagatgacct cgtttctgcc 540
      tttgaaactg cctctagtga ggccaaggcc aattatggca atggtgccat gtacatagaa 600
      cgggttatct atccagctcg gcacattgag gttcaaatcc taggtgatga gcatggacat 660
      gtgattcact tgggtgaacg ggattgttct cttcaaagga ataaccaaaa ggttttggaa 720
      gaaagtccct cgattgcaat cggaaaaacg ctgcgtcatg aaataggtgc tgctgctgtt 780
 10
      cgagcggcag agtttgttgg ctatgagaat gcaggaacca ttgaatttct tcttgatgaa 840
      gcaagtagca atttctattt catggagatg aatactcgtg ttcaggtaga acatccagta 900
      acagagtttg tttcaggtgt tgatatcgtt aaggaacaga tttgcattgc ggcaggtcag 960
      cctttgtctg ttaagcaaga agatattgtc ctacgcggtc atgccatcga gtgtcgtatc 1020
      aatgcagaaa acccagcett taactttget ecaagtecag gtaagattae taatetetat 1080
 15
      ctgccaagtg gtggagttgg cttgcgcgtg gattcagcag tttatccagg ttataccatt 1140
      cogcettatt atgatagtat gattgccaaa atcatagtac acggcgaaaa tcgttttgac 1200
      gccttgatga aaatgcaacg tgccctctat gaattagaaa ttgaaggagt gcagaccaat 1260
      gcagatttcc agcttgacct catttcagat cgcaatgtca ttgctgggga ttatgatact 1320
      tgcttcttga tggaaacctt cttacctaaa tatcaagaaa aagaataa
 20
      <210> 54
      <211> 234
      <212> DNA
      <213> Streptococcus pneumoniae
25
      <400> 54
     atgatttaca aagtttttta tcaagaaaca aaagaacgta gcccacgccg tgaaacaaca 60
     cgcgcgcttt acctagacat cgataccagc tcagaacttg agggccgtat cactgctcgc 120
     caacttgtcg aagaaaatcg cccagagtac aatatcgaat atatcgaact cttgtctgac 180
30
     aaattgctcg attacgaaaa agaaactggc gccttcgaaa ttacggagtt ctaa
     <210> 55
     <211> 1011
     <212> DNA
35
     <213> Streptococcus pneumoniae
     <400> 55
     atgaaggata gatatatttt agcatttgag acatcctgtg atgagaccag tgtcgccgtc 60
     ttgaaaaacg acgatgagct cttgtccaat gtcattgcta gtcaaattga gagtcacaaa 120
40
     cgttttggtg gcgtagtgcc cgaagtagcc agtcgtcacc atgtcgaggt cattacagcc 180
     tgtatcgagg aggcattggc agaagcaggg attaccgaag aggacgtgac agctgttgcg 240
     gttacetacg gaccaggett ggteggagee ttgetagttg gtttgtcage tgccaaggee 300
     tttgcttggg ctcacggact tccactgatt cctgttaatc acatggctgg gcacctcatg 360
     gcagctcaga gtgtggagcc tttggagttt cccttgctag ccctcttggt cagcggcgga 420
     cacacagagt tggtctatgt ttctgaggct ggcgattaca agattgttgg ggagacacga 480
     gatgacgcgg ttggcgaggc ctatgataag gtcggccgtg tcatgggctt gacctatcct 540
     gcaggtcgtg agattgacga gctggctcat caggggcagg atatttatga tttcccccgt 600
     gccatgatta aggaagataa tctggagttt tcattctctg gtttgaagtc agcctttatc 660
     aatetteate acaatgeega geaaaaggga gaaageetgt etacagaaga tttgtgtget 720
50
     tccttccaag cagcagttat ggacattctc atggcaaaaa ccaagaaggc tttggaggaa 780
    tatcctgtta aaaccctatt tgtggcaggt ggtgtggcag ccaataaagg tctcagagaa 840
    cgcttagcag ccgaaatcac agatgtcaag gttatcatcc cccctctgcg actctgcgga 900
    qacaatgcag qtatgattgc ctatgccagc gtcagcgagt ggaacaaaga aaacttcgca 960
    ggctgggacc tcaatgccaa accaagtctt gcctttgata ccatggaata a
55
    <210> 56
     <211> 1809
```

<212> DNA 213> Streptococcus pneumoniae

```
atgtgtggaa ttgttggtgt tgttggaaac acaaatgcaa ctgatatttt gattcaaggg 60
      cttgaaaage ttgaataceg tggctatgat tctgegggaa tttttgteet agatggtget 120
      gataaccatt tggtgaaggc ggttggtcgt attgcagaat tgtctgccaa gacagctggt 180
      gttgagggaa caactggtat cggacatact cgttgggcta ctcacggaaa accaactgag 240
      gacaatgete acceacaceg etetgagaca gaacgttttg tettggtgca taatggggtg 300
      attgagaact atcttgaaat caaggaagaa taccttgcag gtcaccactt caaggggcag 360
      acagatactg aaatagccgt tcatttgatt ggaaaatttg cggaagaaga agggctctca 420
      gttcttgaag cctttaaaaa agctcttcat attatccgtg gttcatatgc ctttgccttg 480
      attgactetg aaaateeaga tgteatetat gtagegaaaa acaaatetee aettitgatt 540
      ggtcttgggg aaggctacaa tatggtctgc tcagatgcta tggctatgat tcgtgaaacc 600
 15
      aaccaataca tggaaattca tgaccaagag ttggtaatcg tcaaggctga tagcgtggaa 660
      tcagatatcg gtaagggaac ttatccttac tacatgctta aggaaattga tgagcaacca 780
      actyttatgc gtaaactcat tcaagcctac acggatgatg ctggtcaagt agtggttgct 840
      cctgctatca ttaaggctgt tcaagacgca gaccgcatct acatccttgc agctggaaca 900
- 20
      tettaccatg caggatttgc ttetaagaaa atgttggaag aattgacaga tacaccagtt 960
      gaacttggaa tctcatctga gtggggctac ggtatgccac ttctcagcaa gaaaccactc 1020
      ttcatcttta tcagccaatc tggtgaaaca gcggatagtc gtcaagtttt ggtcaaggct 1080
      aatgaaatgg gaattccaag cttaacagtg acaaatgttc caggttcaac cctctcacgt 1140
      gaagecaaet ataecatget eetteaegea ggaeetgaaa ttgeegtgge atcaactaaa 1200
 25
      gcctatacag cgcaaatcgc agcccttgcc ttccttgcaa aagcagtcgg agaagcaaat 1260
      ggtaatgcta aagcgcaagc cittgacctg gttcatgaat tgtcaatcgt agctcagtct 1320
      attgaatcaa etettteaga gaaagaaace attgaageea aggttegtga aettettgaa 1380
     acaactcgta acgcctttta catcggacgt ggtcaagatt actacgtagc catggaagca 1440
     agteteaaac teaaagagat ttettatate eagtgtgaag gttttgegge aggagaacte 1500
 30
     aagcacggaa ccattgcctt gattgaagaa ggaacgcctg ttttggctct cttgtcagat 1560
     ccagttettg ccaaccatac tcgtggaaat atccaagagg tcgcagcccg tggtgccaaa 1620
     gtcctcacta tcgcagaaga gaatgtagcc aaagataccg acgatatcgt ccttacgacc 1680
     gtacatccat acctctcacc aatttcaatg gtcgtaccaa cgcaattagt cgcttacttt 1740
     gcaaccetee accetegeet egatetegac aaaccaeeta accttegeeaa etcaetaaee 1800
 35
     gtagaataa
     <210> 57
     <211> 723
     <212> DNA
40
     <213> Streptococcus pneumoniae
     atgatacgta tcgaaaatct cagtgtctcc tacaaagaaa cgttggcact taaggatatt 60
     tcactagtgc tccatggacc aacaattacc ggcatcattg gtccaaacgg cgctgggaaa 120
45
     tcaacactat taaaaggtat gctgggaatt atcccacatc aaggtcaggc atttctcgat 180
     gacaaggaag ttaaaaaatc cttacaccga attgcctatg tcgaacaaaa aatcaatatc 240
     gactacaact ttcccatcaa ggtcaaggaa tgcgtctcgt taggactatt tccctctatt 300
     cetetette gaagtttaaa ggetaaacat tggaagaaag tgcaagagge cettgaaate 360
     gtcggcctag ctgactacgc tgaacgtcaa attagtcaac tgtctggagg tcaattccag 420
50
    cgggtcttga ttgccagatg tttggtgcag gaagccgact atatcctctt ggatgaaccc 480
    tttgctggga ttgactctgt cagtgaggaa atcatcatga atacgctgag agatttgaaa 540
    aaagetggga agaeggttet categtteae caegacetea geaagattee eeactactte 600
    gatcaagtct tacttgtcaa tcgagaagtg attgcctttg gtccaacaaa agaaactttt 660
    accgaaacca atctaaaaga agcttacggt aatcaactct ttttcaatgg aggtgaccta 720
55
    tga
```

<210> 58

<211> 2223

```
<212> DNA
      <213> Streptococcus pneumoniae
      <400> 58
      atgccgaaag aagtgaattt aacaggcgaa gaagttgtcg ctttaaccaa agaatattta 60
      acggaagagg atgttcattt tgtccataag gccttggtct atgctgttga atgccacagt 120
      ggtcaatatc gcaaatcagg cgagccttat atcattcacc ctatccaagt ggcaggtatt 180
      ttagctaagc taaagctgga tgctgtaaca gtagcttgtg gattcttgca tgatgtggtg 240
 10
      gaagatacag atgcgacctt ggacgatttg gaaagagagt ttggtcctga tgtgcgggtg 300
      attgttgacg gagttaccaa gcttggcaag gtcgagtaca aatcgatcga ggagcaatta 360
      geggaaaate ategeaagat geteatggee atgtetgagg acateegegt tattttggte 420
      aaactgtetg accgettgea caatatgegg accetgaaac atettegaaa agacaageag 480
      gagegtattt ccaaagaaac catggaaatc tatgccccac ttgcccatcg tttggggatt 540
15
      tccagtgtca aatgggaatt agaagacttg tctttccgtt atctcaatcc aacggagttt 600
      tacaagatta cccatatgat gaaggaaaag cgcagggagc gtgaggcctt ggtggatgag 660
      gtagtcacaa aattagagga gtatacgaca gaacgtcact tgaaagggaa gatttatggt 720
      cgtcccaagc atatttactc aattttccgc aaaatgcagg acaagagaaa acggtttgag 780
      gaaatctatg atctgattgc tattcgttgt attttagata cccaaagtga tgtttatgcc 840
 20
      atgcttggtt acgtgcatga attttggaaa ccgatgccag gtcgcttcaa agactatatt 900
      gccaaccgca aggccaatgg ttatcagtct atccatacga ctgtttatgg accaaaaggg 960
      ccgattgaat tccagattcg aaccaaggaa atgcacgagg tggctgagta cggggttgcg 1020
      gctcactggg cttataagaa aggtataaag gggcaagtta acagcaagga atcagctatt 1080
      ggaatgaact ggatcaagga gatgatggag ctccaagacc aggctgatga tgctaaggaa 1140
      tttgtggact ctgttaagga aaactatctg gctgaggaga tttacgtttt taccccagat 1200
      ggagctgtcc gttcccttcc caaagattca ggaccgattg attttgccta cgaaatccat 1260
      accaaggteg gtgaaaaage aactggtgee aaggteaatg geegeatggt teeactgaea 1320
      accaagttaa agacagggga tcaggttgaa attatcgcca acccgaactc ctttggacct 1380
      agccgtgact ggctcaatat ggtcaagact agcaaggcgc gcaataagat tcgccagttc 1440
30
     tttaaaaacc aagataagga attgtctgtc aacaagggtc gtgagatgct gatggctcag 1500
     ttccaagaaa atggctatgt ggcaaataaa tttatggaca agcgccacat ggatcaagtt 1560
     ctgcaaaaga ccagttacaa gacagaagac tccctctttg cggccattgg ttttggggaa 1620
     ateggtgega ttaccgtett taaccgtetg actgaaaagg aacgccgtga ggaagagcgt 1680
     gccaaggcca aggctgaggc agaggagctt gtcaaaggtg gcgaggtcaa ggttgaaaat 1740
35
     aaagaaactc tcaaggtcaa gcatgagggg ggagtggtta ttgaaggtgc ttctggtctc 1800
     ctagtgcgga ttgctaagtg ttgtaacccc gtgcctggtg acgatattgt tggctacatt 1860
     accaagggtc gtggtgtggc tattcaccgt gtggactgta tgaacctgcg tgcccaagaa 1920
     aactacgage aacgteteet tgatgtggaa tgggaagace agtactetag etcaaataag 1980
     gagtatctgg cccatatcga tatctacggt ctcaaccgta caggactgtt gaacgatgta 2040
     ctgcaagttc tttcaaatac aaccaagaat atttcaacgg tcaatgccca accaaccaag 2100
     gatatgaagt ttgctaatat ccatgtgtcc ttcggtattg ccaacctctc tacactgacc 2160
     acggttgtcg ataaaattaa gagtgtgcca gaagtttact ctgtcaaacg gaccaacggc 2220
     tag
                                                                        2223
45
     <210> 59 .
     <211> 1479
     <212> DNA
     <213> Streptococcus pneumoniae
50
     <400> 59
     atgtctaatt gggacactaa atttttgaaa aaaggtttta cctttgatga tgtattgctt 60
     attccagctg aaagtcatgt gttgcctaac gatgcagatt taacaactaa attggcagat 120
     aatttgactt taaatatccc aattattacc gctgccatgg acacagttac agagagtcaa 180
    atggccattg ctattgctcg tgcaggcggt ctcggagtta tccataaaaa catgtcaatt 240
55
    gctcaacaag cagacgaggt tcgtaaggta aaacgttctg aaaatggagt tattattgat 300
    ccgttcttct tgacgcctga acatacaatt gctgaagcag atgagcttat gggtcgttac 360
```

cgcatcagtg gtgttccagt tgttgaaaca cttgaaaatc gtaaattggt tggtattttg 420

```
acaaaccgag atcttcgttt tatttcagat tataatcaac caatttcaaa ccatatgact 480
      agtgaaaatc ttgttactgc tcctgtgggt acggatcttg caacggctga gagtattctt 540
      caagagcatc gtattgaaaa acttccgttg gtcgatgaag aaggcagtct ttctggtttg 600
      atcactatca aagatattga aaaagttatt gagtttccaa atgcggctaa agatgagttt 660
      ggtcgtcttc tagttgcagg tgcagtaggt gttacttcag atacatttga acgtgcagag 720
      gctctttttg aggcaggagc ggatgcgatt gttattgata ctgcacatgg tcattctgca 780
      ggtgtcttgc gtaaaattgc cgagattcgt gctcatttcc cagatcggac tttgattgct 840
      ggaaatattg ctactgctga aggtgcacgt gccctttatg aagcgggtgt agacgttgtt 900
      aaggttggta ttggaccagg ttctatctgt actactcgtg tgattgctgg tgttggtgtt 960
 10
      ccgcaagtaa cagctatcta cgatgctgca gctgttgcgc gcgaatatgg taaaacgatt 1020
      attgctgacg gtgggatcaa gtattctgga gatattgtaa aagcacttgc tgcaggtgga 1080
      aatgctgtta tgcttggatc tatgtttgct ggaactgatg aagctccagg cgaaactgaa 1140
      atcttccaag gacgtaaatt caagacttac cgtggtatgg gatcaattgc tgctatgaag 1200
      aaaggttcaa gcgaccgtta tttccaaggt tctgtcaatg aagcaaacaa gcttgttcca 1260
 15
      gaaggaattg aaggtcgtgt tgcttataaa ggagcggcag ctgatattgt tttccaaatg 1320
      attggtggta ttcgctctgg tatgggttac tgtggtgcag ctaaccttaa agaactacac 1380
      gataatgctc aatttattga aatgtctggt gctggtttga aagaaagcca tcctcatgat 1440
      gtgcaaatta ctaatgaggc accaaattat tctatgtaa
 20
      <210> 60
      <211> 1947
     <212> DNA
     <213> Streptococcus pneumoniae
25
     <400> 60
     atgacagaag aaatcaaaaa tctgcaggca caggattatg atgccagtca aattcaagtt 60
     ttagagggct tagaggctgt tcgtatgcgt ccagggatgt acattggatc aacctcaaaa 120
     gaaggtette accatetagt etgggaaatt gttgataact caattgacga ggcettggea 180
     ggatttgcca gccatattca agtttttatt gagccagatg attcgattac tqttqtqqat 240
30
     gatgggcgtg gtatcccagt cgatattcag gaaaaaacag gccgtcctgc tgttgagacc 300
     gtctttacag tccttcacgc tggaggaaag ttcggcggtg gtggatacaa ggtttcaggt 360
     ggtcttcacg gggtggggtc gtcagtagtt aatgcccttt ccactcaatt agacgttcat 420
     gttcacaaaa atggtaagat tcattaccaa gaataccgtc gtggtcatgt tgtcgcagat 480
     35
     aaaatettea etgaaacaac aatetttgat titgataaat taaataaacg gatteaagag 600
     ttggcctttc taaatcgcgg tcttcaaatt tcaattacag ataagcgcca aggtttggaa 660
     caaaccaagc attatcatta tgaaggtggg attgctagtt acgttgaata tatcaacgag 720
     aacaaggatg taatctttga tacaccaatc tatacagacg gtgagatgga tgatatcaca 780
     gttgaggtag ccatgcagta cacaactggt taccatgaaa atgtcatgag tttcgccaat 840
40
     aatattcata cacatgaagg tggaacgcat gaacaaggtt tccgtacagc cttgacacgt 900
     gttatcaatg attatgctcg taaaaataag ttactgaaag acaatgaaga caacctaaca 960
     ggggaagatg ttcgcgaagg cttaactgca gttatctcag ttaaacaccc aaatccacag 1020
     tttgaaggac aaaccaagac caaattggga aatagcgaag tggtcaagat taccaatcgc 1080
     ctcttcagtg aagccttctc cgatttcctc atggaaaatc cacagattgc caaacgtatc 1140
45
     gtggaaaaag ggattttagc tgccaaggct cgtgtggctg ccaagcgtgc gcgtgaagtc 1200
     acacgtaaaa aatctggttt ggaaatttcc aaccttccag ggaaactagc agactgttct 1260
     tetaataace etgetgaaac agaactette ategtegaag gagacteage tggtggatea 1320
     gccaaatctg gtcgtaaccg tgagtttcag gctatccttc caattcgcgg taagattttg 1380
     aacgttgaaa aagcaagtat ggataagatt ctagctaacg aagaaattcg tagtcttttc 1440
50
    acagccatgg gaacaggatt tggcgcagaa tttgatgttt cgaaagcccg ttaccaaaaa 1500
    ctcgttttga tgaccgatgc cgatgtcgat ggagcccaca ttcgtaccct tcttttaacc 1560
    ttgatttatc gttatatgaa accaatccta gaagctggtt atgtttatat tgcccaacca 1620
    ccaatctatg gtgtcaaggt tggaagcgag attaaagaat atatccagcc gggtgcagat 1680
    caagaaatca aactccaaga agetttagee egttatagtg aaggtegtae caaacegaet 1740
55
    attcagcgtt ataaggggct aggtgaaatg gacgatcatc agctgtggga aacaaccatg 1800
    gatcccgaac atcgcttgat ggctagagtt tctgtagatg atgctgcaga agcagataaa 1860
    atctttgata tgttgatggg ggatcgagta gagcctcgtc gtgagtttat cgaagaaaat 1920
```

```
gctgtctata gtacacttga tgtctaa
                                                                         1947
       <210> 61
       <211> 267
       <212> DNA
       <213> Streptococcus pneumoniae
      atgggattta ctgaagaaac agtacgtttt aaattggacg attccaataa aaaagaaatt 60
      agcgaaactt tgacagatgt ttatgcttcg ttgaacgata agggttacaa cccaattaac 120
      caaatcgtag gttacgtatt gagtggagac cctgcctacg ttcctcgtta taataatgca 180
      cgaaatcaaa tccgtaagta tgagcgtgat gaaatcgttg aggaattggt tcgctactac 240
      ctcaaaggac aaggagtcga tctataa
 15
      <210> 62
      <211> 597
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      <400> 62.
      atggtcaact atccacataa agtttcatca caaaaaagac aaacatctct ttctcaaccc 60
      aaaaatttcg caaatcgagg aatgtctttt gaaaagatga tcaatgctac caacgactac 120
      tatttgtctc agggcttggc tgttatacat aagaaaccaa ctcctattca aatcgtacaa 180
      gtggactatc cacaacgaag tcgtgccaag attgttgaag cctattttcg acaagcttca 240
 25
      acgacggact attctggcgt ttataatgga tattacatcg actttgaagt caaggaaaca 300
      aaacaaaaac gtgcgattcc gatgaaaaat tttcatccac atcagattca gcatatggaa 360
      caagteettg cecaacaagg aatetgettt gteettette aettttette teageaagaa 420
      acctacttat tgccggcatt cgatttgatt cgcttctatc atcaagataa gggacaaaaa 480
      tcaatgccac ttgaatatat tcgagaatat ggatatgaaa tcaaggctgg tgccttccct 540
30
      caaatteett ateteaatgt tateaaagaa catttattag gtggtaaaac aagatga
     <210> 63
     <211> 867
     <212> DNA
35
     <213> Streptococcus pneumoniae
     <400> 63
     atggctctat ttagtaaaaa agataagtat attcgaatca atcccaatcg ttcggttagg 60
     gaaaaacctc aagctaagcc agaggttcca gatgaattat tttcccagtg tccaggctgt 120
40
     aagcatacca totatcagaa ggatotggga agtgaacgta totgtocgca otgtagctat 180
     acctttcgta tttctgccca agaacgcttg gctttgacga ttgatatggg aaccttcaaa 240
     gaattgttta cagggattga aagcaaggat cccttgcatt tccctggtta ccaaaagaaa 300
     ctggcatcta tgcgtgaaaa aacaggtctg catgaagccg ttgtgacagg aactgctctt 360
     attaaaggtc agactgtggc tcttgggatt atggattcta actttatcat ggcttctatg 420
45
     ggtacggttg taggtgaaaa aatcactcgt ttgtttgagt atgcgactgt cgaaaaattg 480
     ccagttgtcc tattcacagc ctctggtgga gcccgtatgc aggaaggaat catgagtctc 540
     atgcagatgg ctaagatctc tgcggcggtt aaacgccatt caaatgctgg tctcttttac 600
     ctgaccattt tgacagatcc aacgactggt ggtgtgacag cttctttcgc tatggaaggc 660
     gatatcattc tggctgaacc acagagettg gttggttttg ctggacgtcg tgtgattgaa 720
50
     aatacggttc gtgaaagctt gcctgaggat ttccaaaagg cagaattcct attagaacat 780
     ggctttgtgg atgctattgt caaaagaaga gacttaccag atacgattgc tagcctagtc 840
     agattgcatg gagggagtcc tagatga
     <210> 64
55
     <211> 420
     <212> DNA
     <213> Streptococcus pneumoniae
```

```
<400> 64
      atgagaatta tgggattgga cgtcggttca aaaacggtag gggtggcgat tagcgatccg 60
      cttggtttta cagctcaagg gcttgaaatc atccagataa atgaagaaca aggccaattt 120
      ggttetgace gegttaagga attggttgat acttacaagg tggaacgatt tgtagtggge 180
      ttgcctaaaa acatgaacaa tacaagtgga ccgcgcgtag aagctagtca agcatacgga 240
      gcaaagctag aagagttttt tggtttacca gtagactatc aggatgaacg cttgacaaca 300
      gtggctgctg agcgcatgtt gattgaacaa gcagatatca gtcgcaataa gcgcaagaaa 360
      gtcattgata agttagcagc tcagctgatt ttacaaaatt atttagatag aaaattttaa 420
 10
      <210> 65
      <211> 1197
      <212> DNA
      <213> Streptococcus pneumoniae
 15
      atggcaaaac ttactgttaa agacgttgac ttgaaaggta aaaaagtcct cgttcgtgtt 60
      gacttcaacg taccattgaa agatggcgta atcactaacg ataaccgtat cacagcagct 120
      cttccaacta ttaagtacat catcgaacaa ggtggacgtg caattctttt ctctcacctt 180
 20
      ggacgtgtga aagaagaagc tgataaagct ggtaaatcac ttgctcctgt agcagcagac 240
      ttggcagcaa aacttggtca agatgttgtt ttcccaggtg tcactcgtgg tgctgaattg 300
      gaageggeaa teaacgetet tgaagatgga caagttetet tggttgaaaa caetegttae 360
      gaagatgttg acggcaagaa agaatctaaa aacgatcctg aacttggtaa atactgggca 420
      tcacttggag atggtatctt cgtaaacgat gcattcggta cagctcaccg tgcacacgca 480
 25
      tctaacgttg gtatctcagc aaacgttgaa aaagcagttg ctggtttcct tcttgaaaac 540
      gaaattgcct acatccaaga agcagttgaa actccagaac gtccattcgt ggctatcctt 600
      ggtggttcaa aagtttcaga caagatcggt gttatcgaaa acttgcttga aaaagctgat 660
      aaagteetta teggtggtgg gatgaettae acattetaea aageacaagg tategaaate 720
      ggtaactcac ttgtagaaga agacaaattg gatgttgcga aagctcttct tgaaaaagca 780
 30
      aatggtaaat tgatcttgcc agttgactca aaagaagcta acgcatttgc tggttacact 840
      gaagtgegtg acaetgaagg tgaageagtt tetgaagget teettggtet tgacateggt 900
     ccaaaatcta tcgccaaatt tgacgaagct ttgactggtg ccaaaacagt tgtatggaac 960
     ggacctatgg gtgtatttga aaacccagat ttccaagctg gtacaatcgg tgtgatggac 1020
     gctatcgtga aacaaccagg agttaaatca atcatcggtg gtggtgactc agctgccgca 1080
35
     gcgattaacc ttggccgtgc agacaagttc tcatggatta gtacgggtgg tggagcatca 1140
     atggaacttc ttgaaggtaa ggttcttcca caacttgcag ccttgacaga aaaataa 1197
     <210> 66
     <211> 498
40
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 66
     atgttaaaat cagaaaaaca atcacgttat caaatgttaa atgaagaatt gtccttccta 60
     ttggaaggcg aaaccaatgt tttggctaat ctttccaacg ccagtgctct cataaaatca 120
     cgttttccta ataccgtatt tgcaggcttt tatttgttcg atggaaagga attggtttta 180
     ggccccttcc aaggaggtgt ttcctgcatc cgtattgcac taggcaaggg tgtttgtggt 240
     gaggcagete actttcagga aactgttatt gttggagatg tgacgaccta tctcaactat 300
     atttcttgtg atagtctagc taaaagtgaa attgtggtgc cgatgatgaa gaatggtcag 360
50
     ttacttggag ttctggatct ggattcttca gagattgagg attacgatgc tatggatcga 420
     gattatttgg aacaatttgt cgctattttg cttgaaaaga cagcatggga ctttacgatg 480
     tttgaggaaa aatcttaa
                                                                       498
    <210> 67
55
    <211> 630
    <212> DNA
    <213> Streptococcus pneumoniae
```

```
atgacaatcg aactattgac tccctttacc aaggtagagt tggagccaga aatcaaggag 60
       aaaaaaacgca aacaagttgg gattttaggg gggaatttta accctgttca caatgcccat 120
       ctcattgttg cggatcaagt acggcaacag ttgggactgg atcaagttct gctcatgcct 180
       gaataccaac ctcctcacgt tgataaaaag gaaaccatcc ctgaacacca tcgtctcaag 240
       atgettgagt tggcaattga gggaattgac ggcctagtca ttgaaaccat tgagttggag 300
       cgcaagggta tttcctacac etacgacacc atgaagattt tgacagagaa gaatccagat 360
       acggattatt actttatcat cggtgccgac atggttgact atctgcctaa gtggtaccga 420
  10
       attgatgaac tggttgacat ggttcagttt gtgggggttc agcgtccacg ctacaaggta 480
      gggacttect atccagttat etgggtggac gtaccgetca tggatatete gtecageatg 540
      gtgcgtgcct tccttgccca aggtcggaaa cccaactttc tcctacctca gccagtgcta 600
      gactacatcg agaaggaggg gctctactga
 15
      <210> 68
      <211> 768
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      atgaatattg caaaaatagt cagagaagcg cgtgagcaga gtcgcttgac aaccttggac 60
      tttgcgacag gcatttttga tgaatttatc caattacatg gtgaccgttc ttttcgtgat 120
      gatggtgcag ttgttggtgg tattggttgg cttggagacc aagctgtaac agtggttggt 180
      atccaaaaag gcaagagttt gcaagacaac ctcaaacgga attttggcca accacatcca 240
 25
      gaaggctacc gaaaggcact geggttgatg aaacaggctg agaaatttgg ccgtccagtt 300
      gtgaccttta tcaatacage aggtgcttat cctggtgteg gageggaaga acgtggtcaa 360
      ggggaagcta ttgctcgcaa tctcatggaa atgagtgacc tgaaagttcc tattatcgcc 420
      attattateg gtgaaggtgg tteaggeggg getetggete tagetgtege ggacegtgte 480
      tggatgctgg aaaattctat ctatgccatt ctcagtccag aaggctttgc ttccatttta 540
 30
      tggaaggacg gtactcgcgc catggaagca gcagaactga tgaaaatcac ttcgcatgaa 600
      ctgttagaaa tggacgtggt ggataaggtg atttctgaag taggactttc tagtaaagaa 660
     ctgattaaga gtgtcaaaaa agaactccaa acggagctgg ctagactttc acaaaaaccg 720
      ctagaagagt tgctggaaga acgctatcaa cgatttagaa aatactaa
35
     <210> 69
     <211> 510
     <212> DNA
     <213> Streptococcus pneumoniae
40
     <400> 69
     atgattataa aagtagaaat ggcagatgtt gaggtgttgg ctaaaattgc caaacaaacc 60
     tttcgtgaaa cctttgcgta tgataatacg gaagagcagt tacaggaata ctttgaagag 120
     gcttatagte tgaaaacttt gtcaactgag ttgggaaate etgactetga aacctattte 180
     attatgcatg aggaggagat agctggtttt ctcaaagtca actggggaag tgctcaaact 240
45
     gagagagaat tagaggacgc ttttgaaatt caacgcctct atgtgctaca aaaattccaa 300
     ggatttggac taggtaagca actgtttgaa ttcgcacttg aacttgctac aaaaaatagt 360
     ttttcttggg cttggctagg tgtttgggag cataatacaa aagctcaagc cttttataat 420
     cgatatggtt ttgaaaaatt tagccaacat cattttatgg ttggtcaaaa agtagatacg 480
     gattggttac tgagaaagaa attaaggtaa
50
     <210> 70
     <211> 1590
     <212> DNA
     <213> Streptococcus pneumoniae
55
     <400> 70
    atgttacggg ggactgcttt gctaacggct agtaacttta tcagtcgcct actcggggct 60
```

```
gtttacatta tecettggta catetggatg ggggettatg eagetaagge aaatggtete 120
       tttaccatgg gttacactat ctatgcttgg ttcttgttgg tttcaacagc ggggattcca 180
       gttgcggtgg ccaagcaagt tgccaagtat aataccatgc gagaagaaga gcatagcttt 240
       geoctgatte ggagettett aggetttatg acaggactag geotggtttt tgetttagte 300
      ttgtatgtct ttgctccttg gctagcagac ttgtctggcg tgggcaaaga cttgatccca 360
      atcatgcaaa gcttggcttg gggagtcttg attttcccgt ctatgagtgt tatccgagga 420
      tttttccaag ggatgaataa cctcaaaccc tatgccatga gccaaattgc tgagcaggtc 480
      attegtgtta tetggatget cetageaace tttateatta tgaagetegg tteaggagat 540
      tatctagcag ccgttaccca atcaaccttt gctgcctttg tcggtatggt agccagtttt 600
 10
      gcagtettga tttattteet tgeecaagaa agtteactea aaagagtett tgaaacagga 660
      gataagatta acagtaagcg totottggtt gataccatta aggaagccat toottttato 720
      ctgacagggt ctgccatcca gatcttccag attttggatc agctgacctt tatcaatagt 780
      atgagetggt ttaccaacta cagcaatgag gacttggttg tcatgttttc ttatttctca 840
      gccaatccta ataaaatcac gatgattttg atttctgtag gggtttcgat tgggagtgtt 900
 15
      ggtttgccac ttttgacgga aaactatgtc aagggggact tgaaagcggc ttctcgtctc 960
      gttcaggaca gtctcaccct actctttatg ttcttgctac cagcaacggt tggagtggtt 1020
      atggtaggag aacctettta taeggtette tatggtaage cagatagttt ggetetggge 1080
      ttatttgtct ttgcagtttt gcagtctatt attttaggct tgtacatggt cttgtctcca 1140
      atgcttcagg ccatgttccg caaccgcaag gccgttctct attttatcta tggttctatt 1200
 20
      gccaagctag tcttgcaact acctaccatc gccctcttcc acagttatgg tcctttgatt 1260
      tcaacaacca ttgctctcat cattcctaac gtcttgatgt atcgggatat ttgtaaagta 1320
      actggtgtca agcgcaaggt gattttgaag cgaaccattt taatcagttt gctgacccta 1380
      gtcatgtttc tgttaatagg aaccatccag tggctgttag gatttttctt ccaaccaagt 1440
      ggacgtttgt ggagcttctt ttatgtagct cttgtcggtg ccatgggggg tggactttat 1500
 25
      atggttatga gtctgcgtac ctatttatta gataaggtaa taggaaaagc ccaagcagat 1560
     .cgcctgcgag caaaatttaa gctttcgtaa
      <210> 71
      <211> 468
 30
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 71
      atgtcagata agattggctt attcacaggc tcatttgatc cgatgacaaa tgggcatctg 60
     gatatcattg aacgggcgag cagactcttt gataagctct atgtcggtat tttttttaat 120
     ccccacaaac aaggatttct tcctatcgaa aatcgtaaac gggggctaga aaaggctttg 180
     ggacatctgg aaaatgttga agtcgtggct tctcatgatg aattggtggt cgatgttgca 240
     aaaagattgg gtgctacttg tctagtgcgt ggtttgagga atgcgtcgga tttgcaatat 300
     gaagccagtt ttgattacta caatcatcag ctgtcttctg atatagagac tatttattta 360
     catagtcgac ctgaacatct ctatatcagt tcatcaggcg ttagagagct tttgaagttt 420
     ggtcaggata ttgcctgcta tgttcccgag agtatttgga ggaaataa
     <210> 72
     <211> 432
45.
     <212> DNA
     <213> Streptococcus pneumoniae
     atgacgattt tgtttgtggt tatcagtgct tcctttctgt atatggtttc tcttagcatg 60
50
     aaaccctatc aaacagctaa aagtgaagga gaaaaattag ctcagcagta tgcaggatta 120
    gagcaggccg atcaggttga tttatacaat ggcttggaat cttattacag cgttcttggt 180
     cgtaataaac agcaagaagc acttgctgtt ctgattggaa aagatgatca taagatttac 240
     gtttatcagc taaatcaggg tgtttcacaa gaaaaagcag aaacggtttc taaggaaaag 300
     ggagctggcg aaattgacaa gattatcttt ggtcgttatc aagataagcc aatctgggaa 360
55
    gtcaagtcag gatctgattt ttatctagta gattttgaaa caggagcatt ggtcaacaag 420
     gagggcctat ga
                                                                       432
```

```
<210> 73
      <211> 732
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 73
      atgattgata ttcattcgca cattgtcttt gatgtagatg atggtcccaa gtcaagagag 60
      gaaagtaagg ctctcttgac agaagcctac aggcaggggg tgcgaaccat tgtctctacc 120
      teteacegte geaagggeat gtttgaaact eeagaagaga agatageaga aaactttett 180
 10
      caggtteggg aaatagetaa ggaagtegeg agtgaettgg teattgetta tggggetgaa 240
      atttactaca cgccagatgt tttggataag ctggaaaaca atcggattcc gaccctcaat 300
      aatagtcgtt atgccttgat agagtttagt atgaacactc cttatcgcga tattcatagt 360
      gccttgaata aaatattgat gttgggaatt actcccgtca ttgcccacat agagcgctat 420
      gatgttcttg aaaataatga aaaacgcgtt cgagagctga tcgatatggg ctgttacacg 480
 15
      caaataaata gttcacatgt cctcaaatcc aaactttttg gagaacctta taaattcatg 540
      aaaaaaagag cgcagtattt cttggagcgt gatttggttc atatcattgc aagtgatatg 600
      cataatgtgg acggcagacc cccccatatg gcagaagcat atgaccttgt ttcccaaaaa 660
      tacggagaag cgaaggctca ggaacttttt atagacaatc ctcgaaaaat tgtaatggat 720
     caactaattt ag
20
     <210> 74
     <211> 927
     <212> DNA
     <213> Streptococcus pneumoniae
25
     <400> 74
     atgtctacaa tcgataaaga aaaatttcag tttgtaaaac gtgacgattt tgcctctgaa 60
     actattgatg cgccagcata ttcttactgg aaatcagtgt ttaaacaatt tatgaagaaa 120
     aaatcaactg tagtcatgtt gggaatcttg gtagccatca ttttgataag tttcatctac 180
30
     ccaatgtttt ctaagtttga tttcaatgat gtcagcaagg taaacgactt tagtgttcgt 240
     tatatcaagc caaatgcgga gcattggttc ggtactgaca gtaacggtaa atcgctcttt 300
     gacggtgtct ggttcggagc tcgtaactcc atcctcattt ctgtgattgc gacagtgatt 360
     aacttggtta teggtgtttt tgteggtggt atttggggta tttcaaaate agttgacegt 420
     gtcatgatgg aagtttacaa cgtcatctca aacatcccac ctcttttgat tgttattgtc 480
35
     ttgacttact caatcggagc tggattctgg aatctgattt ttgccatgag cgtaacaaca 540
     tggattggta ttgccttcat gatccgtgtg caaatcttgc gctatcgtga cttggaatac 600
     aacttggcgt cacgtacttt gggaacacca accttgaaga ttgttgccaa aaatatcatg 660
     cctcaattgg tatctgttat tgtgacaacc atgactcaaa tgcttccaag ctttatctca 720
     tacgaageet tettgtettt etteggtett ggattacega ttacagtgee aagtttgggt 780
40
     cgtttgattt cggattattc acaaaacgta acaaccaatg cttacttgtt ctggattcca 840
     ttgacaaccc ttgtcttggt atccttgtcc cttttcgtag ttggtcaaaa cttagcggat 900
     gctagtgatc cacgtacaca tagatag
                                                                        927
     <210> 75
45
     <211> 234
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 75
50
     atgtataacc tattattaac cattttatta gtattatctg ttgtgattgt gattgcaatt 60
     ttcatgcaac caaccaaaaa ccaatccagc aatgtatttg atgccagttc aggtgatttg 120
     tttgaacgca gtaaagctcg cggttttgaa gctgtaatgc agcgtttgac agggatttta 180
     gtctttttct ggctagccat tgccttagca ttgacggtat tatcaagtag ataa
55
    <210> 76
    <211> 1110
```

<212> DNA

<213> Streptococcus pneumoniae

```
<400> 76
       atgtttcgta gaaataaatt attttttgg accacagaaa ttttactctt aaccatcatc 60
       ttttacctat ggagacagat gggatctttg attaaccctt ttgttagcgt gcttaataca 120
       attatgattc catttttatt agggggcttt ctttattatt tgacaaaccc tattgttact 180
       ttettaaata aagtetgtaa acteaategt ttgettggta tittaattae ettgtgtaet 240
       ttggtctggg gaatggtcat aggtgttgtc tatctcttac ctattttgat taatcagtta 300
       tctagtttga ttatatctag tcaaactatt tatagtcgag tacaagactt aatcatagac 360
  10
      ttatctaatt atcctgcgct ccagaatttg gatgtagaag ctacaattca gcagttaaac 420
      ttatcctatg ttgatattct tcaaaatatc ctaaatagcg tatcaaatag tgtggggagc 480
      gtcttgtcag ctcttatcag tactgttttg attttgatta tgactccagt ttttttggtt 540
      tatttettat tagatggaca taaattettg eccatgettg aaagaaegat tetaaagagg 600
      gatcgcttgc atattgcagg cttattaaag aatttaaatg cgacgattgc tcgctatatt 660
      agtggagttt cgattgacgc aatcattata ggttgtttgg cttatattgg ctatagtatt 720
      attggtttaa aatatgcttt agtttttgcc attttttctg gtgtagccaa tttaattcct 780
      tatgtggggc caagtattgg tttgatteet atgateateg caaatatatt caetgtacee 840
      catagactgc tgattgcagt gatttatatg cttgttgttc agcaggtaga tggcaatatc 900
      ttatatcctc gaattgtagg aagtgttatg aaggttcatc caatcacgat tttagtttta 960
      cttttgttgt caagcaatat ctatggtgta gttggaatga ttgtcgcagt gccaacctat 1020
 20
      tctatcttga aagaaatttc taagttctta tcccgtttgt atgaaaatca taaaataatg 1080
      aaagaacgag aaagagaatt agctaagtaa
                                                                        1110
      <210> 77
 25
      <211> 1356
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 77
 30
      atgtatcaag cactttatcg aaaatataga agtcaaaact tctcccagtt agttggtcaa 60
      gaagttgtgg ctaagactct taaacaagcg gtggagcaag agaaaataag tcacgcttat 120
      cttttttctg gtcctcgtgg aacgggaaaa accagtgttg ctaaaatctt tgccaaggct 180
     atgaactgtc ccaatcaagt gggtggcgaa ccttgcaata actgctatat ttgtcaagca 240
     gtgacggacg gtagtttaga agatgtcatt gaaatggatg cagcttctaa taatggggta 300
35
     gatgaaattc gcgaaattcg tgataaatct acctatgcgc ctagccttgc tcgttataag 360
     gtttatatca tagatgaggt tcacatgctg tctacagggg cttttaatgc cctcctaaag 420
     acgetggaag aaccaacaca gaatgtagte tttattttgg ecaetactga attgeacaag 480
     attectgeta etattetate cegtgtgeaa egttttgagt ttaaateaat taagacaeag 540
     gatattaagg aacatattca ctatatctta gaaaaagaaa atatcagttc tgaaccagag 600
40
     gctgtggaaa tcattgccag acgggcggaa ggtggaatgc gggacgcctt gtctattttg 660
     gatcaageee tgagtttgac acagggaaat gagetgaega etgetatete tgaagaaatt 720
     actggcacca ttagcctatc agccttggat gattatgtgg cggccttgtc tcaacaggat 780
     gttcccaaag ctttgtcttg cttgaatett ctttttgaca atggtaagag catgactcgt 840
     tttgtgaccg atcttttgca ctatttaaga gacttgttaa ttgttcaaac agggggagaa 900
45
     aatactcatc atagttcagt ctttgtagaa aatttggcac ttcctcaaaa aaatctgttt 960
     gaaatgattc gcttagcaac agtgaattta gcagatatta agtctagttt gcagcccaag 1020
     atttatgctg aaatgatgac cgtccgtttg gcggaaatca agcccgaacc agctctatca 1080
     ggagcggttg aaaatgaaat tgctacgctg agacaggaag ttgcccgtct caaacaagag 1140
     ctttctaatg caggtgcggt tcctaaacaa gttgcaccag ctcctagtcg accagctacg 1200
50
     ggcaaaacag tctatcgtgt cgatcgcaat aaagtgcaat ctatcttaca agaggccgtc 1260
     gaaaatcctg atttaacacg tcaaaatcta attcgtttgc agaatgcatg gggagaggta 1320
     attgaaagtc taggtgggcc ggacaagctc tgctag
     <210> 78
55
     <211> 1989
     <212> DNA
    <213> Streptococcus pneumoniae
```

```
<400> 78
       atgtttcgat taaccaataa gttagcggta tcgaacttga ttaaaaaccg caaactctac 60
       tatcettitg cgctggctgt tetettggca gtcactetca cctatetett ttacteteta 120
       accttcaatc ctaagattgc ggaaatccgt ggaggaacaa ccattcaggc tacacttgga 180
       tttggtatgt ttgtcgtcac ccttgcgtca gccattatcg ttctctatgc caatagtttt 240
       gtcatgaaga aacgttccaa ggaactagga atttatggca tgttgggctt ggagaagcgt 300
      catcttatca gtatgacctt taaggagtta gtggtatttg ggattctaac tgttggagcg 360
      ggtatcggta ttggagcett gtttgacaag ttaattttcg ctttcctgct caaactaatg 420
      aaattgaagg ttgagctggt tgctaccttc cagacgaaag ttgtcattac agtgcttgtt 480
  10
      gtetteggtt tgatttteet aggeeteatg tteetgaatg ecettegaat egeeegtatg 540
      aatgeeetee ageteteteg tgagaaaget agtggagaga aaaaaggteg etteetteet 600
      ctccaaacca ttcttggttc cataagttta ggaattggct attatcttgc ccttacggta 660
      aaagateete ttacageett aacaacette tteatagetg ttttactggt tatetttggg 720
 15 acttatetet tgtttaatge agggattace gtttteetee aaatettaaa gaaaaataag 780
      aaatactatt accaaccaaa taacctcata tetgttteta acttgatttt cegtatgaag 840
      aaaaatgcag ttggactagc aactatcgct attttgtcaa caatggtttt ggtaaccatg 900
      tcagcagcga caagcatttt caattccgca gaatccttta aaaaagttct aaatcctcat 960
      gattttgggg tttcaggaca aaatgttgaa aaagaagatt tggacaaact cttgagccag 1020
      tttgcaagtg acaatggtta taagattaaa gaaaaagaag tgtttcgtta cacttacttt 1080
 20
      ggtgttgcga accaagaagg aaataagtta accttttttg aaaaaggaca aaatcgtgtc 1140
      caacccacaa cagttttcat ggtatttgac caaaaagatt atgaaaatat gactggtcaa 1200
      aaactgtete tateaggaaa tgaggteggt etetttgeea aaaatgaegg aetgaaagga 1260
      cagaaaactc taattetgaa tgatcatcaa ttttetgtaa aagaagaatt taataaagat 1320
 25
      tttattgtca accatgtccc áaatcagttt aatattttga ctgctgatta caattacctt 1380
      gttgtacctg atttacaagc ctttttgaac caattcccag attcggatat ctataatcag 1440
      ttttacggtg gtatgaatgt aaatgtcagt gaagaagaac aactcaaggt cgctgaggag 1500
      tatgaaaact acctcaatca atttaatgct caattagaca cagaaggtag ctatgtttat 1560
      ggtagcaatc tagcagatgc tagttctcag atgagtgccc tctttggtgg tgtcttcttt 1620
      atcggtattt tcctatccat tatctttatg gtcggaactg ttctggtcat ctactacaaa 1680
      caaatttetg aaggetacga agacegtgaa egetttatta tettgeagaa agteggtttg 1740
      gaccaaaagc aaatcaagca aaccatccac aaacaggttt taactgtttt cttccttcct 1800
      ttgctctttg ccttcataca tctcgccttt gcctaccata tgcttagcct gattttaaaa 1860
      gtgattggtg tactggatac gactatgatg ttgattgtga ccttgtctat ctgcgctatc 1920
 35
     tteeteateg cetatgtget gatttteatg attactteaa gaagttateg caagattgtg 1980
     caaatqtaa
                                                                        1989
     <210> 79
     <211> 891
40
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 79
     atgaaacaag atcaactaaa ggcttggcaa ccagctcagt ttgaccgttt tgtccgtatc 60
45
     ttagaacaag accageteaa teaegeetat etettteag gtttetttgg aagettggaa 120
     atggcgcaat ttttagctaa gagcctcttt tgtacggata aagttggcgt cttaccatgt 180
     gagaaatgcc gaagttgcaa gctgattgaa caggaagagt ttccagatgt caccttgatt 240
     aagccagtca atcaggtcat caagacagaa cgcattcggg aattggtggg acagttttct 300
     caagcaggga ttgaaagcca gcaacaggtc tttattatcg agcaagcgga taaaatgcat 360
     cccaacgcag ccaattetet geteaaggte ategaagaac eccagagtga agtttatatt 420
50
     ttettettga etagegatga ggaaaagatg ttacegacaa teegaagteg gaeteagate 480
     ttccacttta aaaagcaaga agaaaaactt atcttactct tagaacaaat gggacttgtt 540
     aagaaaaaag cgactctttt agctaagttt agtcaatcgc gagctgaagc agaaaagttg 600
     gctaatcagg caagtttttg gaccttggtc gatgaaagtg aacgcctgct gacttggtta 660
55
    gtagctaaga aaaaagaaag ttatctacag gttgccaaat tagccaactt ggcagatgat 720
     aaggaaaaac aggatcaggt tttacggatt cttgaagttc tctgtgggca ggacctcttg 780
    caggtaagag taagagtgat tctacaagat ttactagaag ctagaaaaat gtggcaagct 840
```

```
aatgtcagct ttcaaaatgc catggaatat ctggtcttga aagaaatata a
                                                                           891
       <210> 80
       <211> 615
       <212> DNA
       <213> Streptococcus pneumoniae
       <400> 80
      atgaattcat ttaaaaattt cttaaaagag tggggactgt tcctcctaat tctgtcatta 60
  10
      ctagetttaa gtegtatett tttttggage aatgttegeg tagaaggaea tteeatggat 120
      ccgaccctag cggatggcga aattctcttc gttgtaaaac accttcctat tgaccgtttt 180
      gatatcgtgg tggcccatga ggaagatggc aataaggaca tcgtcaagcg cgtgattgga 240
      atgeetggeg acaccatteg ttacgaaaat gataaactet acatcaatga caaagaaacg 300
      gacgageett atetageaga etatateaaa egetteaagg atgacaaaet ecaaageact 360
 15
      tactcaggca agggctttga aggaaataaa ggaactttct ttagaagtat cgctcaaaaa 420
      geceaageet teacagttga tgtcaactac aacaccaact ttagetttac tgttccagaa 480
      ggagaatacc ttctcctcgg agatgaccgc ttggtttcga gcgacagccg ccacgtaggt 540
      accttcaaag caaaagatat cacaggggaa gctaaattcc gcttctggcc aatcacccgt 600
      atcggaacat tttaa
 20
      <210> 81
      <211> 987
      <212> DNA
      <213> Streptococcus pneumoniae
 25
      atggtagtat ttacaggttc aactgttgaa gaagcaatcc agaaaggatt gaaagaatta 60
      gatattccaa gaatgaaggc tcatatcaaa gtcatttcta gggagaaaaa aggctttctt 120
      ggtctatttg gtaaaaaacc agcccaagtg gatattgaag cgattagtga aacgactgtt 180
 30
      gtcaaagcaa atcaacaggt agtaaaaggc gttccgaaaa aaatcaatga tttgaacgag 240
      cctgtgaaga cggttagtga agaaaccgtt gaccttggtc atgtggttaa tgctattaaa 300
     aaaatagagg aagaaggtca aggtatttct gatgaagtca aggctgaaat cttaaaacat 360
     gaaagacatg ccagcactat cttagaagaa actggtcaca ttgagatttt aaatgaactt 420
     caaatcgagg aagcgatgag ggaagaagca ggcgctgatg accttgaaac tgagcaagat 480
35
     caaactgaaa atcaagactt gaaagagatg ggcttgaagg tcgagcaaag ttatgatatt 540
     gcccaggtgg ctacggatgt gactgcctat gttcaagcga ttgtggatga catggatgtt 600
     gaagetacae tttcaaatga ttataaccgt cgtageatca atctacaaat tgacaccaac 660
     gaaccaggtc gtattatcgg ctaccatggt aaagtcttga aggccttgca actgttggct 720
     caaaattate tttacaaceg ctattecaaa acettetaeg ttacaateaa tgtcaatgat 780
     tatgtcgaac accgtgcaga agtcttgcag acctatgcgc aaaaattggc gaatcgtgtt 840
     ttggaagaag gtcgcagtca taaaacagat ccaatgtcaa atagcgaacg caagattatc 900
     catcgtatta tttcacgtat ggatggcgtg actagttact ctgaaggtga tgagccaaat 960
     cgctatgttg ttgtagatac agaataa
45
     <210> 82
     <211> 1383
     <212> DNA
     <213> Streptococcus pneumoniae
50
     <400> 82
     atgtcaaatt ttgccattat tttagcagcg ggtaaaggga ctcgcatgaa atctgatttg 60
     ccaaaagttt tgcacaaggt tgcgggtatt tctatgttgg aacatgtttt ccgtagtgtg 120
     ggagctatcc aacctgaaaa gacagtaaca gttgtaggac acaaggcaga attggttgag 180
    gaggtettgg etggacagae agaatttgtg acteaatetg aacagttggg aactggteat 240
55
    gcagttatga tgacagaacc tatcttagaa ggtgtgtcag gacacacctt ggtcattgca 300 ggagatactc ctttaatcac tggtgaaagc ttgaaaaact tgattgattt ccatatcaat 360
    cataaaaatg tggccactat cttgactgct gaaacggata atccttttgg ctatggacga 420
```

```
attgttcgta atgacaatgc tgaggttctt cggtcattgt tgagcagaag gatgctacag 480
      attttgaaaa gcaaatcaag gaaatcaaca ctggtaacat acgtctttga caacgagcgt 540
      ttgtttgagg ctttgaaaaa tatcaatacc aataacgctc aaggcgaata ctatattaca 600
      gacgtcattg gtattttccg tgaaactggt gaaaaagttg gcgcttatac tttgaaagat 660
      tttgatgaaa gtcttggggt aaatgaccgt gtggcgcttg cgacagctga gtcagttatg 720
      cgtcgtcgca tcaatcataa acacatggtc aacggtgtta gctttgtcaa tccagaagca 780
      acttatatcg atattgatgt tgagattgct ccggaagttc aaatcgaagc caatgttatc 840
      ttgaaagggc aaacgaaaat tggtgctgag actgttttga caaacggtac ttatgtagtg 900
      gacagcacta tcggagcagg agcggtcatt accaattcta tgattgagga aagtagtgtt 960
 10
      gcagacggtg tgacagtcgg teettatget cacattcgte caaattcaag tetgggtgee 1020
      caagttcata tiggtaactt tgttgaggtg aaaggatctt caatcggtga gaataccaag 1080
      gctggtcatt tgacttatat cggaaactgt gaagtgggaa gcaacgttaa tttcggtgct 1140
      ggaactatta cagtcaacta tgacggcaaa aacaaataca agacagtcat tggagtcaat 1200
      gtctttgttg gttcaaattc aaccattatt gcaccagtag aacttggtga caattccctc 1260
 15
      gttggtgctg gttcaactat tactaaagac gtgccagcag atgctattgc tattggtcgc 1320
      ggtcgtcaga tcaataaaga cgaatatgca acacgtcttc ctcatcatcc taagaaccag 1380
      <210> 83
 20
      <211> 936
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 83
25
      atgtccaaga ttctagtatt tggtcaccaa aatccagact cagatgccat cggatcatct 60
      gtagettttg cetacettge aaaagaaget taeggtttgg ataeggaage tgttgeeett 120
     ggaactccaa atgaagaaac agcctttgtc ttgaactatt ttggtgtgga agcaccacgt 180
     gttatcactt ctgccaaagc agagggggca gagcaagtta tcttgactga ccacaatgaa 240
     ttccaacaat ctgtatcaga tatcgctgaa gtagaagttt acggtgttgt agaccaccac 300
30
     cgtgtggcta actttgaaac tgcaagccca ctttacatgc gtttggagcc agttggatca 360
     gcgtcttcaa tcgtttaccg tatgttcaaa gaacatggtg tagctgttcc taaagagatt 420
     gcaggtttga tgctttcagg tttgatttca gatacccttc ttttgaaatc accaacaaca 480
     cacccaacag ataaaatcat tgctcctgaa ttggctgaat tggctggtgt aaacttggaa 540
     gaatatggtt tggcaatgtt gaaagctggt accaacttgg ctagcaaatc tgctgaagaa 600
     ttgattgaca tcgatgctaa gacttttgaa ctcaacggaa ataatgtccg tgttgcccaa 660
     gtgaacacag ttgacatcgc tgaagttttg gaacgccaag cagaaattga agctgcaatg 720
     caagetgeea acgaateaaa eggetaetet gaetttgtet tgatgattae agatategte 780
     aactcaaact cagaaatatt ggctcttggt gccaatatgg acaaggtcga agcggctttc 840
     aatttcaaac ttgaaaacaa tcatgccttc cttgctggtg ccgtttcacg taagaaacaa 900
40 gtggtacctc aattaactga aagetttaat acgtaa
                                                                       936
     <210> 84
     <211> 678
     <212> DNA
45
     <213> Streptococcus pneumoniae
     <400> 84
     atgatttcaa agagattaga attggtagct teetttgtgt cacagggggc tattttacta 60
    gatgtgggaa gtgaccatgc ttatctgcct atcgagttgg ttgagagagg ccaaatcaaa 120
50 -
    agcgctattg caggtgaggt ggtggaaggt ccctatcagt ctgcggttaa aaatgttgag 180
    getcaeggee taaaggagaa aatecaagte egtttageea atggettgge agettttgaa 240
    gagactgacc aagtgtctgt cattaccatt gctggcatgg gtggtcgttt gattgctagg 300
    attttagaag aaggtttggg gaagttagct aatgtagagc gtttgatcct ccagcccaat 360
    aatcgtgaag acgacttgcg tatctggcta caggatcatg gattccagat tgtagcagaa 420
    agcatettag aagaagetgg aaagttttat gagattttgg tggtggaage aggacaaatg 480
    aagctatcag ccagtgatgt tcgctttggt cccttcttgt ccaaagaagt cagtccagta 540
    tttgtccaaa aatggcaaaa agaagctgag aagctagagt tcgccctcgg acaaatccca 600
```

```
gaaaaaaatc tggaagaacg tcaagttcta gtagataaga ttcaagctat caaggaggtg 660
       ctccatgtta gcaagtga
       <210> 85
   5
       <211> 486
       <212> DNA
       <213> Streptococcus pneumoniae
       <400> 85
      atgaatttaa acgatattaa agacttgatg actcaatttg accagtcaag tttgagagaa 60
  10
      ttttettata aaaatgggac ggatgagttg cagtttagca agaatgaagc gagacetgtg 120
      cctgaagttg caactcaagt cgctccagca cccgttctag caacaccgag tccagtaget 180
      cctacatetg etccagcaga gactgtagca gaagaagtte cagetecage tgaagcaagt 240
      gtggctagtg agggaaatct tgtagagagt ccacttgttg gagtggttta cttggctgct 300
 15
      ggaccagata aacctgeett egttacagtt ggtgatagtg teaaaaaagg teaaacattg 360
      gtaattatcg aagccatgaa agtcatgaat gaaatcccag ctcctaagga tggtgtggta 420
      acggaaatte tegtetetaa egaagaaatg gttgagtttg gtaaaggatt ggtacgtate 480
      aaatga
 20
      <210> 86
      <211> 1236
      <212> DNA
      <213> Streptococcus pneumoniae
 25
      <400> 86
      atgaaactaa atcgagtagt ggtaacaggt tatggagtaa catctccaat cggaaataca 60
      ccagaagaat tttggaatag tttagcaact gggaaaatcg gcattggtgg cattacaaaa 120
      tttgatcata gtgactttga tgtgcataat gcggcagaaa tccaagattt tccgttcgat 180
      aaatactttg taaaaaaaga taccaaccgt tttgataact attctttata tgccttgtat 240
      gcagcccaag aggctgtaaa tcatgccaat cttgatgtag aggctcttaa tagggatcgt 300
      tttggtgtta tcgttgcatc tggtattggt ggaatcaagg aaattgaaga tcaggtactt 360
      cgccttcatg aaaaaggacc caaacgtgtc aaaccaatga ctcttccaaa agctttacca 420
      aatatggett etgggaatgt agecatgegt tttggtgeaa aeggtgtttg taaatetate 480
      aatactgeet getetteate aaatgatgeg attggggatg cetteegete cattaagttt 540
     ggtttccaag atgtgatgtt ggtgggagga acagaagctt ctatcacacc ttttgccatc 600
     getggtttee aageettaac agetetetet actacagagg atecaacteg tgettegate 660
     ccatttgata aggatcgcaa tgggtttgtt atgggtgaag gttcagggat gttggttcta 720
     gaaagtettg aacacgetga aaaacgtgga getactatee tggetgaagt ggttggttae 780
     ggaaatactt gtgatgccta ccacatgact tctccacatc cagaaggtca gggagctate 840
    -aaggccatea aactagcctt ggaagaagct gagatttctc cagagcaagt agcctatgtc 900
     aatgctcacg gaacgtcaac tcctgccaat gaaaaaggag aaagtggtgc tatcgtagct 960
     gttcttggta aggaagtacc tgtatcatca accaagtctt ttacaggaca tttgctgggg 1020
     getgegggtg cagtagaage tategteace ategaageta tgegteataa etttgtacea 1080
     atgacagetg ggacaagtga agtateagat tatategaag etaatgtegt ttatggacaa 1140
     ggcttggaga aagaaattcc atacgctatt tcaaatactt ttggttttgg aggccacaat 1200
     gcagttcttg ctttcaaacg ttgggagaat agataa
                                                                       1236
     <210> 87
     <211> 1080
50
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 87
    atgaacatct atgatcaact acaagttgta gaagaccgtt atgaagaatt aggagaattg 60
55
    ctgagtgacc ctgatgtcgt ttcagacacc aagcgtttta tggagctttc aaaagaagaa 120
    gettecaate gtgacaccgt aatageetac cgtgagtata aacaagteet teaaaatate 180
    gtcgatgccg aagagatgat taaggaatca ggcggagatg cggacttgga agaattggcc 240
```

```
aagcaagaac tcaaagatgc caaggctgaa aaagaagaat atgaagaaaa actgaaaatt 300
       ttgctccttc caaaggatcc aaacgatgac aagaatatca tccttgaaat ccgtggagca 360
       gctggtggag acgaagcggc acttttcgct ggagatttgc taactatgta ccaaaagtat 420
       geggaageee aaggtiggeg etttgaagte atggaageet etatgaatgg tgteggtggt 480
       tttaaagaag tggttgctat ggtttcaggt cagtctgtat actctaagct taagtatgaa 540
       tcaggtgccc accgtgtgca acgtgttcct gtgacagaaa gccaaggccg tgttcatact 600
       tcgacagcga cagttcttgt tatgccagaa gttgaagagg ttgaatacga cattgatcca 660
       aaagacette gtgtegacat etateaegee tetggtgetg gtggacagaa egtcaataag 720
       gttgcgactg ccgttcgtat cgttcacttg ccaaccaata tcaaggttga gatgcaggaa 780
       gaacgtaccc agcagaagaa ccgcgagaag gctatgaaga ttatccgtgc acgcgtcgct 840
  10
       gaccactttg ctcagattgc tcaggatgaa caagacgctg agcgtaagtc gacaatcggt 900
       actggtgace gttcagaacg gatccgaact tataacttcc cacaaaaccg tgtcacagac 960
       caccgtatcg gettgaccet ccaaaaacta gatacgattt tgtctggtaa attggacgaa 1020
       gttgtggatg cettggtget ttatgaccaa acacaaaaac tagaagaatt aaacaaataa 1080
  15
       <210> 88
       <211> 1680
       <212> DNA
       <213> Streptococcus pneumoniae
 20
      <400> 88
      atggcctaca ctcttaaacc tgaagaagtt ggtgtttttg ccatcggtgg tctaggagaa 60
      atcgggaaaa acacttacgg aattgaatac caagacgaga ttatcatcgt cgatgctggg 120
      attaaattee cagaagatga ettgettggt ategactatg teatteetga etactettae 180
 25
      atcgtagaca atatcgaccg cgtcaaggct gttttaatca cacacggaca cgaggaccac 240
      attggtggga ttccgttcct actcaagcaa gcaaatgtcc ctatttatgc tggaccgctt 300
      gccttggctt tgatccgtgg gaaactcgaa gaacacggcc tcttgcgcaa cgccaaactt 360
      tacgaaatca accacaacac cgagttgacc tttaaaaatc tcaaggcaac tttctttaga 420
      acgactcact ctattccaga gcctttgggg attgtcattc atactcctca agggaaaatc 480
 30
      gtctgtacgg gtgactttaa gttcgacttt actccagttg gagaacctgc ggacttgcat 540
      egtatggetg egettggtga agaaggegtg etetgtetee tgtetgaete gacaaatgeg 600
      gaagtaccaa cctttaccaa ctctgaaaaa gtcgttggtc agtccattat gaagattatc 660
      caaggtattg aaggacgtat catctttgca tcctttgcct caaatatctt ccgtetccag 720
      caggcaacag aagctgctgt taagactgga cgcaagattg cggtctttgg tcgttctatg 780
 35
     gaaaaggcca ttgtcaacgg aatcgatctt ggctacatca aagctcctaa gggaaccttt 840
     atcgagccaa atgaaatcaa agattateet gcaggagaag ttettateet etgtacaggt 900
     agtcagggtg agcctatggc agccctctct cgtatcgcca acggaaccca ccgtcaagta 960
     caattacaac caggtgatac cgttatcttc tcttctagtc ccatccctgg aaacactact 1020
     agogtoaaca agotgattaa catcatttot gaagotggtg togaagttat coacggtaaa 1080
40
     gtgaacaata tccatacatc tggacacggt ggtcagcaag agcaaaaact catgctctgc 1140 ttgattaagc caaaatactt catgcctgtc cacggtgaat accgcatgca aaaagtccac 1200
     gctggactag cagtggatac tggtgttgag aaggacaata tctttatcat gagcaatggc 1260
     gatgtgcttg cccttactgc tgactcagct cgtatcgcag gtcatttcaa cgcccaagat 1320
     atctatgtcg atggaaatcg tatcggtgaa attggcgcag ctgtcctcaa agatcgtcgc 1380
45
     gatetatetg aagaeggtgt egttetggea gtegeaactg ttgaetteaa ategeagatg 1440
     attetgtetg geceagatat ceteageega ggetttgtet acatgagaga gtetggagae 1500
     ttgattcgcc aaagccagcg tatcctcttc aatgccattc gtatcgcact gaaaaataag 1560
     gatgctagcg tgcaatctgt caatggtgcc attgtcaacg ctattcgccc cttcctctat 1620
     gaaaataccg aacgtgaace gatcatcatc ccgatgatcc tcacaccaga tgaagaataa 1680
50
     <210> 89
     <211> 1362
     <212> DNA
     <213> Streptococcus pneumoniae
55
     <400> 89
    atggcagaag tagaagagtt acgagtacaa cctcaagata tcttagctga gcaatccgtt 60
```

```
ttaggggcta tctttattga tgagagtaaa cttgtttttg tgcgagaata cattgagtct 120
      cgggactttt ttaagtatgc ccatcgtttg attttccaag ccatggtcga tttatccqat 180
      cgtggtgatg ccatagatgc aacaacggtt cgtactatcc ttgataatca aggtgattta 240
      cagaatattg gtggcttgtc ttacttggtt gagattgtta attctgtgcc aacttctqct 300
      aatgcggagt attatgctaa gattgttgca gaaaaagcaa tgctacgtcg tttaattgcc 360
      aagttgacag agtctgtcaa ccaagcttac gaagcgtcac aaccagctga tgaaattatt 420
      gctcaggcag aaaaagggtt gattgatgtc agtgaaaatg caaatcgaag cgggtttaag 480
      aacattcgag atgtgttgaa teteaacttt ggaaatetgg aagetegete geaacaaacg 540
     accgatatta caggitattgc gacaggitat cgtgatttgg atcatatgac aacaggactt 600
10
     catgaggagg agttgattat cttagcagct cgtccagcag ttggtaagac agcatttgcc 660
     ttgaatatcg ctcagaacat tgggactaag ttggacaaaa cggttgctat tttttcactc 720
     gaaatgggtg cggaaagctt ggtagatcgt atgttagctg cagaaggctt ggtggagtca 780
     cattetatee gtacagggca attgacagat gaggagtggc aaaaatatac tattgeteag 840
     ggtaatctag ctaacgccag tatctatatc gatgatacgc caggtattcg gattacagag 900
15
     attegttete qttetegtaa attggeteaa gaaactggaa atettggttt qattqtqata 960
     gactatttqc aacttatcac gggaactgqt cgagaaaatc gtcaacaaga agtttctqaa 1020
     attteteqte aqttqaaaat actaqceaaq qaattqaaqq tteeaqtaat eqetetqaqt 1080
     cagctttctc qtqqtqtaqa acaacqtcaq qacaaqaqac cqqtcttqtc tqatattcqt 1140
     gaatctgggt ctattgagca ggacgctgat atcgtagctt ttctctatcg cgatgactac 1200
20
     tatgaacqtq qtqqtqaaqa aqaqqaqqt atcccaaata ataaqqtqqa aqttattatc 1260
     gagaaaaacc qtagtggagc tcgtggaaca gtggaattga ttgtccaaaa agaatacaat 1320
     aaattcttca agtattcaag tatctcaaag agggaggcat aa
     <210> 90
25
     <211> 693
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 90
30
     atggcgtata aatatttagt gattgtagaa tcacctgcaa aagccaagac aattgagaaa 60
     tatcttggac gaaactataa agtaatggcc agtgttggcc atataagaga tttaccgaaa 120
     agtaaaatgg gtatcgattt tgaaaacaat tatgaacccc attatatttc tatacgcgga 180
     aaaggcgatg tcatcaaaag cctgaaagcc gcagcaaaaa aagctcaaaa agtttacttg 240
     gcaagtgacc cggatagaga aggagaagcg attgcttggc atttagcgta cctacttggg 300
35
     ttggatctqa aagaaaaaaa tcgggtggtc ttcaatgaaa tcacaaaaga cgcaqtcaaa 360
     gcagctttta aggaaccaag aacgatcgat gtagatttag tagatgcaca gcaagctcqt 420
     cqtaccttaq acaqaatcqt tqqttattcq atcaqtccta ttctctqqcq taaqqtcaaq 480
     aaagggttaa qtgcaggacg tgtccaatct gtcgctttaa aaattattat tgaccgtgaa 540
     aaagagatee gagaatttgt teeagaagaa tattggagea tegaeggtaa ttttaaaaaa 600
40
     gctcgcaaga aattcaaagc aaatttctgg ggaatcgacg gtaagaaaaa gaaattacca 660
     gatgcacaaa gtgtaaaaag aagtcactgc tag
                                                                        693
     <210> 91
     <211> 981
45
     <212> DNA
     <213> Streptococcus pneumoniae
     atgtttattt ccatcagtqc tggaattgtq acatttttac taactttagt aggaattccq 60
50
     gcctttatcc aattttatag aaaggcgcaa attacaggcc agcagatgca tgaggatgtc 120
     aaacagcatc aggcaaaagc tgggactcct acaatgggag gtttggtttt cttgattact 180
     tetgttttgg ttgctttctt tttcgcccta tttagtagcc aattcagtaa taatgtggga 240
     atgattttgt tcatcttggt cttgtatggc ttggtcggat ttttagatga ctttctcaag 300
     gtctttcgta aaatcaatga ggggcttaat cctaagcaaa aattagctct tcagcttcta 360
55
     ggtggagtta tcttctatct tttctatgag cgcggtggcg atatgctttc tgtctttggt 420
     tatcaagtge atctagggat tttctatatt gttttegete ttttctgget agteggtttt 480
```

tcaaacgcag taaacttgac agacggtgtt gacggtttag ctagtatttc cgttgtgatt 540

```
agtttgtctg cctatggagt tattgcctat gtgcaaggtc agatggatat tcttctagtg 600
      attetggeca tgattggtgg tttgctcagt ttcttcatct ttaaccataa gcctgctaag 660
      atctttatgg gtgatgtggg aagtttggct ttaggtggaa tgctggcagc tatctctatg 720
      getetecace aagaatggae tetettgatt ateggaattg tgtatgttt tgaaacaact 780
      tctgttatga tgcaagtcag ttatttcaaa ctgacaggtg gtaaacgtat tttccgtatg 840
      acgeetgtae ateaceatti tgagettggg ggattgtetg gtaaaggaaa teettggage 900
      gagtggaagg ttgacttctt cttttgggga gttgggcttc tagcaagtct cctgacccta 960
      gcaattttat atttgatgta a
 10
      <210> 92
      <211> 2082
      <212> DNA
      <213> Streptococcus pneumoniae
 15
      <400> 92
      atggcacgcg aattttcact tgaaaaaact cgtaatatcg gtatcatggc tcacgtcgat 60
      geeggtaaaa caacaactae tgagegtatt etttaetaca etggtaaaat ceacaaaate 120
      ggtgaaactc acgaaggtgc gtcacaaatg gactggatgg agcaagagca agaacgtggt 180
      atcacgatca catctgctgc gacgacagct caatggaaca accaccgcgt aaacatcatc 240
 20
      gacacaccag gacacgtgga cttcacaatc gaagtacaac gttctcttcg tgtattggat 300
     ggtgcggtta ccgttcttga ctcacaatca ggtgttgagc ctcaaactga aacagtttgg 360
     cgtcaagcaa ctgagtacgg agttccacgt atcgtatttg ccaacaaaat ggacaaaatc 420
     ggtgctgaet teetttacte tgtaagcaca etteacgate gtetteaage aaatgeacae 480
     ccaatccaat tgccaatcgg ttctgaagat gacttccgtg gtatcattga cttgatcaag 540
25
     atgaaagctg aaatctatac taacgacctt ggtacggata teettgaaga agacateeca 600
     gctgaatacc ttgaccaagc tcaagaatac cgtgaaaaat tgattgaagc agttgctgaa 660
     actgacgaag aattgatgat gaaatacctc gaaggtgaag aaatcactaa cgaagaattg 720
     aaagctggta tccgtaaagc gactatcaac gttgaattct tcccagtatt gtgtggttca 780
     geetteaaaa acaaaggtgt teaattgatg ettgatgegg ttategacta eetteeaage 840
30
     ccacttgaca teccageaat caaaggtatt aacceagata cagaegetga agaaattegt 900
     ccagcatetg acgaagagee atttgcaget ettgcettea agateatgae tgacccatte 960
     gtaggtegtt tgacattett cegtgtttac teaggtgtte tteaateagg tteatacgta 1020
     ttgaatactt ctaaaggtaa acgtgaacgt atcggacgta tccttcaaat gcacgctaac 1080
     agcogtoaag aaatogacac tgtttactca ggtgatatog ctgctgccgt tggtttgaaa 1140
35
     gatactacaa ctggtgactc attgacagat gaaaaagcta aaatcatcct tgagtcaatc 1200
     aacgttccag aaccagttat ccaattgatg gttgagccaa aatctaaagc tgaccaagac 1260
     aagatgggta tcgcccttca aaaattggct gaagaagatc caacattccg cgttgaaaca 1320
     aacgttgaaa ctggtgaaac agttatctca ggtatgggtg aacttcacct tgacgtcctt 1380
     gttgatcgta tgcgtcgtga gttcaaagtt gaagcgaacg taggtgctcc tcaagtatct 1440
40
     taccgtgaaa cattccgcgc ttctactcaa gcacgtggat tcttcaaacg tcagtctggt 1500
     ggtaaaggtc aattcggtga tgtatggatt gaatttactc caaacgaaga aggtaaagga 1560
     ttcgaattcg aaaacgcaat cgtcggtggt gtggttcctc gtgaatttat cccagcggtt 1620
     gaaaaaggtt tggtagaatc tatggctaac ggtgttcttg caggttaccc aatggttgac 1680
     gttaaagcta agctttatga tggttcatat cacgatgtcg actcatctga aactgccttc 1740
45
     aagattgcgg cttcacttte ccttaaagaa gctgctaaat cagcacaacc agctatcctt 1800
    gaaccaatga tgcttgtaac aatcactgtt ccagaagaaa accttggtga tgttatgggt 1860
    cacgtaactg ctcgtcgtgg acgtgtagat ggtatggaag cacacggtaa cagccaaatc 1920
    gttcgtgctt acgttccact tgctgaaatg ttcggttacg caacagttct tcgttctgca 1980
    tctcaaggac gtggtacatt catgatggta tttgaccact acgaagatgt acctaagtca 2040
50
    gtacaagaag aaattattaa gaaaaataaa ggtgaagact aa
                                                                       2082
    <210> 93
    <211> 1227
    <212> DNA
    <213> Streptococcus pneumoniae
    <400> 93
```

```
atgccaaatt acaatattcc attttcaccg cctgatatca cagaagcaga aattgctgaa 60
       gtagcggata ccctgcgttc tggttggatc acaacaggtc ctaaaacaaa agaactggag 120
       egeogettgt etetttacae acagacaeet aagactgttt gteteaaete tgegacagee 180
       getetggagt tgattttacg cgttttggaa gtgggacetg gtgatgaagt categtteca 240
       gccatgacct atacggcttc atgtagtgtc attacgcacg tgggagcaac ccctgtcatg 300
       gtggatatec aagcagatac gtttgagatg gactatgaec tgettgagea agctateact 360
       gagaaaacta aggtgattat cccagtagag ctcgcaggga ttgtttgcga ttatgaccgt 420
       ttgttccaag tcgtggagaa aaaacgtgac ttctttaccg cttcaagcaa gtggcaaaag 480
      gcctttaacc gtattgtcat tgtctctgat agtgcccacg ctttgggatc tacttataaa 540
  10
      ggacaacett etggttetat egetgatttt actteettet eatteeatge egttaagaac 600
      tttacaacgg cagaaggtgg aagtgcgact tggaaagcca atccagtgat tgatgacgaa 660
      gagatgtaca aggaattcca aatcetttee etteacggge aaactaagga tgetettgee 720
      aagatgcaac tggggtcatg ggaatacgat atcgttacac cagcctataa gtgcaacatg 780
      accgatatca tggcttcact tggtttggta caattggacc gctatccaag tttgttgcaa 840
      cgccgtaagg acattgtgga ccgctatgat agtggttttg caggttctcg catccatcct 900
 15
      ttggcacaca agactgaaac tgtcgaatct tcacgccacc tctacatcac ccgtgtagaa 960
      ggagcaagcc tagaagaacg cagcctcatc atccaagaat tggctaaagc aggaattgca 1020
      agtaatgttc actacaaacc getteetete ttgacageet ataagaatet tggattgat 1080
      atgacgaact atcctaaggc ctatgccttc tttgagaatg aaattaccct ccctcttcat 1140
 20
      actaaattaa gcgatgaaga agtagactat atcattgaga ctttcaaaac agtttctgaa 1200
      aaagtgctaa ctttatcaaa aaaatga
      <210> 94
      <211> 978
 25
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 94
      atgacagaac ctgatttttg gaacgataat attgcggccc aaaaaacgtc gcaagaattg 60
     aatgtattta aaaacactta caatacette cataagatgg aagagttgca ggatgaagte 120
30
     gaaattttat tggatttttt ggctgaagac gagtcagtgc atgatgaact ggtagcgcag 180
     ttagecgaac ttgataagat aatgaccage tacgagatga etttactett gtcagaacet 240
     tatgaccaca acaatgccat cttggaaatc catccaggtt ctggtggtac tgaggcgcag 300
     gactggggtg atatgttgct tcgtatgtat actcgttatg gtaatgctaa aggctttaaa 360
     gtggaagtgt tggattacca agcaggtgat gaggctggta ttaagtcggt aactttatca 420
35
     tttgaaggge etaatgeeta tggteteete aagteagaaa tgggtgttea cegettagtg 480
     cgaatctcac catttgactc tgccaaacgt cgccatacct ctttcacatc tgtagaagtg 540
     atgccagaat tggatgatac tattgaagtg gaaatccgtg aagatgatat caagatggat 600
     accttccgtt caggtggtgc cggtggacaa aacgtcaata aagtttcaac aggtgtacgt 660
40
     ttaacccaca ttccaactgg aattgttgtc caatcaacag tggatcgtac ccagtatgga 720
     aatagagatc gtgccatgaa gatgttgcag gctaagctct atcaaatgga gcaagagaag 780
     aaggetgegg aggtagatte teteaaaggt gagaaaaagg agattaettg gggaageeaa 840
     atccgttctt atgtcttcac gccttatact atggtaaaag atcaccgaac tagctttgag 900
     gttgctcagg tagataaggt tatggatggg gacctagatg gttttatcga tgcttatctc 960
45
     aagtggcgaa ttagctaa
     <210> 95
     <211> 750
     <212> DNA
50
    <213> Streptococcus pneumoniae
    atgttttata cttatttgcg tggattagtt gtattgctct tatggtccat caatggcaat 60
    gotcactato ataatactga taaaattoot aatcaagatg aaaattatat tttagttgcg 120
    ceteacegta cetggtggga teetgtttat atggeetttg egaccaagee aaaacagtte 180
    atotttatgg caaaaaaga actotttaco aaccgtatot ttggttggtg gattcgtatg 240
    tgtggcgcct ttcccatcga ccgtgaaaat cccagcgcct cagccatcaa atatcctatc 300
```

```
aacgttctca aaaaaagtga ccgctctctc atcatgtttc caagtggtag ccgccactca 360
       aacgatgtca agggggggc agcactgatt gccaaaatgg ccaaggtccg tatcatgccg 420
       gttacctaca coggtoccat gactttgaag ggcttgatta gccgtgaacg tgtcgatatg 480
       aactttggaa atccaatcga tatctcagat atcaagaaaa tgaatgatga aggcattgaa 540
       acagtegeca ategtattea aacagaatte caaegtetgg acgaagaaac gaaacaatgg 600
       cacaatgata aaaaaccaaa tccactctgg tggtttatcc gcatccctgc cctcatcctt 660
       gctattatcc tcgctatcct aaccatcatc tttagcttta tcgcaagctt catctggaac 720
       ccagataaga aaagagaaga acttgcatag
  10
       <210> 96
       <211> 3102
       <212> DNA
       <213> Streptococcus pneumoniae
  15
       <400> 96
       ttgatcgcac aactagatac aaaaacagtc tatagtttta tggaaagcgt catttcgatc 60
       gaaaagtatg tgagagcagc taaagaatac ggctacactc atttggctat gatggatatt 120
       gacaatettt atggegettt egaettteta gagattacaa aaaaataegg catteateet 180
       ttgctagggc ttgaaatgac agtgtttgta gatgatcagg gagtaaattt gcgcttttta 240
 20
      getetateta gtgtgggeta teageagttg atgaagettt egacageeaa gatgeagggg 300
      gagaaaactt ggtcagtcct gtcccagtac ctggaggata tcgcggtcat tgtgccttat 360
      tttgatagag ttgagtegtt agaactagge tgtgattact atataggggt ttatecagaa 420
      acactagcaa gogaattica toatootato tiacototti ategggicaa egettitgaa 480
      agcagggata gagaagttet teaagtttta acagegatta aagaaaatet acegeteaga 540
 25
      gaagttccct tgcgttcgag acaagatgtc tttatatcag caagttcttt agagaaacta 600
      ttccaagage gttttccgca agetttggac aatttagaaa agettatttc aggcatttct 660
      tacgacttgg atactagtct gaaactgcct cgttttaatc cagctagacc agcagtagag 720
      gagttgagag agegtgetga actggggett gttcagaagg ggttgactag taaagaatat 780
      caagatagac tagaccaaga attgtctgtt attcatgata tgggctttga tgattatttc 840
 30
      ttggttgttt gggatttgtt gcgttttgga cgatcgaatg gctattatat gggaatggga 900
      aggggttctg cagtaggcag tttggtttct tatgccttag acatcacggg gattgaccca 960
      gtagagaaaa atctgatttt tgaacgettt ettaategtg aacgetatae catgeetgat 1020
      attgatattg atatcccaga tatttatcgt ccagatttta tcagatatgt tggtaataaa 1080
     tatggtagta aacatgcggc acaaatcgtt actttttcaa cctttggagc caagcaagct 1140
 35
     cttcgagatg tcttgaaacg ctttggtgtg ccagagtatg aattatctgc aattactaag 1200
     aaaatcagtt ttcgtgacaa tcttaagtcg gcctatgagg gcaatctcca gtttcgtcag 1260
     caaatcaata gtaagttaga ataccaaaaa gcttttgaga ttgcttgcaa gatagagggc 1320
     tatccaagge aaacetetgt ceatgegget ggtgttgtaa ttagtgacca agatttaace 1380
     aactacatto ototaaagta tggtgatgaa attocactga otoagtatga tgotcatgga 1440
40
     gttgaggcta gcggactttt gaagatggac tttctgggac tacgaaattt gacctttgtc 1500
     cagaagatgc aagagttgct tgctgaaata gaaggtattc accttaaaat tgaagaaata 1560
     gatttggaag acaaagaaac gttagattta tttgcctctg gaaatacaaa aggtatcttt 1620
     caattigage aacciggige tattegettg cicaaacgig ticaaccagi cigittigaa 1680
     gatgtegtag caactactte tetaaatega eegggtgeta gtgaetatat caataatttt 1740
45
     gtggcaagaa agcatgggca ggaagaagtg actgttctgg atccagtact ggaggatatt 1800
     ttggctccaa cctacggcat aatgctctat caggagcagg ttatgcaggt tgcccagcga 1860
     tttgccggat ttagtcttgg gaaagccgat attttgcgtc gggctatggg gaaaaaggat 1920
     gcctctgcca tgcatgagat gagggcttcc tttattcaag gttcattaga agctggtcat 1980
     actgtggaaa aagcagagca ggtctttgat gttatggaga agtttgcagg ctatggtttt 2040
     aacaggtcac acgcctatgc ctactcagca ttggccttcc agttggctta ttttaaaaca 2100
50
     cattatccag ccatatttta tcagatcatg ttgaattctg ccaacagtga ttacttaata 2160
     gatgeacttg aageaggttt tgaagtggeg cetetgteea teaacaegat teeetateae 2220
    gataaaattg ccaacaaggc catctatcta ggtttgaaat ccattaaagg agtcagtaat 2280
    gatttagete tetggattat tgaacataga eettatteta atattgaaga tittataget 2340.
55
    aaattacctg agaattatct gaaactteet ctgctagaac ctttggtaaa agttggtett 2400
    ttcgattcat ttgaaaaaaa tcgtcaaaaa gtatttaata acttagctaa tctatttgaa 2460
    tttgtgaaag agttgggaag tttgtttgga gatgctattt atagttggca ggaatcggaa 2520
```

```
gattggacgg aacaagaaaa attttatatg gaacaagagc ttttagggat aggtgtcagc 2580
       aaacatccac tacaagctat tgcaagtaag gctatttacc cgattacccc aatcggaaat 2640
       ttgtcagaaa atagctatgc tattattttg gttgaagttc agaaaataaa agtgattcgt 2700
       accaaaaagg gtgaaaatat ggccttctta caggcagatg atagtaagaa aaaattggat 2760
       gtcactctct tttcagactt atatcgtcag gttggacagg aaataaaaga gggagccttc 2820
       tactatgtaa aaggaaaaat acaatcacgt gatggccgtc tgcaaatgat tgcacaagaa 2880
       ataagagaag cagttgctga acgcttttgg atacaggtga aaaatcatga atcggatcaa 2940
       gaaatttcac gtattttaga acaatttaaa ggcccaatcc cagtcatcat ccggtatgaa 3000
       gaggaacaga aaaccatcgt ttctccccat cattttgtag ctaaatccaa tgaattagag 3060
  10
       gagaaattga atgaaatcgt tatgaaaacg atttatcgct aa
       <210> 97
       <211> 921
       <212> DNA
 15
      <213> Streptococcus pneumoniae
      <400> 97
      atgaccaacg aatttttaca ttttgaaaaa atcagccgcc agacttggca atctttacat 60
      cgaaagacaa cacctccttt gacagaagaa gaattggaat ctatcaagag ttttaatgac 120
      caaatcagte tecaagaegt tacagatate tateteeet tggeteatet gatteagatt 180
      tacaagcgaa ctaaggaaga tttagccttt tcaaaaggaa ttttcctcca acgtgaaagt 240
      aaateteaac ettttattat tggggtttet gggagtgttg cegttggaaa atccacaacc 300
      agtegectae tteaaateet aetgteeegt aegtttacag atgetaeggt tgagttggtt 360
      acaactgatg gttttctcta tcccaatcaa accttgattg agcagggaat tttaaatcgt 420
 25
      aaaggattte etgaaageta tgatatggaa getettetea aettettgga eegeateaaa 480
      aatggacaag atgtagatat teetgtetat teteatgaag tttaegacat egtacecaaa 540
      aagaaacaaa gtgtcaaagc tgctgatttt gtaatcgttg agggaattaa tgtctttcaa 600
      aatccacaaa acgatcgtct ctatatcact gacttctttg acttttccat ctatgtagat 660
      gctggagtgg atgatattga aagttggtat ctggaccgtt tcttgaaaat gctgagtcta 720
      geceaaaaeg accetgatag etaetattat egitttaete agatgeegat tggggaagtg 780
 30
      gagteetttg eccateaggt etggaceagt ateaatetea caaatetgea aaattatatt 840
     gaaccaacca gaaatcgtgc agaagtgatt cttcataaaa gcaagaacca tgaaatcgat 900
      gaaatttact taaaaaagta a
35
      <210> 98
      <211> 741
     <212> DNA
     <213> Streptococcus pneumoniae
40
     <400> 98
     atggaaattt cattattaac agatgttggt cagaaacgaa caaataacca agactatgtc 60
     aaccactatg teaatagage tggacgtace atgattattt tagetgatgg gatgggaggt 120
     categtgcag ggaatatege tagtgaaatg geggteacag acetgggtgt agettgggtt 180
     gatacccaga tcgatacagt caatgaagtg cgtgaatggt tcgcccatta cctagaaatt 240
45
     gaaaatcaaa agattcacca gcttggtcag gatgaagctt acagaggcat gggaactact 300
     ttggaagtee ttgetattat tgataateag getatetatg eteatattgg tgattegegt 360
     atcggcttga ttcgtggaga agaataccat cagttgacga gcgatcattc cttggttaat 420
     gaattgctca aggctggtca attgacacca gaagaggcag aagctcatcc gcaaaaaaat 480
     attatcaccc agtotattgg gcaaaaagat gaaattcagc ctgattttgg gacagttatc 540
     cttgagtcag gtgactatct cttgctcaat agtgacggct tgaccaacat gatttcaggc 600
     agtgagattc gtgatattgt aaccagtgat attcctttag cagataaaac ggagacactt 660
    gttcgttttg ctaacaatgc aggaggttta gacaacatta cggttgccct tgtttctatg 720
    aacgaggagg atgaagaatg a
                                                                       741
55
    <210> 99
    <211> 831
    <212> DNA
```

<213> Streptococcus pneumoniae

```
gtgacgatac agatgaagaa tacaggtaaa cgaattgatc tgatagccaa tagaaaaccg 60
  5
      cagagtcaaa gggtcttgta tgaattgcga gatcgtttga agagaaatca gtttatactc 120
      aatgatacca atccggatat tgtcatttcc attggcgggg atggtatgct cttgtcggcc 180
      tttcataagt acgaaaatca gcttgacaag gtccgcttta tcggtcttca tactggacat 240
      ttgggcttct atacagatta tcgtgatttt gagttggaca agctagtgac taatttgcag 300
      ctagatactg gggcaagggt ttcttaccct gttctgaatg tgaaggtctt tcttgaaaat 360
      ggtgaagtta agattttcag agcactcaac gaagccagca tccgcaggtc tgatcgaacc 420
      atggtggcag atattgtaat aaatggtgtt ccctttgaac gttttcgtgg agacgggcta 480
      acagtttcga caccgactgg tagtactgcc tataacaagt ctcttggcgg tgctgtttta 540
      caccetacca ttgaagettt gcaattaacg gaaattgcca geettaataa tegtgtetat 600
      cgaacactgg gctcttccat tattgtgcct aagaaggata agattgaact tattccaaca 660
 15
      agaaacgatt atcatactat ttcggttgac aatagcgttt attctttccg taatattgag 720
      cgtattgagt atcaaatcga ccatcataag attcactttg tcgcgactcc tagccatacc 780
      agtttctgga accgtgttaa ggatgccttt atcggtgagg tggatgaatg a
      <210> 100
 20
      <211> 1623
      <212> DNA
      <213> Streptococcus pneumoniae
      <400> 100
 25
      atgtcaaaag aaattaaatt ttcatcagat gcccgttcag ccatggttcg tggtgtcgat 60
      attettgcag acactgttaa agtaacettg ggaccaaaag gtcgcaatgt cgttettgaa 120
      aagtcattcg gttcaccctt gattaccaat gacggtgtga ccattgccaa agaaatcgaa 180
      ttggaagacc attttgaaaa tatgggtgct aagttagtat cagaagtagc ttctaaaacc 240
      aatgatateg caggtgacgg aactacgact gcaacagtet tgacccaage tategteegt 300
 30
      gaaggaatca aaaacgtcac agcaggtgca aatccaatcg gtattcgtcg tgggattgaa 360
      acagcagttg ccgcagcagt tgaagctttg aaaaacaacg ccatccctgt tgccaataaa 420
      gaagetateg eteaagttge ageagtatet tetegttetg aaaaagttgg tgagtacate 480
      tetgaagcaa tggaaaaagt tggcaaagae ggtgteatea eeategaaga gteaegtggt 540
     atggaaacag agcttgaagt cgtagaagga atgcagtttg accgtggtta cctttcacag 600
35
     tacatggtga cagatagcga aaaaatggtg gctgaccttg aaaatccgta cattttgatt 660
     acagacaaga aaatttccaa catccaagaa atcttgccac ttttggaaag cattctccaa 720
     agcaategte cactettgat tattgeggat gatgtggatg gtgaggetet tecaactett 780
     gttttgaaca agattcgtgg aaccttcaac gtagtagcag tcaaggcacc tggttttggt 840
     gaccgtcgca aagccatgct tgaagatatc gccatcttaa caggcggaac agttatcaca 900
40
     gaagacettg gtettgagtt gaaagatgeg acaattgaag etettggtea ageagegaga 960
     gtgaccgtgg acaaagatag cacggttatt gtagaaggtg caggaaatcc tgaagcgatt 1020
     teteacegtg ttgcggttat caagteteaa ategaaacta caacttetga atttgacegt 1080
     gaaaaattgc aagaacgctt ggccaaattg tcaggtggtg tagcggttat taaggtcgga 1140
     geogeaactg aaactgagtt gaaagaaatg aaacteegea ttgaagatge cetcaacget 1200
     actogtgcag ctgttgaaga aggtattgtt gcaggtggtg gaacagctct tgccaatgtg 1260
     attccagctg ttgctacctt ggaattgaca ggagatgaag caacaggacg taatattgtt 1320
     ctccgtgctt tggaagaacc cgttcgtcaa attgctcaca atgcaggatt tgaaggatct 1380
     atcgttatcg atcgtttgaa aaatgctgag cttggtatag gattcaacgc agcaactggc 1440
     gagtgggtta acatgattga tcaaggtatc attgatccag ttaaagtgag tcgttcagcc 1500
50
     ctacaaaatg cagcatctgt agccagcttg attttgacaa cagaagcagt cgtagccaat 1560
     aaaccagaac cagtagcccc agctccagca atggatccaa gtatgatggg cgggatgatg 1620
     taa
                                                                       1623
     <210> 101
55
     <211> 1446
     <212> DNA
```

<213> Streptococcus pneumoniae

```
<400> 101
      atgattaaga ttgaaaccgt attagatatt ttaaagaaag atggcctttt tcgcgaaatt 60
      attgaccaag gtcattacca ctacaactac agcaaagtta tttttgatag catcagctac 120
      gacageegaa aagtaacaga agacactett ttttttgcaa aaggegetge etttaaaaaa 180
      gaatacette tttetgetat aacacaaggt ttagettggt atgtagetga aaaggactae 240
      gaagtegata tecetgteat cattgtgaac gatataaaga aagecatgag tttgattgee 300
      atggagttet atggtaatee acaagagaaa eteaaaetee ttgeetttae tggtaetaag 360
      ggtaagacaa cagcaaccta tttcgcctat aacatcttat ctcaggggca tagacctgct 420
  10
      atgttgtcga ccatgaacac aactettgat ggcgagactt tetttaagte agcgttgaca 480
      acccctgaga gtattgacct ctttgacatg atgaatcagg ctgtgctaaa tgaccgtacc 540
      cacctcatca tggaagtctc cagtcaagcc tatctagtcc atcgagtcta tggactgacc 600
      tttgatgtag gagtctttct taacatcact cctgaccata tcggcccgat tgaacaccct 660
      agetttgaag actatttcta ccacaagegt ctettgatgg aaaatageeg ageagteate 720
 15
      attaacagtg acatggacca cttctcagtc ttgaaagaac aggttgaaga tcaagaccat 780
      gatttctatg gtagccaatt tgataaccaa atcgagaatt ccaaagcctt tagcttttca 840
      gctacgggta aactcgctgg agattatgat atccaactca ttggcaactt caaccaagaa 900
      aatgeagttg etgetggaet tgettgtete egteteggag caagtettga ggaeateaaa 960
      aaaggcatcg ctgcaacccg cgttcctggt cgtatggaag tcctcactca gaaaaatgga 1020
 20
      gccaaggtct tcatcgacta tgcccacaat ggggatagtc tgaaaaaact catcaatgtg 1080
      gttgaaactc atcaaaccgg aaagattgct ctggttctgg gatcaacagg aaacaaggga 1140
      gaaagtcgtc gtaaggactt tggcctcctc ctcaatcaac accctgagat tcaagtcttt 1200
      ctgactgctg atgaccctaa ctatgaagac ccaatggcca ttgcagatga aattagtagc 1260
      tacatcaatc atcctgttga aaagattgcg gatcgccaag aagccatcaa ggcggcaatg 1320
 25
      gctatcacaa atcacgaatt agatgcagtt attattgcgg gtaagggagc cgattgttac 1380
      caaatcatce agggcaagaa agaatcetac ccaggagata cageegtege agaaaattat 1440
      ttataa
     <210> 102
 30
     <211> 1980
      <212> DNA
     <213> Streptococcus pneumoniae
     <400> 102
35
     atgatccaaa tcggcaagat ttttgccgga cgctatcgga ttgtcaaaca gattggtcga 60
     ggaggtatgg cggatgtcta cctagccaaa gacttaatct tagatgggga agaagtggca 120
     gtgaaggttc tgaggaccaa ctaccagacg gacccgatag ctgtagctcg ttttcagcgt 180
     gaagcgagag ctatggcaga tctagaccat cctcatatcg ttcggataac agatattggc 240
     tatatcaagg aacattatcc tetttetaat gaagaagcag teegtatcat gggacaaatt 360
     ctcttggcta tgcgcttggc ccatactcga ggaattgttc acagggactt gaaacctcaa 420
     aatateetet tgacaecaga tgggactgee aaggteacag aetttgggat tgetgtagee 480
     tttgcagaga caagtctgac ccagactaac tcgatgttgg gctcagttca ttacttgtca 540
     ccagagcagg cgcgtggttc gaaggcgact gtgcagagtg atatctatgc catggggatt 600
45
     attttctatg agatgctgac aggccatatc ccttatgacg gggatagcgc ggtgaccatt 660
     gccctccage atttccagaa acccctgccg tccgttattg cagaaaatcc atctgtacct 720
     caggetttag aaaatgttat tateaaggea actgetaaaa agttgaccaa tegetacege 780
     teggttteag agatgtatgt ggaettgtet agtagettgt cetacaateg tagaaatgaa 840
    agtaagttaa totttgatga aacgagcaag gcagatacca agacottgcc gaaggtttot 900
50
    cagagtacet tgacatetat teetaaggtt caagegeaaa cagaacacaa atcaateaaa 960
    aacccaagcc aggctgtgac agaggaaact taccaaccac aagcaccgaa aaaacataga 1020
    tttaagatgc gttacctgat tttgttggcc agccttgtat tggtggcagc ttctcttatt 1080
    tggatactat ccagaactcc tgcaaccatt gccattccag atgtggcagg tcagacagtt 1140
    gcagaggcca aggcaacgct caaaaaagcc aattttgaga ttggtgagga gaagacagag 1200
55
    gctagtgaaa aggtggaaga agggcggatt atccgtacag atcctggcgc tggaactggt 1260
    cgaaaagaag gaacgaaaat caatttggtt gtctcatcag gcaagcaatc tttccaaatt 1320
    agtaattatg tcggtcggaa atcctctgat gtcattgcgg aattaaaaga gaaaaaagtt 1380
```

```
ccagataatt tgattaaaat tgaggaagaa gagtcgaatg agagtgaggc tggaacggtc 1440
       ctgaagcaaa gtctaccaga aggtacgacc tatgacttga gcaaggcaac tcaaattgtt 1500
       ttgacagtag ctaaaaaagc tacgacgatt caattaggga actatattgg acggaactct 1560
       acagaagtaa totoagaact caagcagaag aaggttootg agaatttgat taagatagag 1620
       gaagaagagt ccagcgaaag cgaaccagga acgattatga aacaaagtcc aggtgccgga 1680
       acgaettatg atgigagtaa acctaeteaa atigtettga cagtagetaa aaaagttaca 1740
       agtgttgcca tgccgagtta cattggttct agcttggagt ttactaagaa caatttgatt 1800
       caaattgttg ggattaagga agctaatata gaagttgtag aagtgacgac agcgcctgca 1860
      ggtagtgcag aaggcatggt tgttgaacaa agtcctagag caggtgaaaa ggtagacctc 1920
  10
      aataagacta gagtcaagat ttcaatctac aaacctaaaa caacttcagc tactccttaa 1980
      <210> 103
      <211> 1176
      <212> DNA
 15
      <213> Streptococcus pneumoniae
      <400> 103
      atgaaacatt ttgatactat tgtcatcggt gggggacctg ctggtatgat ggctacgatt 60
      tccagtaact tttatggaca gaaaaccctc ctcatcgaaa aaaatcggaa acttggaaaa 120
 20
      aaattagctg ggactggtgg gggacgttgc aatgtgacca acaatggtag cttagacaac 180
      ctgctagctg gaattcctgg aaacggacgc tttctttaca gtgttttctc ccagttcgat 240
      aatcatgaca tcatcaactt ttttacagaa aatggtgtta aacttaaggt cgaagaccac 300
      ggacgcgtct ttccagccag tgacaagtct cggactatta tcgaagcttt ggaaaagaaa 360
      atcactgaac taggtggtca agttgctact caaatagaaa tcgtttctgt taaaaaagta 420
 25
      gatgaccagt ttgtccttaa gtcagcggat caaaccttca cttgtgagaa actcattgtc 480
      acaacaggtg gtaagtctta teettegact ggttegactg gttttggtea egagattget 540
      cgccatttta agcataccat caccgatctt gaggctgctg aaagtccttt attaacagat 600
      tttccacata aagcettaca agggatttct ctggacgatg tgaccctaag ttatggtaag 660
      catgtcatca ctcatgattt actctttacc cactttggtt tgtcaggtcc tgctgcccta 720
30
      cgcatgtcta gctttgtcaa aggtggggag gttctctcac tcgatgtttt gcctcaactt 780
      tctgagaagg acttggttac atttctagaa gaaaatcggg aaaaatcctt gaaaaacgct 840
      ttaaaaaacct tgttaccaga acgcttggcc gaattttttg tacaaggata tcctgaaaaa 900
      gtcaaacagc tgactgaaaa ggaacgagaa caacttgtcc agtccattaa agaacttaaa 960
     attectgtaa etggaaaaat gteeettgea aagteetttg ttaccaaggg tggagteagt 1020
35
     ctcaaggaaa tcaatcctaa aaccettgaa agtaagetgg tacetggcet ccactttgca 1080
     ggcgaagtta tggatatcaa tgcccacacg ggtggcttta acatcacttc tgccctctgt 1140
     accggctggg tggcgggaag tctgcattat gattaa
     <210> 104
40
     <211> 696
     <212> DNA
     <213> Streptococcus pneumoniae
     <400> 104
45
     atgctgaaat gggaagactt gcctgtggaa atgaaatcaa gcgaggttga gtcttactac 60
     cagettgtet etaaaaggaa gggttegetg atttteaage gttgettgga etgggttttg 120
     gccttggtgc ttacatgggt tctaacttct cccatctttc tcatcttgag catttggatc 180
     aagttggata gcaaggggcc agtgatttac aagcaagagc gtgtgaccca gtacaaccgt 240
     cggttcaaga tttggaagtt ccgtaccatg gtgacggatg cggataaaaa aggaagtctg 300
50
     gtgacttctg ctaacgatag ccgtattacc aaggttggaa atttcatccg acgtgtccgt 360
     ttggacgaac tgcctcagtt ggtcaatgtc cttaaaggtg agatgtcctt tgtcggtaca 420
     cgacctgaag tgccacgtta tacagagcag tatagccctg aaatgatggc aaccttgctc 480
    ttgcaagcag gaattacctc tccagccagc atcaactaca aggatgagga caccatcatc 540
    agtcaaatga cggagaaagg tetgteagtt gatcaggeet atgtggagea tgttetteet 600
55
    gaaaagatgc gctataacct cgcctatctc cgagagttta gtttctttgg ggacatcaaa 660
     atcatgtttc aaaccgtgtt tgaggtacta aaataa
                                                                       696
```

```
<210> 105
       <211> 423
       <212> DNA
       <213> Streptococcus pneumoniae
   5
      <400> 105
      atgactagtc cactattaga atctagacgc caactccgta aatgcgcttt tcaagctctc 60
      atgagcettg agttcggtac ggatgtcgaa actgcttgtc gtttcgccta tactcatgat 120
      cgtgaatata cggatgtaca acttccagcc tttttgatag acctcgtttc tggtgttcaa 180
 10
      gctaaaaagg aagaactaga taagcaaatc actcagcatt taaaagcagg ttggaccatt 240
      gaacgettaa egetegtgga gagaaacete ettegettgg gagtetttga aateaettea 300
      tttgacactc ctcagctggt tgctgttaat gaagctatcg agcttgcaaa ggacttctcc 360
      gatcaaaaat etgecegttt tateaatgga etgeteagee agtttgtaac agaagaacaa 420
 15
      <210> 106
      <211> 3540
      <212> DNA
      <213> Streptococcus pneumoniae
 20
      <400> 106
      atgtatttaa aggaaatcga aattcagggg ttcaagtctt ttgctgataa gaccaaggtc 60
      gtttttgacc aaggtgtgac ggcagttgtt ggacccaatg gatctggaaa gtccaatatt 120
      acagaaagte tgegttggge titgggggag tetagtgtea agagteteeg tgggggeaag 180
 25
      atgeeggatg teatettige tggaacagaa agtegeaaac egeteaatta tgettetgta 240
     gttgtgactc tggataatca tgacggattt atcaaggatg caggtcaaga aatcagggtg 300
     gaacgccata tctatcgtag tggagatagc gaatacaaga ttgacggcaa gaaagtccgt 360
     ctgcgtgata ttcatgacct cttcttggat actggattgg gacgagattc cttctctatt 420
     atttcccaag ggaaggttga ggagatttt aattccaagc ctgaggaacg acgagctatt 480
30
     tttgaagaag ctgctggagt tttaaaatac aagactcgca gaaaagaaac cgagagtaaa 540
     ctgcagcaaa ctcaggataa tctggaccgc ttagaggaca ttatctacga gttggataat 600
     caaatcaagc ctcttgagaa gcaagctgag aatgcccgta agtttttaga cttggaagga 660
     caacgtaagg ctatttattt agacgttctg gttgctcaaa tcaaggaaaa taaggcagaa 720
     ctagagtcga cagaagaaga gttggctcag gttcaagaac tcttgatgag ttattaccaa 780
     aagcgtgaaa aattagaaga agaaaatcaa actcttaaaa agcaacgcca agatttacag 840
     gctgaaatgg ccaaagacca aggcagtttg atggacttga ctagtctgat tagtgattta 900
     gaaagaaaat tagccctatc gaaactggag tccgagcaag tggccctgaa tcaacaggag 960
     gcacaagete gtitggetge titggaggat aagagaaati cacteageaa agaaaagtat 1020
     gataaagaaa getetttage tetgttagag ggaaatetag tecaaaataa teaaaaacte 1080
     aatcgtttag aagctgaatt gctggctttc tcagacgatc ctgatcagat gattgagctc 1140
40
     ttacgtgaac getttgtage tettttacaa gaagaagegg atgtetcaaa ecagttgace 1200
     cgtattgaga atgagttgga aaatagtcgt cagctttctc aaaaacaagc agatcaacta 1260
     gaaaagctga aagagcaatt agctacagct aaagagaagg ctagtcagca aaaagacgag 1320
     cttgaaactg ccaaggtgca ggttcagaaa ttattggctg actatcaagc tattgccaag 1380
45
     gagcaagagg agcagaaaac ttcctatcaa gctcaacaaa gtcaactctt tgaccgtctg 1440
     gatagtetea aaaacaagca ggeeagaget caaagtttgg aaaatateet gagaaateat 1500
    agtaactttt atgcaggtgt taagagtgtt ctccaagaaa aagatcgcct aggtgggatt 1560
    attggtgcag tcagtgagca tctgaccttt gatgtttatt atcaaactgc cctagagatt 1620
    gccttagggg caagtagcca gcatatcatc gtagaagatg aagagtcggc aaccaaagct 1680
50
    attgatttcc tcaaacgaaa cagagtcggt cgtgcaacct ttcttccttt gaccactatt 1740
    aaggogogta cgatttotag toagaaccaa gatgotatog otgtaagooo aggtttoott 1800
    gggatggcag atgagttggt gacttttgat actagactgg aagccatttt caagaacttg 1860
    ctagctacga eggetatett tgatacegta gaacatgege gtgaagetge tegacaagtt 1920
    cgttatcagg ttcgtatggt gacattggat gggacagaat tacgcacggg tggttcctat 1980
    gegggtggtg ceaategeea aaataacagt atttteatea agecagaaet ggagcaatta 2040
    caaaaagaaa ttgctgcaga tgaagcaagc ttgggttcag aagaagcggc tttgaagacc 2100
    ttgcaagacc agatggctgc attgacagaa agattagaag ccatcaaatc tcaaggagag 2160
```

```
caggcacgta ttcaggagca aggcttgtcc ctcgcttatc agcaaactag tcagcaagtt 2220
       gaagaactgg aaactctttg gaaactccaa gaagaggaaa tagatcgtct ttctgaggga 2280
       gattggcaag cggataagga aaaatgtcaa gagagccttg ctactatcgc cagtgacaag 2340
       caaaatctgg aagctgagat tgaagaaatt aagtctaata aaaacgccat ccaagaacgc 2400
       tatcaaaatt tgcaggaaga ggtggcgcaa gctcgcttgc ttaagacaaa actgcaaggg 2460
       caaaaacgtt atgaagtagc tgatattgag cgtttaggca aggaattgga caatcttaat 2520
       atcgaacaag aagaaattca gcgcatgctc caagaaaaag ttgacaatct tgagaaggtt 2580
       gatacagaat tgctcagtca acaggeggaa gaatccaaaa ctcagaaaac aaatctccaa 2640
       caaggtttga ttcgcaagca gtttgagttg gatgatatag aaggtcaact ggatgatatt 2700
  10
       gccagtcact tggatcaagc tcgccagcag aatgaggagt ggattcgcaa gcaaacacgt 2760
       gctgaagcca agaaagaaaa ggtcagcgag cgcttgcgcc atctacaaaa tcaattaaca 2820
      gaccagtacc agattagcta tactgaagca ctagaaaagg cacatgaatt ggaaaacctc 2880
      aatctggcag agcaagaggt gcaggattta gagaaggcta ttcgctcatt gggacctgtc 2940
      aacttggaag ctattgacca gtacgaagaa gttcacaacc gtctggactt tctaaatagt 3000
      cagcgagatg atattitgtc agcgaaaaat ctgctccttg aaaccattac agagatgaat 3060
 15
      gatgaggtca aggaacgctt taaatcaacc tttgaagcta ttcgtgagtc ctttaaagtg 3120
      accttcaage agatgtttgg eggaggteag geagaettga tattgaetga gggegaeett 3180
      ttaacagetg gtgtggagat ttctgttcaa cctccaggta agaaaatcca gtcgcttaac 3240
      ctcatgagtg gtggtgaaaa agctctatcg gctcttgcct tgcttttctc cattattcgt 3300
 20
      gtcaagacca ttccttttgt catcttggat gaggtggaag ctgcgctgga tgaagccaat 3360
      gttaaacgtt ttggggatta cctcaaccgc tttgacaagg acagccagtt tatcgtcgta 3420
      acceacegta agggaaceat ggcagegget gattecatet atggagtgae catgcaagaa 3480
      tcaggtgtct caaaaattgt ttcggttaag ttaaaagatt tagaaagtat tgaaggatga 3540
 25
      <210> 107
      <211> 1344
      <212> DNA
      <213> Streptococcus pneumoniae
 30
      <400> 107
      atgacaaaac gtgtaacgat tattgacgta aaagactatg ttggtcagga agtgacgatt 60
      ggcgcttggg ttgccaacaa atcaggaaaa ggaaaaatcg ctttcttaca attgcgtgat 120
      ggaacageet tettteaagg tgtggetttt aaaccaaact ttgtegaaaa atttggtgaa 180
      gaagtgggac ttgagaagtt tgatgttatc aaacgcttga gccaagaaac gtctgtttat 240
 35
     gtgacaggta ttgtcaaaga ggacgaacgt tctaaatttg gctatgagtt ggacatcaca 300
     gacategaag tgateggtga ateteaagae tacceaatea caceaaaaga acaeggaaca 360
     gactttitga tggataaccg teacttgtgg ctacgetete gtaagcaagt agetgtgttg 420
     caaatccgta acgctattat ctatgcaact tatgagttct ttgacaagaa cggttttatg 480
     aagtttgaca gcccaattct ttcaggaaat gcggcagaag attctacaga actctttgaa 540
40
     actgactact toggaacgcc agcctacttg agccaatcag gtcagcttta cotagaagca 600
     ggggctatgg ctcttggtcg tgtctttgac tttggtccag ttttccgtgc tgaaaaatca 660
     aaaacacgcc gtcacttgac tgagttctgg atgatggatg ctgagtactc atacttgaca 720
     catgatgagt cgcttgactt gcaagaagct tatgtgaaag ctcttctaca aggtgttctt 780
     gaccgcgcgc ctcaagcctt ggaaaccttg gaacgtgata cagaactctt gaaacgctac 840
     attgcagage cattcaaacg tatcacttac gatcaagcca ttgacctctt gcaagagcat 900
     gaaaatgatg aagatgctga ctacgagcat cttgagcatg gtgatgactt tgggtcacca 960
     cacgaaactt ggatttcaaa ccactttggt gtgccaacat ttgtcatgaa ctatccagca 1020
     gccatcaagg ccttctacat gaaaccagtt cctggaaatc cagagcgcgt gctttgtgca 1080
     gacttgcttg ctccagaagg ctatggagaa attatcggtg ggtctatgcg tgaggaagat 1140
50
     tacgatgccc ttgtcgctaa gatggatgaa cttggcatgg atcgtacaga atatgaattc 1200
     taccttgace ttegtaaata eggtacagtt ecacaeggag gatttggtat eggtategaa 1260
     cgtatggtaa ccttcgcagc aggaacaaaa catatccgtg aagctattcc attcccacgt 1320
     atgttgcacc gtatcaaacc ataa
                                                                       1344
55
     <210> 108
     <211> 927
     <212> DNA
```

<213> Streptococcus pneumoniae

```
atgtctgaaa aattagtaga aatcaaagat ttagaaattt ccttcggtga aggaagtaag 60
  5
      aagtttgtcg cggttaaaaa tgctaacttc tttatcaaca agggagaaac tttctcgctt 120
      gtaggtgagt ccggtagtgg gaaaacaact attggtcgtg ctatcatcgg tctaaatgat 180
      acaagtaatg gagatatcat ttttgatggt caaaagatta atggtaagaa atcgcgtgaa 240
      caagetgegg aattgatteg tegaateeag atgattttee aagaecetge egeaagtttg 300
      aatgaacgtg cgactgttga ttatattatt tctgaaggtc tttacaatca ccgtttattt 360
 10
      aaggatgaag aagaacgtaa agagaaagtt caaaatatta teegtgaagt aggtettett 420
      gctgagcact tgactcgtta ccctcatgaa ttctcaggcg gtcaacgtca acgtatcggt 480
      attgcccgtg ccttggtcat gcaaccagac tttgttattg cagatgagcc aatttcagcc 540
      ttggacgttt ctgtacgtgc ccaagtettg aacttgetea aaaaatteea aaaagagete 600
      ggcctgacct atctcttcat cgcccatgac ttgtcggttg ttcgctttat ttcagatcgt 660
 15
      atcgcagtta tttacaaggg tgttattgta gaggttgcag aaacagaaga attgtttaac 720
      aatccaattc acccatatac tcaagccttg ctttcagcgg taccaatccc agatccaatc 780
      ttggaacgta agaaggtctt gaaggtttac gacccaagtc aacacgacta tgagactgat 840
      aagccgtcta tggtagaaat ccgtccaggt cactatgttt gggcgaacca aaccgaattg 900
      gcacgttatc aaaaaggact aaactag
 20
      <210> 109
      <211> 1275
      <212> DNA
      <213> Streptococcus pneumoniae
 25
      <400> 109
      atgaagataa gttggaatgg attttctaaa aaatcatacc aagagcgcct cgagctgcta 60
     aaagctcagg cgctccttag tcctgagaga caagctagtc tggagaagga tgaacagatg 120
     agtgtgactg tggcagacca gctgagtgag aatgtggtgg gaactttttc tctgccttat 180
30
     tcgctggttc cggaggtact tgtcaacggt caggaataca ccgttcccta tgtgacagaa 240
     gaaccetetg tggttgcggc ggccagctat gccagcaaaa tcatcaagcg tgcaggtggt 300
     tttactgcac aagtccatca gcgccagatg attgggcagg tagcccttta tcaaattgct 360
     aatectaaac tagegeaaga gaagattgee ageaagaaag eggagetett ggagettgee 420
     aatcaagcct atcettetat egttaaacgt gggggtgggg egegtgatet geatgtegag 480
35
     cagataaaag gcgaaccaga ctttctcgtt gtttatattc atgtcgatac ccaggaagcc 540
     atgggtgcca atatgctcaa caccatgctg gaagccttga aaccagtctt agaagaactc 600
     agtcagggac agagtctcat gggaatcctg tccaactacg cgactgattc tctggtgact 660
     gcaagctgtc gcatcgcctt tegetacttg agccgccaaa aggatcaagg acgagagatt 720
     gcggagaaaa ttgcgttggc tagtcagttt gcgcaggctg atccttaccg agctgctact 780
     cataataaag gaatttttaa tggtattgat gcgattttga ttgccactgg taatgactgg 840
     cgtgccatcg aagctggggc ccatgccttt gccagtcgag atggacgcta tcaaggtctt 900
     agctgctgga cgctggacct tgaaagagaa gaattggtcg gtgagatgac cctgcccatg 960
     cctgtagcga ctaagggtgg ctctatcggc ctcaacccac gtgtagctct cagtcatgat 1020
     ctactaggaa atccttctgc cagagaatta gcccagatta tcgtgtccat cggtcttgct 1080
45
     caaaattttg cagccctcaa agccttggta agtacgggca tccagcaagg ccacatgaaa 1140
     ctacaggcca aatccctagc tctcctagct ggggctagtg aatctgaagt tgctccccta 1200
     gtagagegee teateteaga taaaaeettt aacetagaga eageeeageg etatetegaa 1260
     aatttaagat cataa .
50
     <210> 110
     <211> 789
     <212> DNA
     <213> Streptococcus pneumoniae
55
     <400> 110
    atgccaatta catcattaga aataaaggac aagacttttg gaactcgatt cagaggtttt 60
    gatccagaag aagtcgatga atttttagat attgtggttc gtgattacga agatcttgtg 120
```

```
cgtgcgaatc atgataaaaa tttgcgtatt aagagtttag aagagcgttt gtcttacttt 180
        gatgaaataa aagattcatt gagccagtct gtattgattg ctcaggatac agctgagaga 240
       gtgaaacagg cggcgcatga acgttcaaac aatatcattc atcaagcaga gcaagatgcg 300
       caacgettgt tggaagaage taaatataag gcaaacgaga ttettegtea ageaactgat 360
       aatgctaaga aagtcgctgt tgaaacagaa gaattgaaga acaagagccg tgtcttccac 420
       caacgtctca aatctacaat tgagagtcag ttggctattg ttgaatcttc agattgggaa 480
       gatattetee gtecaacage tacttatett caaaccagtg atgaageett taaagaagtg 540
       gttagcgaag tacttggaga accgattcca gctccaattg aagaagaacc aattgatatg 600
       acacgtcagt tetetcaage agaaatggca gaattacaag etegtattga ggtageegat 660
       aaagaattgt ctgaatttga agctcagatt aaacaggaag tggaagctcc aactcctgta 720
       gtgagtcctc aagttgaaga agagcctctg ctcatccagt tggcccaatg tatgaagaac 780
       cagaagtag
       <210> 111
  15
       <211> 1728
       <212> DNA
       <213> Streptococcus pneumoniae
       <400> 111
  20
       atgtctaatg gacaactaat ttatttaatg gttgcaattg cagtcatttt agttctggct 60
       tatgtagtgg caatctttct acgtaagcga aacgagggga gattagaggc gctagaagaa 120
      agaaaagaag aactatacaa tottocagta aatgatgaag tagaagotgt aaaaaatatg 180
      cacttgattg gacaaagtca agtggctttc cgtgaatgga atcaaaaatg ggtcgattta 240
      teteteaact ettttgeega tattgaaaat aatetetttg aageagaagg ttataaceat 300
      tcatttcgtt ttctcaaggc cagtcatcaa attgaccaaa ttgagagtca aattactttg 360
      attgaagaag atattgcggc aattcgcaat gctttggcag acttagagaa gcaagaatct 420
      aaaaatagtg gtcgtgttct tcatgctttg gatttatttg aggaacttca gcatagagtt 480
      gctgaaaatt cagaacagta tggtcaagcc ttggatgaaa ttgaaaaaca attagaaaat 540
      atccaatctg aattttcaca atttgtaacc ttgaattcat cgggtgaccc tgtggaagcc 600
      gcagtgattt tggataatac agaaaatcac attttggcct taagtcatat tgtggatcgt 660
      gttccagcct tggttacgac gctttctaca gaattgccag atcaattaca ggatttggaa 720
      gccggttatc gtaaactaat tgatgctaat tatcattttg ttgaaacgga tattgaagcg 780
      cgtttccact tgctttatga agcattcaag aaaaaccaag agaatattcg tcagttggaa 840
      ttggataatg ccgaatatga gaatggacag gcacaagagg aaatcaatgc cttgtatgat 900
 35
      attittacte gagaaattge tgeteagaaa gtagtggaaa atetaettge aactetteea 960
     acttacette aacatatgaa agagaataat actttattgg gagaagatat tgcacgtttg 1020
     aacaagacct atttacttcc tgagacagct gcaagccatg ttcgtcgtat tcagacagaa 1080
     ttagagagtt ttgaggcagc tattgttgag gtaacttcaa atcaagaaga accaacccaa 1140
     gottattcag ttottgaaga aaatottgag gatttacaaa otcaactaaa agatattgaa 1200
 40
     gatgagcaaa tttcagttag tgagcgcctg acacaaattg agaaagatga tattaatgca 1260
     cgtcaaaagg ccaatgttta tgtcaatcgt ctccatacta tcaagcgata catggaaaaa 1320
     cgcaatctgc caggtattcc acaaactttc ttgaagttat tctttacggc aagcaataat 1380
     accgaggatt taatggttga gttagaacaa aaaatgatta acattgaatc tgttacccga 1440.
     gttcttgaaa ttgcaacgaa tgatatggaa gctttagaaa cggaaactta taatattgta 1500
     caatatgcaa ctttgacaga gcaactcttg caatattcta accgctatcg ctcatttgat 1560
45
     gaacgcattc aagaagcatt taacgaagct ttagatattt ttgaaaaaga atttgattat 1620
     cacgetteat ttgataagat tteteaagea ttggaagtgg cagageetgg tgtaaccaat 1680
     cgctttgtta cctcatatga gaaaacacgt gaaacgattc gtttttaa
50
     <210> 112
     <211> 2403
     <212> DNA
     <213> Streptococcus pneumoniae
55
    <400> 112
    atgettatat ettataaatg gttaaaagaa ttggtggaca ttgatgtgee atcacaagag 60 -
    ttggctgaaa aaatgtcaac tacaggaatc gaggtagagg gtgtcgaatc accagctgct 120
```

```
ggtctctcaa aaattgtcgt cggtgaggtc ttgtcttgcg aagatgtgcc agagactcac 180
       ctccatgttt gtcaggttaa cgttggcgaa gaagagcgtc agatcgtttg tggtgcccca 240
       aatgtgcgtg ctgggatcaa ggtcatggtg gctcttccag gagctcgtat cgctgataac 300
       tacaaaatca aaaaaggaaa aatccgtggt ttggagtcac ttggaatgat ctgttcactt 360
       ggtgaattgg gaatttctga ctcagttgtg cctaaggaat tcgcagatgg catccaaatc 420
      ttgcctgaag atgccgtgcc aggtgaggaa gtcttttctt acctagactt ggatgatgaa 480
      atcatcgaac tttccatcac accaaaccgt gcagatgccc tttctatgtg tggagtggct 540
      cacgaagtgg cagccatcta tgacaaggca gtcaacttta aagaatttac tctaacagaa 600
      actaatgaag ctgcggcaga tgccctttct gtcagcattg agacagacaa ggcgccttac 660
 10
      tatgcagetc gtatettgga caatgtgace ategeaceaa gtecacaatg gttgcaaaac 720
      cttctcatga acgaaggaat ccgtcccatc aataacgtag tggacgtgac caactacatc 780
      ctgctctatt ttggtcaacc aatgcatgcc tttgacttgg ataactttga agggactgac 840
      atccgtgtgc gtgaagcgcg tgctggtgaa aaattggtga ccttggacgg tgaagaacgt 900
      gacttggacg tgaatgacct agtcatcact gtcgcagaca agccagtagc ccttgcaggt 960
 15
      gtcatgggtg gtcaagcaac agaaatctct gaaaaatcta gtcgtgttgt ccttgaagct 1020
      gctgttttca atggcaaatc tatccgtaag acaagtggtc gcctgaacct tcgttctgag 1080
      tcatcttctc gctttgaaaa aggaattaat gtggcaacag ttaatgaagc ccttgatgcg 1140
      gcagctagcc tgattgcgga acttgcaggt gcgacggtgc gtaagggcat cgtttcagcg 1200
      ggtgagettg atacttcaga tgtagaagtt tettcaaece ttgetgatgt taaecgtgte 1260
 20
      ctcggaactg agctgtctta tgctgatgta gaagacgtct tccgtcgtct tggctttggt 1320
      ctttctggaa atgcagacag ctttacagtc agagtcccac gtcgtcgttg ggatatcaca 1380
      atcgaagetg acctetttga agaaattget egtatetatg gttatgaceg ettgecaact 1440
      agtetaceaa aagacgatgg tacagcaggt gaattgacag ccacacaaaa actccgccgt 1500
      caagttegta etattgetga aggageaggt ttgacagaaa teateaceta taetetaaca 1560
 25
      actcctgaaa aagcagttga gtttacggct caaccaagta accttacgga actcatgtgg 1620
      ccaatgactg tggatcgttc agtcctccgt caaaatatga tttcaggtat ccttgatacc 1680
      gttgcctaca acgtggctcg taagaataaa aacttggccc tttacgagat tggaaaagtc 1740
      tttgaacaaa caggtaatcc aaaagaagaa cttccaaatg aaatcaacag ttttgccttt 1800
      gccttgacag gcttggttgc tgaaaaagat ttccaaacag cagcagttcc agttgatttc 1860
30
     ttctatgcta agggaatcct tgaagcccta tttactcgtt tgggactcca agtaacctat 1920
     acagcaacat ctgaaatcgc tagccttcat ccaggtcgta cagccgtgat ttcactcggt 1980
     gaccaagtte ttggttteet tggccaagtg catcaagtea etgccaagge ttacgatatt 2040
     ccagaaacgt atgtggctga gettaacctt tcagctateg aagetgeget tcagccageg 2100
     actocattig tagaaatcac caaattooog goagtoagec gtgacgttgc cottotootc 2160
35
     aaggcagaag tgactcatca agaagttgta gatgctatcc aagctgccgg cgtgaaacgt 2220
     ttgacagata tcaaactett tgacgtette tcaggtgaga aattgggact tggtatgaag 2280
     tcaatggett atagettgae ettecaaaat ecagaagata gettaaegga egaagaagte 2340
     gcacgctata tggaaaaaat ccaagcateg ctcgaagaaa aagtcaatgc agaagtgcgt 2400
     taa
40
     <210> 113
     <211> 543
     <212> DNA
     <213> Streptococcus pneumoniae
45
     atgttagaaa acgatattaa aaaagtcctc gtttcacacg atgaaattac agaagcagct 60
     aaaaaactag gtgctcaatt aactaaagat tatgcaggaa aaaatccaat cttagttggg 120
     attttaaaag gatctattcc ttttatggct gaattggtca aacatattga tacacatatt 180
50
     gaaatggact tcatgatggt ttctagctac catggtggaa cagcaagtag tggtgttatc 240
     aatattaaac aagatgtgac tcaagatatc aaaggaagac atgttctatt tgtagaagat 300
     atcattgata caggtcaaac tttgaagaat ttgcgagata tgtttaaagc aagagaagca 360
     gcttctgtta aaattgcaac cttgttggat aaaccagaag gacgtgttgt agaaattgag 420
     gcagactata cotgotttac tatoccaaat gagtttgtag taggttatgg tttagactac 480
55
     adagaaaatt atcgtaatct teettatatt ggagtattga aagaggaagt gtattcaaat 540
                                                                       543
```

	<2 <2	10> 11> 12> 13>	235	ptoc	occus	s pn	eumo	niae								
5	Me	00> t Il 1	114 e Ty:	r Ala	a Gly	y Ile	e Le	u Ala	a Gl	y Gl		r Gly	y Thi	r Ar	g Met 15	
-10	. 11	e Se	r Asr	Lei 20	Pro	Ly:	s Glr	n Phe	Let 25	u Glu 5	ı Lei	ı Gly	/ Asp	Arg 30		11
15	Le	u Il	e His	Thr	Tle	: Glı	ı Lys	Phe 40	· Val	l Leu	ı Glu	Pro	Ser 45		: Glu	Ĺу
	Ile	9 Va:	l Val	. Gly	Val	His	Gly 55	Asp	Trp	Val	. Leu	His 60		Glu	ı Asp	Le
20	Va]	l Asp) Lys	Tyr	Leu	Pro 70	Leu	His	Lys	Glu	Arg 75		Ile	Ile	Thr	80 Ly:
	G17	/ Gly	Ala	Asp	Arg 85	Asn	Thr	Ser	Ile	Glu 90		Ile	Ile	Glu	Ala 95	Ile
25			Tyr	100					105					110		
30			. Arg 115					120					125			
		130					135					140				
35	. 145		Val			150					155					160
40			His		165				•	170					175	
40			Met	180					185				•	190		•
45			Asp 195					200					205			
		210	Lys				215		٠.			Thr 220	Thr	Val	Thr .	Asp
50	Leu 225	Lys	Ile .	Ala		Ser 230	Met	Ile (Glu	_	Asp 235					
55	<211 <212	> PR	5	:	cus r	oneur	moni:	a e								

<400>	11.	5
-------	-----	---

.10

25

Met Ala Asn Val Ile Ile Glu Lys Ala Lys Glu Arg Met Thr Gln Ser 1 5 10 15

- 5 His Gln Ser Leu Ala Arg Glu Phe Gly Gly Ile Arg Ala Gly Arg Ala 20 25 30
 - Asn Ala Ser Leu Leu Asp Arg Val His Val Glu Tyr Tyr Gly Val Glu
 35 40 45
- Thr Pro Leu Asn Gln Ile Ala Ser Ile Thr Ile Pro Glu Ala Arg Val 50 55 60
- Leu Leu Val Thr Pro Phe Asp Lys Ser Ser Leu Lys Asp Ile Glu Arg 65 70 75 80
 - Ala Leu Asn Ala Ser Asp Leu Gly Ile Thr Pro Ala Asn Asp Gly Ser 85 90 95
- 20 Val Ile Arg Leu Val Ile Pro Ala Leu Thr Glu Glu Thr Arg Arg Asp 100 105 110
 - Leu Ala Lys Glu Val Lys Lys Val Gly Glu Asn Ala Lys Val Ala Val 115 120 125
- Arg Asn Ile Arg Arg Asp Ala Met Asp Glu Ala Lys Lys Gln Glu Lys 130 135 140
- Ala Gln Glu Ile Thr Glu Asp Glu Leu Lys Thr Leu Glu Lys Asp Ile 145 150 155 160
 - Gln Lys Val Thr Asp Asp Ala Val Lys His Ile Asp Asp Met Thr Ala 165 170 175
- 35 Asn Lys Glu Lys Glu Leu Leu Glu Val 180 185
- <210> 116 40 <211> 450
 - <212> PRT
 - <213> Streptococcus pneumoniae

<400> 116

- 45 Met Gly Lys Tyr Phe Gly Thr Asp Gly Val Arg Gly Glu Ala Asn Leu
 1 5 10 15
- Glu Leu Thr Pro Glu Leu Ala Phe Lys Leu Gly Arg Phe Gly Gly Tyr 20 25 30
 - Val Leu Ser Gln His Glu Thr Glu Ala Pro Lys Val Phe Val Gly Arg
 35 40 45
- Asp Thr Arg Ile Ser Gly Glu Met Leu Glu Ser Ala Leu Val Ala Gly 55 50 60
 - Leu Leu Ser Val Gly Ile His Val Tyr Lys Leu Gly Val Leu Ala Thr

	65		70 . 75									80			
. 5	Pro 1	Ala Va	ıl Ala	туг 85	Lei	u Vai	l Gli	u Th	r Gli		y Ala	a Se	r Ala	a Gl;	y Val 5
	Met 1	le Se	r Ala 100	Ser	His	s Ası	n Pro	0 Ala	a Let	ı Ası) Asr	ı Gly	y Ile 110		s Phe
10	Phe 6	Sly Gl 11	y Asp 5	Gly	Phe	e Lys	Let 120	ı Ası)	a Asp	Glı	ı Lys	6 Glu 125		a Gla	ı Ile
	Glu A	la Le .30	u Leu	Asp	Ala	135	ı Glu	ı Asp	Thr	: Let	140		g Pro	Sei	Ala
15	Glu G 145	ly Le	u Gly	Ile	Leu 150	Val	Asp	Туг	Pro	Glu 155		Leu	Arg	Lys	Tyr 160
20	Glu G	1у Ту	r Arg	Val 165	Ser	Thr	Gly	Thr	Pro 170		Asp	Gly	Met	Lys 175	
	Ala L	eu Ası	7hr 180	Ala	Asn	Gly	Ala	Ala 185	Ser	Thr	Ser	Ala	Arg 190		Ile
25	Phe A	la Asp 199	Leu 5	Gly	Ala	Gln	Leu 200		Val	Ile	Gly	Glu 205		Pro	Asp
	Gly Lo	eu Asr 10	lle	Asn	Leu	Asn 215	Val	Gly	Ser	Thr	His 220	Pro	Glu	Ala	Leu
30	Gln G 225	lu Val	. Val	Lys	Glu 230	Ser	Gly	Ser		Ile 235	Gly	Leu	Ala	Phe	Asp 240
35	Gly As	sp Ser	Asp	Arg 245	Leu	Ile	Ala	Val	Asp 250	Glu	Asn	Gly	Asp	Ile 255	Val
	Asp Gl	y Asp	Lys 260	Ile	Met	Tyr	Ile	Ile 265	Gly	Lys	Tyr	Leu -	Ser 270	Glu	Lys
40	Gly Gl	n Leu 275	Ala	Gln	Asn	Thr	Ile 280	Val	Thr	Thr	Val	Met 285	Ser	Asn	Leu
· ·	Gly Ph 29	e His O	Lys	Ala	Leu	Asn 295	Arg	Glu	Gly	Ile	Asn 300	Lys	Ala	Val	Thr
45	Ala Va 305	l Gly	Asp	Arg :	Tyr 310	Val	Val	Glu		Met 315	Arg	Lys	Ser	Gly	Tyr 320
· 50	Asn Le	u Gly		Glu (325	Gln	Ser	Gly	His-	Val 330	Ile	Leu	Met		Tyr 335	Asn
	Thr Th	r Gly	Asp (Gly (Gln :	Leu		Ala 345	Val	Gln :	Leu '		Lys : 350	Ile	Met
55	Lys Gl	1 Thr 355	Gly 1	Lys S	Ser 1	Leu :	Ser (Glu :	Leu I	Ala i		31u ' 365	Val :	Thr :	Ile
	Tyr Pro	Gln	Lys 1	Leu V	al A	Asn I	Cle 7	Arg '	Val (Glu A	lsn (/al M	Met I	jys (Glu

370 375 380 Lys Ala Met Glu Val Pro Ala Ile Lys Ala Ile Ile Glu Lys Met Glu 5 Glu Glu Met Ala Gly Asn Gly Arg Ile Leu Val Arg Pro Ser Gly Thr Glu Pro Leu Leu Arg Val Met Ala Glu Ala Pro Thr Thr Glu Glu Val 10 425 Asp Tyr Tyr Val Asp Thr Ile Thr Asp Val Val Arg Ala Glu Ile Gly 15 Ile Asp 450 <210> 117 20 <211> 234 <212> PRT <213> Streptococcus pneumoniae <400> 117 25 Met Lys Lys Ile Leu Ile Val Asp Asp Glu Lys Pro Ile Ser Asp Ile Ile Lys Phe Asn Met Thr Lys Glu Gly Tyr Glu Val Val Thr Ala Phe 30 Asn Gly Arg Glu Ala Leu Glu Gln Phe Glu Ala Glu Gln Pro Asp Ile Ile Ile Leu Asp Leu Met Leu Pro Glu Ile Asp Gly Leu Glu Val Ala 35 Lys Thr Ile Arg Lys Thr Ser Ser Val Pro Ile Leu Met Leu Ser Ala 40 Lys Asp Ser Glu Phe Asp Lys Val Ile Gly Leu Glu Leu Gly Ala Asp Asp Tyr Val Thr Lys Pro Phe Ser Asn Arg Glu Leu Gln Ala Arg Val

105

Lys Ala Leu Leu Arg Arg Ser Gln Pro Met Pro Val Asp Gly Gln Glu 115 120 125

Ala Asp Ser Lys Pro Gln Pro Ile Gln Ile Gly Asp Leu Glu Ile Val

Pro Asp Ala Tyr Val Ala Lys Lys Tyr Gly Glu Glu Leu Asp Leu Thr

His Arg Glu Phe Glu Leu Leu Tyr His Leu Ala Ser His Thr Gly Gln

170

135

165

45

50

55

Val Ile Thr Arg Glu His Leu Leu Glu Thr Val Trp Gly Tyr Asp Tyr 180 185 190

- Phe Gly Asp Val Arg Thr Val Asp Val Thr Val Arg Arg Leu Arg Glu 195 200 205
 - Lys Ile Glu Asp Thr Pro Ser Arg Pro Glu Tyr Ile Leu Thr Arg Arg 210 215 220
- 10 Gly Val Gly Tyr Tyr Met Arg Asn Asn Ala 225 230

25

40

- - Asp Lys Ala Gly Leu Gly Phe Thr Pro Gln Ser Ala Leu Glu Lys Gly
 20 25 30
- Leu Glu Thr Gly Glu Val Tyr Cys Gln Arg Cys Phe Arg Leu Arg His 35 40 45
- Tyr Asn Glu Ile Thr Asp Val Gln Leu Thr Asn Asp Asp Phe Leu Lys 50 55 60
 - Leu Leu His Glu Val Gly Asp Ser Asp Ala Leu Val Val Asn Val Ile 65 70 75 80
- Asp Ile Phe Asp Phe Asn Gly Ser Val Ile Pro Gly Leu Pro Arg Phe 85 90 95
 - Val Ser Gly Asn Asp Val Leu Leu Val Gly Asn Lys Lys Asp Ile Leu 100 105 110
 - Pro Lys Ser Val Lys Ser Gly Lys Ile Ser Gln Trp Leu Met Lys Arg 115 120 125
- Ala His Glu Glu Gly Leu Arg Pro Val Asp Val Val Leu Thr Ser Ala
 130 135 140
 - Gln Asn Lys His Ala Ile Lys Glu Val Ile Asp Lys Ile Glu His Tyr 145 150 155 160
- 50 Arg Lys Gly Arg Asp Val Tyr Val Val Gly Val Thr Asn Val Gly Lys
- Ser Thr Leu Ile Asn Ala Ile Ile Gln Glu Ile Thr Gly Asp Gln Asn 180 185 190
 - Val Ile Thr Thr Ser Arg Phe Pro Gly Thr Thr Leu Asp Lys Ile Glu
 195 200 205

	1.	1e P	ro 1	Leu	As	p A	sp G	ly	Ser 215	Ty	r II	le T	yr .	Asp	Th: 22		:0 G	ly	Ile	Il
5	Hi 22	ls A	rg I	His	Gl	n Me	et A 2	la 30	His	ту	r Le	eu T	hr i	Ala 235	Lys	s As	n L	eu :	Lys	Ту 24
10	Vā	ıl S	er I	Pro	Lу	s Ly 24	/s G 15	lu :	Ile	Ъу	s Pr	o L	ys '	r hr	Туз	c Gl	n L		Asn 255	Pr
10	G1	u G	ln T	hr	Le:	u Ph O	e L	eu (Зlу	Gl	y Le 26		ly A	Arg	Phe	e As		he :	Ile	Ala
15	Gl	у G:	lu I 2	ys 275	Gli	n Gl	y bi	he 1	ľhr	Ala 280		e Pl	ne A	Asp	Asn	G1 28		eu I	jys	Le
•	Hi	s Ai 29	rg S 90	er	Lys	s Le	u G	lu (51 y 295	Ala	a Se	r Al	la F	he	Tyr 300		ь г7	⁄s F	lis	Lev
20	G1 30	у Т} 5	ır L	eu	Leu	ı Th	r Pı 31	0 F	ro	Asr	ı Se	r Ly		lu 15	Lys	Glı	ı As	p F	he	Pro 320
25	Ar	g Le	u V	al	Gln	Hi:	s Va 5	ıl P	he	Thr	· Il	e Ly 33	s A	sp	Lys	Thi	As		eu 35	Val
	Ile	e Se	r G	ly	Leu 340	Gl	y Tr	p I	le	Arg	Va:	L Th	r G	ly	Thr	Ala	ъ Ly 35		al	Ala
30	Va]	l Tr	р А: 35	la 55	Pro	Glı	ı Gl	у۷	al	Ala 360	Va]	. Va	1 T	hr.	Arg	Lys 365		a I	le	Įle
35					٠		•	•									•			
	<21 <21	0> : 1> 4 2> 1	486 PRT					_												
40		3> 3 0> 1		pro	ocoo	ccus	pne	eumo	ni	ae										
				o A	Asp	Asp 5	Sei	: Le	u :	Thr	Leu	His		ır A	\sp	Leu	Tyr	_	.n. 1 .5	le
45	Asn	Met	: Me	t G	ln 20	Val	Tyr	Ph	e A	4sp	Gln 25	Gly	, Il	e H	lis .	Asn	Lys 30		s A	lla
50	Val	Phe	G1 3	u V 5	al	Tyr	Phe	Ar	g (Sln 40	Gln	Pro	Ph	e L	ys .	Asn 45	Gly	Ту	r A	la
50	Val	Phe 50	Ala	a G	ly	Leu	Glu	Ar 5	g I 5	le	Val	Asn	Ty:		eu (Glu	Asp	Le	u A	rg
55	Phe 65	Ser	Asp	o Se	er.	Asp	Ile 70	Ala	а Т	yr :	Leu	Glu	Se:		eu (Gly	Tyr	Hi		ly 80
	Ala	Phe	Let	ı As	sp :	Tyr	Leu	Arg	γА	sn i	Phe	Lys	Let	1 G.	lu I	Leu	Thr	Va [*]	L A	ra

	WU	U1/45	9/21												P	CT/t
				•	8	5				9	0				9	5 .
5	Se	r Al	a Gl	n Gl	u Gl; 0	y Asp) Let	ı Va	l Phe 10		a Ası	n Gli	u Pr	0 Il 11		1 G1
_	Va.	l Gl	u Gl 11	y Pro 5	o Lei	u Ala	a Glr	120		n Lei	ע Val	l Glı	u Th:		a Lei	u Le
10	Ası	11 13	e Va. O	l Ası	n Tyi	r Gln	Thr 135		ı Val	l Ala	a Thr	Lys 140		a Ala	a Arç	j Il
	Arc 145	g Se:	r Va	l I16	e Glu	1 Asp 150		Pro	Let	Met	Glu 155		e Gly	Th:	r Arg	9 Ar 16
15	Ala	Gli	n Gli	ı _. Thi	165	Ala	Ala	Ile	Trp	Gly 170		Arg	g Ala	Ala	val 175	
20	Gly	Gly	y Ala	180	n Gly	Thr	Ser	Asn	Val 185		Ala	Gly	' Lys	Let 190		As;
	Ile	Pro	Va]	Leu 5	Gly	Thr	His	Ala 200		Ala	Leu	Val	Gln 205		Tyr	Gl
25	Asn	Asp 210	Tyr	Glu	Ala	Phe	Lys 215	Ala	Tyr	Ala	Ala	Thr 220		Lys	Asn	Суя
٠	Val 225	Phe	. Leu	Val	Asp	Thr 230	Tyr	Asp	Thr	Leu	Arg 235	Ile	Gly	Val	Pro	Ala 240
30	Ala	Ile	Gln	Val	Ala 245	Arg	Glu	Leu	Gly	Asp 250	Gln	Ile	Asn	Phe	Met 255	Gly
35	Val	Arg	Ile	Asp 260	Ser	Gly	Asp	Ile	Ala 265	Tyr	Ile	Ser	Lys	Lys 270	Val	Arg
	Gln	Gln	Leu 275	Asp	Glu	Ala	Gly	Phe 280	Thr	Glu	Ala	Lys	Ile 285	Tyr	Ala	Ser
40	Asn	Asp 290	Leu	Asp	Glu	Asn	Thr 295	Ile	Leu	Asn	Leu	Lys 300	Met	Gln	Lys	Ala
	Lys 305	Ile	Asp	Val	Trp	Gly 310	Val	Gly	Thr	Gln	Leu 315	Ile	Thr	Ala	Tyr	Asp 320
45	Gln	Pro	Ala	Leu	Gly 325	Ala	Val	Tyr	Lys	Ile 330	Val	Ala	Ile	Glu	Asp 335	Glu
	Thr	Gly	Gln	Met 340	Arg	Asn	Thr		Lys 345	Leu	Ser	Asn	Asn	Ala 350	Glů	Lys

Val Ser Thr Pro Gly Lys Lys Gln Val Trp Arg Ile Thr Ser Arg Glu 355

Lys Gly Lys Ser Glu Gly Asp Tyr Ile Thr Tyr Asp Gly Val Asp Ile 370

50

55

Ser Asp Met Thr Glu Ile Lys Met Phe His Pro Thr Tyr Thr Tyr Ile

	38	35				3	90				3	95				400
5	LΊ	/s L	уз Т	hr V	al A	rg A	sn P	he A	sp A	la V	al P: 10	ro Le	eu Le	∋u Va		sp Ile 15
	Ph	ne L	ys G	lu G	ly I 20	le L	eu V	al T	yr As 42	sn Le 25	eu Pi	co Se	er Le	eu Tl 43		sp Ile
10	G1	n A	sp T	yr A 35	la A	rg L	ys G	lu Pl 4	ne As 10	sp Ly	ys Le	eu Tr	p As		u Ty	r Lys
	Ar	g Va 45	al Lo	eu A	sn P	ro G	ln H: 45	is Ty 55	yr Pr	o Va	al As	p Le 46		a Ar	g As	p Val
15	Tr 46	p G] 5	ln As	sp L	ys M	et As	sp Le	eu Il	.e As	p Ly	s Me		g Ly	s Gl	u Al	a Leu 480
20	G1	y Gl	.u G]	ly G		lu G] 35	.u									
25	<2: <2:	10> 11> 12> 13>	283 PRT	pto	coccu	ıs pn	eumo	niae								
30	Met 1	Ļ	a Th			5				1	0				15	
	Gln	ı Va	1 G1	n Gl 2	u As O	n Le	u Ly:	s Ph	e Val 25		p Phe	e Val	I Thi	: Ile 30		ı Val
35	Asp	Ala	a Are	g Le 5	u Pr	o Le	ı Sei	Sei 4(Glr	a Asr	n Pro	Met	Leu 45		Lys	Ile
	Val	G15 50	y Ası	р Ly	s Pr	о Ьу	Let 55	ı Lev	ılle	Leu	ı Asn	Lys 60		Asp	Leu	Ala
40	Asp 65	Pro	Ala	a Me	t Th	r Lys 70	Glu	Trp	Arg	Gln	Tyr 75	Phe	Glu	Ser	Gln	Gly 80
45	Ile	Gln	Thr	Le	Ala 85	a Ile	Asn	Ser,	Lys	Glu 90		Val	Thr	Val	Lys 95	Val
	Val	Thr	Asp	100	a Ala	a Lys	Lys	Leu	Met 105	Ala	Asp	Lys	Ile	Ala 110	Arg	Gln
50	Lys	Glu	Arg 115	G13	/ Ile	e Gln	Ile	Glu 120	Thr	Leu	Arg	Thr	Met 125	Ile	Ile	Gly
	Ile	Pro 130	Asn	Ala	Gly	Lys	Ser 135	Thr	Leu	Met	Asn	Arg 140	Leu	Ala	Gly	Lys .
55	Lys 145	Ile	Ala	Val	Val	Gly 150	Asn	Lys	Pro	Gly	Val 155	Thr	Lys	Gly	Gln	Gln 160

	Tr	p Le	eu L	ys T	hr A 1	sn I 65	ys .	Asp	Let	ı Gl	u Il 17		eu A	sp	Thr	Pr		Ly 75	Ile
5	Lei	ı Tr	p P	ro L;	ys Pi 30	ne G	lu i	Asp	Glu	1 Th 18	r Va 5	1 A	la L	eu	Lys	Le 19		la :	Leu
	Thi	r Gl	y A:	la II 95	le L	ys A	sp (Gln	Let 200	ı Le	u Pr	о Ме	t A		G1ú 205	۷a	l Th	ır :	Ile
10	Phe	G1 21	y 11 0	e As	n Ty	r P	he 1	ys 215	Glu	His	з Ту	r Pr	o G. 22		Lys	Le	u Al	a (Slu
. 15	Arg 225	Ph	e Ly	s Gl	n Me	t L	ys 1 30	le	Glu	Glı	ı Gl	u Pr 23		er V	Val	110	e Il	_	let 240
	Asp	Me	t Th	r Ar	g Al 24	a Lo 5	eu G	ly	Phe	Arg	, As ₁	o As	р Ту	r l	Asp	Arç	9 Ph 25		'yr
20	Ser	Le	u Ph	e Va 26	l Ly О	s G	lu V	al	Arg	Asp 265	Gly	, Ly	s Le	u C	Sly	Asr 270		r T	hr
	Leu	Asp	9 Th 27	r Le 5	u Gl	u As	sp L		Asp 280	Gly	Asr	ı Ası	Þ	_					
25	<210															•			
30	<21: <21: <21:	2> E	PRT	ptoc	occu	s pn	eum	onia	ae										
30	<400 Met 1			n Asr	ı Val	. Va	l Le	eu V	/al	Gly	Arg	Met	Thi	- A	rg i	Asp	Ala 15		Lu
35	Leu	Arg	Туг	Thr 20	Pro	Se.	r As	n V	al	Ala 25	Val	Ala	Thi	Pl	he 1	Phr 30	Leu	Al	a
40	Val	Asn	Arg 35	Thr	Phe	Ly:	s Se	r G	ln 40	Asn	Gly	Glu	Arg		Lu <i>I</i> 15	Ala	Asp	Ph	ie
	Ile	Asn 50	Val	Val	Met	Tr	Ar 5	g G 5	ln (Gln	Ala	Glu	Asn 60		eu A	lla	Asn	Tr	p
45	Ala:	Lys	Lys	Gly	Ser	Let 70	ı Il	e G	ly '	Val	Thr	Gly 75	Arg	11	e G	ln	Thr	Ar 8	_
	Ser !	Tyr	Asp	Asn	Gln 85	Glr	Gl:	y G	ln /	Arg	Val 90	Tyr	Val	Th	r G	lu	Val 95	۷a	1 .
50	Ala (Glu	Asn.	Phe 100	Gln	Met	Let	u G	lu. S	Ser .	Arg	Ser	Val	Ar		lu 10	Gly	Hi:	s
55	Thr G	Sly	Gly 115	Ala	Tyr	Ser	Ala	1 Pr	ro T 20	hr I	Ala	Asn	Tyr	Se 12	r A. 5	la -	Pro _.	Th	r
	Asn S	er 30	Val	Pro	Asp	Phe	Ser 135	: Ar	g _, A	sn (Slu /		Pro	Phe	e G	ly i	Ala	Thi	:

Asn Pro Leu Asp Ile Ser Asp Asp Leu Pro Phe 150 5 <210> 122 <211> 324 <212> PRT <213> Streptococcus pneumoniae 10 Met Lys Thr Arg Ile Thr Glu Leu Leu Lys Ile Asp Tyr Pro Ile Phe Gln Gly Gly Met Ala Trp Val Ala Asp Gly Asp Leu Ala Gly Ala Val 15 Ser Lys Ala Gly Gly Leu Gly Ile Ile Gly Gly Gly Asn Ala Pro Lys 20 Glu Val Val Lys Ala Asn Ile Asp Lys Ile Lys Ser Leu Thr Asp Lys Pro Phe Gly Val Asn Ile Met Leu Leu Ser Pro Phe Val Glu Asp Ile 25 Val Asp Leu Val Ile Glu Glu Gly Val Lys Val Val Thr Thr Gly Ala 30 Gly Asn Pro Ser Lys Tyr Met Glu Arg Phe His Glu Ala Gly Ile Ile Val Ile Pro Val Val Pro Ser Val Ala Leu Ala Lys Arg Met Glu Lys . 120 35 Ile Gly Ala Asp Ala Val Ile Ala Glu Gly Met Glu Ala Gly Gly His Ile Gly Lys Leu Thr Thr Met Thr Leu Val Arg Gln Val Ala Thr Ala 40 Ile Ser Ile Pro Val Ile Ala Ala Gly Gly Ile Ala Asp Gly Glu Gly 45 Ala Ala Ala Gly Phe Met Leu Gly Ala Glu Ala Val Gln Val Gly Thr Arg Phe Val Val Ala Lys Glu Ser Asn Ala His Pro Asn Tyr Lys Glu 50 Lys Ile Leu Lys Ala Arg Asp Ile Asp Thr Thr Ile Ser Ala Gln His Phe Gly His Ala Val Arg Ala Ile Lys Asn Gln Leu Thr Arg Asp Phe Glu Leu Ala Glu Lys Asp Ala Phe Lys Gln Glu Asp Pro Asp Leu Glu

55

245 250 Ile Phe Glu Gln Met Gly Ala Gly Ala Leu Ala Lys Ala Val Wal His 265 5 Gly Asp Val Glu Gly Gly Ser Val Met Ala Gly Gln Ile Ala Gly Leu Val Ser Lys Glu Glu Thr Ala Glu Glu Ile Leu Lys Asp Leu Tyr Tyr 10 Gly Ala Ala Lys Lys Ile Gln Glu Glu Ala Ser Arg Trp Thr Gly Val 310 315 15 Val Arg Asn Asp <210> 123 20 <211> 140 <212> PRT <213> Streptococcus pneumoniae 25 Met Ile Asp Ile Gln Gly Ile Lys Glu Ala Leu Pro His Arg Tyr Pro 10 Met Leu Leu Val Asp Arg Val Leu Glu Val Ser Glu Asp Thr Ile Val 30 Ala Ile Lys Asn Val Thr Ile Asn Glu Pro Phe Phe Asn Gly His Phe Pro Gln Tyr Pro Val Met Pro Gly Val Leu Ile Met Glu Ala Leu Ala 35 Gln Thr Ala Gly Val Leu Glu Leu Ser Lys Pro Glu Asn Lys Gly Lys

40 Leu Val Phe Tyr Ala Gly Met Asp Lys Val Lys Phe Lys Lys Gln Val 85 90 95

Val Pro Gly Asp Gln Leu Val Met Thr Ala Thr Phe Val Lys Arg Arg 100 105 110

Gly Thr Ile Ala Val Val Glu Ala Lys Ala Glu Val Asp Gly Lys Leu 115 120 125

Ala Ala Ser Gly Thr Leu Thr Phe Ala Ile Gly Asn 130 135 140

<210> 124

<211> 340

55 <212> PRT

45

<213> Streptococcus pneumoniae

			124	en Gl	, n T1	o . Tr	- 01	- * -	. m\	. .	_					
		1		311 91	.11 TT	e 1yı 5	GL	и те	u Thi	1(о Ьу:	s Ph	e Ile	e As 1	n Val 5
5	Ly	s Ty	yr Gi	ln Gl 2	ս Gl 0	u Ala	ı Il	e Ası	9 Gln 25	Glı	ı Ası	n His	s Ile	e Lei 30		e Arg
10	Pr	o As	n Ty	yr Me 35	t Ala	a Väl	Cys	s His	a Ala	Asp	Glr	n Arg	7 Ty:		Gl	n Gly
	ГÀ	s Ar 5	g As	sp Pr	o Ly:	s Ile	Let 55	ı Ası	Lys	Lys	Lev	Pro 60		Ala	Me	: Ile
15	Ні 6	s Gl 5	u Se	r Cy	s Gly	7 Ile 70		l Ile	: Ser	Asp	75		Gly	7 Thr	Туз	Glu 80
	Va.	l Gl	y Gl	n Lys	s Val 85	. Val	Met	: Ile	Pro	Asn 90		Ser	Pro	Met	Glr 95	
20	Ası	Gl	u Gl	u Phe 100	e Tyr	Glu	Asn	Tyr	Met 105	Thr	Gly	Thr	His	Phe 110		Ser
25	Sei	Gl	y Ph 11	e Asp 5	Gly	Phe	Met	Arg 120	Glu	Phe	Val	Ser	Leu 125	Pro	ГЛа	Asp
	Arc	13	l Va O	l Ala	Tyr	Asp	Ala 135	Ile	Glu	Asp	Thr	Val 140	Ala	Ala	Ile	Thr
30,	Glu 145	Phe	e Va	l Ser	Val	Gly 150	Met	His	Ala	Met	Asn 155	Arg	Leu	Leu	Thr	Leu 160
	Ala	His	s Sei	Lys	Arg 165	Glu	Arg	Ile	Pro	Val 170	Ile	Gly	Asp	Gly	Ser 175	Leu
35	Ala	Phe	val	Val 180	Ala	Asn	Ile	Ile	Asn 185	Tyr	Thr	Leu	Pro	Glu 190	Ala	Glu
40	Ile	Val	Val 195	Ile	Gly	Arg	His	Trp 200	Glu	Lys	Leu	Glu `	Leu 205	Phe	Ser	Phe
	Ala	Lys 210	Glu	Суз	Tyr ··		Thr 215	Asp	Asn	Ile	Pro	Glu 220	Glu	Leu.	Ala	Phie
45	Asp 225	His	Ala	Phe	Glu	Cys 230	Cys	Gly	Gly 2		Gly 235	Thr	Gly	Pro	Ala	Ile 240
	Asn	Asp	Leu	Ile	Arg 245	Tyr :	Ile	Arg		Gln 250	Gly	Thr	Ile		Met 255	
50	Gly	Vаl	Ser	Glu 260	Tyr	Lys '	/al		Leu <i>1</i> 265	Asn '	Thr .	Arg		Ala : 270	Leu	Glu
55	Lys	Gly	Leu 275	Leu	Leu	Val (Ser : 280	Ser A	Arg :	Ser (Arg 285	Ile Z	Asp	Phe
	Glu	Asn 290	Ala	Ile	Gln i	Met M	let 1 195	Lys V	/al L	ys I		Phe <i>1</i> 300	Ala A	Asn A	Arg	Leu

Lys Asn Ile Leu Tyr Leu Glu Glu Pro Val Arg Glu Ile Lys Asp Ile His Arg Val Phe Ala Thr Asp Leu Asn Thr Ala Phe Lys Thr Val Phe 330 Lys Trp Glu Val 10 <210> 125 <211> 447 <212> PRT 15 <213> Streptococcus pneumoniae <400> 125 Met Asn Leu Lys Thr Thr Leu Gly Leu Leu Ala Gly Arg Ser Ser His 20 Phe Val Leu Ser Arg Leu Gly Arg Gly Ser Thr Leu Pro Gly Lys Val Ala Leu Gln Phe Asp Lys Asp Ile Leu Gln Asn Leu Ala Lys Asn Tyr 25 40 Glu Ile Val Val Val Thr Gly Thr Asn Gly Lys Thr Leu Thr Thr Ala 30 Leu Thr Val Gly Ile Leu Lys Glu Val Tyr Gly Gln Val Leu Thr Asn Pro Ser Gly Ala Asn Met Ile Thr Gly Ile Ala Thr Thr Phe Leu Thr . 35 Ala Lys Ser Ser Lys Thr Gly Lys Asn Ile Ala Val Leu Glu Ile Asp 105 Glu Ala Ser Leu Ser Arg Ile Cys Asp Tyr Ile Gln Pro Ser Leu Phe 40 120 Val Ile Thr Asn Ile Phe Arg Asp Gln Met Asp Arg Phe Gly Glu Ile 130 45 Tyr Thr Thr Tyr Asn Met Ile Leu Asp Ala Ile Arg Lys Val Pro Thr 150 Ala Thr Val Leu Leu Asn Gly Asp Ser Pro Leu Phe Tyr Lys Pro Thr 50 Ile Pro Asn Pro Ile Glu Tyr Phe Gly Phe Asp Leu Glu Lys Gly Pro Ala Gln Leu Ala His Tyr Asn Thr Glu Gly Ile Leu Cys Pro Asp Cys 55 200.

Gln Gly Ile Leu Lys Tyr Glu His Asn Thr Tyr Ala Asn Leu Gly Ala

•		21	0				21	5				22	0			
5	44.	r Il 5	е Су	s Gl	u Gl	y Cy. 23	s Gl	у Су	s Ly	s Arg	g Pro 235		p Le	u Ası	р Ту	r Ar
	Le	u Th	r Ly	s Le	u Vai 24!	l Gli 5	u Lei	ı Thi	r Ası	n Asr 250	a Arg	g Sei	r Ar	g Phe	e Va. 25.	
10	Asp	o Gl	y Glı	n Gli 260	1 Ty1	c Gly	y Ile	e Glr	11e 265	e Gly	/ Gly	Let	а Туг	270		e Ty
	Asr	n Ala	a Let 275	ı Ala	a Ala	a Val	l Ala	280	e Ala	a Arg	Phe	Leu	Gl ₃ 285	/ Ala	ı Ası	o Sei
15	Glr	290	ı Ile	e Lys	Gln	Gly	Phe 295	Asp	Lys	Ser	Arg	Ala 300		. Phe	: Gly	y Arg
20	Gln 305	Glu	Thr	Phe	His	310	Gly	' Asp	Lys	Glu	Cys 315		Leu	Val	Leu	1 Ile 320
					325					330				Lys	335	i
25				340					345					Tyr 350		
•			355					360					365	Gln		
30		370					375				-	380		His		
35	303					390					395			Lys		400
•					405					410				Asn	415	
40				420					425					Leu 430		Phe
15	Arg	Glu	Leu 435	Leu	Ala	Ser		Gln 440	Ile	Val .	Arg :	Lys	Glu 445	Met	Asn	
45	<210 <211 <212 <213	> 26 > PR	0 T	ococ	CIIS I	nnew	moni:		• •							
50	<4000 Met V	> 12	6						ys l	Asp G	Sly F	lsn 1	Fyr :	Pro 1	ryr (Gln
55	Leu A	Asn I	Ile <i>I</i>	Ala H 20	lis I	Leu I	Tyr G	Sly A	sn I 25	Geu M	let A	sn 1	Thr 1	Tyr 0	3ly 1	Asp

÷	Ası	n Gl	у Аз З	n Il 5	.ę Le	u Met	: Lei	u Ly:		r Va	l Al	a Glı	ı Ly: 4:		u Gl	y Ala
5	His	va 5	1 Th 0	r Va	l As	p Ile	• Val	Se:	r Le	u Hi	s As	p Asp 60		e Ası	o G1	u Asn
	His 65	ту: 5	r As	p Il	e Al	a Phe	Phe	e Gl <u>y</u>	y Gl	y Gl	y Gl:		Phe	e Gli	1 Gl:	n Ser 80
10	Ile	: Il	e Al	a As	p Ası 85	p Leu 5	Pro	Ala	ı Ly:	s Ly: 90		ı Ser	Ile	e Asp	Ası 9	n Tyr
15	Ile	Glr	n As	n As	p Gly 0	y Val	Val	. Lev	105		e Cys	Gly	Gly	Phe 110		ı Leu
	Leu	Gl	7 Gl:	n Ty: 5	г Туг	. Val	Glu	Ala 120		Gly	/ Lys	Arg	Ile 125		Gly	/ Leu
20	Gly	Val	Met	t Gl	y His	Tyr	Thr 135		Asn	Glr	Thr	140	Asn	Arg	Phe	lle
	Gly 145	Asp	Ile	e Lys	3 Ile	His 150	Asn	Glu	Asp	Phe	Asp 155		Thr	Tyr	Tyr	Gly 160
25	Phe	Glu	Asr	n His	Gln 165	Gly	Arg	Thr	Phe	Leu 170		Asp	Asp	Gln	Lys 175	
30	Leu	Gly	Gln	Val 180	. Val	Tyr	Gly	Asn	Gly 185	Asn	Asn	Glu	Glu	Lys 190	Val	Gly
	Glu	Gly	Val 195	His	Tyr	Lys	Asn	Val 200	Phe	Gly	Ser	Tyr	Phe 205	His	Gly	Pro
35	Ile	Leu 210	Ser	Arg	Asn	Ala	Asn 215	Leu	Ala	Tyr	Arg	Leu 220	Val	Thr	Thr	Ala
	225					Gly 230					235					240
40	·Ile	Leu	Ser	Gln	Glu 245	Ile	Ala	Glu		Tyr 250	Ser	Asp	Val	Lys	Ser 255	Lys
45	Ala .	Asp	Phe	Ser 260												-
50	<210: <211: <212: <213:	> 22 > PR	3 · T	ococ	ccus	pneur	noni	ae	• -		,					
55	<4000 Met <i>I</i>			Lys	Glu . 5	Asn I	hr (Glu :	Lėu	Val 10	Phe .	Arg (Glu '	Val i	Ala 15	Glu
	Ala S	Ser :	Leu	Ser 20	Ala	Asn A	urg (Glu s	Ser (Gly	Ser '	Val S	Ser V	Val :	İle	Ala

	Va:	l Th	ır L	ys 35	ТÀт	· Val	l Asp	o Va	l Pr 4	o Th	r Ala	a Gl	ı Ala	a Lei		u Pr	o Leu
5	Gl3	y Va 5	1 H	is	His	Ile	e Gly	/ Gl:	u Ası 5	n Ar	g Val	L Asp	Lys 60	s Phe	e Le	u Gl	u Lys
10	Туг 65	G1	u A	la :	Leu	Lys	Asp 70	Ar	g Ası	p Val	l Thi	Trp 75	His	Lei	1 Ile	e Gl	y Thr 80
	Leu	Gl	n A	rg i	Arg	Lys 85	Val	Lys	s Asp	∨ Val	. Il∈ 90	e Gln	Туг	· Val	. Asp	7 Ty:	r Phe 5
15	His	Al	a Le	eu A	Asp 100	Ser	Val	Lys	Leu	105	Gly	Glu	Ile	Gln	Lys 110		g Ser
	Asp	Ar	g Vá 11	al 1 15	le	Lys	Cys	Phe	Leu 120	Gln	Val	Asn	Ile	Ser 125		Gl:	ı Glu
20	Ser	Ly:	s Hi	.s G	Sly	Phe	Ser	Arg 135	Glu	Glu	Leu	Leu	Glu 140	Ile	Leu	Pro	Glu
25	Leu 145	Ala	a Gl	уL	eu	Asp	Lys 15 _. 0	Ile	Glu	Tyr	Val	Gly 155	Leu	Met	Thr	Met	Ala 160
	Pro	Phe	Gl	u A	la	Ser 165	Ser	Glu	Gln	Leu	Lys 170	Glu	Ile	Phe	Lys	Ala 175	
30	Gln	Asp	Le	น G 1	ln 80	Arg	Glu	Ile	Glņ	Glu 185	Lys	Gln	Ile	Pro	Asn 190	Ile	Pro
	Met	Thr	Gl 19	u L 5	eu	Ser	Met	Gly	Met 200	Ser	Arg	Asp	Tyr	Lys 205	Gľu	Ala	Ile
35	Gln	Phe 210	G1	y Se	er '	Thr	Phe	Val 215	Arg	Ile	Gly	Thr	Ser 220	Phe	Phe	Lys	
40	<210 <211	> 2	79														
	<212 <213			toc	oco	cus.	pneu	moni	ae								
45	<400: Met 0			: Al	a I	Leu (5	Glu <i>l</i>	Asn	Val .	Asn	Phe	Thr :	Tyr (Gln (Glu	Gly 15	Thr
50	Pro 1	Leu	Ala	Se 2	r A O	la 1	Ala I	Leu .	Ser :	Asp 1	Val :	Ser 1	Leu :	Thr :	Ile 30	Glu	Asp
	Gly S	Ser	Tyr 35	Th	r A	la I	Seu I	le (Gly 1 40	His 1	Thr (Sly S	Ser G	Sly 1 45	Lys :	Ser	Thr
55	Ile I	eu 50 -	Gln	Le	u L	eu A	sn G	ly 1 55	ieu I	Leu V	al E	ro S	er G	ln G	Sly S	Ser '	Val

Arg Val Phe Asp Thr Leu Ile Thr Ser Thr Ser Lys Asn Lys Asp Ile

	6	5					70					. 7	5				8
5	Ar	g Gl	ln I	le A	rg L	ys G 35	ln V	al G	Sly	Leu	ı Va. 90		e Gl	n Ph	e Al		Lu Ası 95
-	Gli	n Il	e Pl	ne G. 10	lu G: 00	lu T	hr V	al L	eu	Lys 105	Ası	o Va	l Al	a Ph	e Gl 11		o Gli
10	Ası	n Ph	ie G:	ly Va L5	al Se	er G	lu G	lu A 1	sp 20	Ala	Va]	l Ly	s Th	r Al 12		g Gl	u Lys
	Ĺет	1 Al 13	a Le O	eu Va	al Gl	y I	le A: 13	sp G 35	lu	Ser	Leu	ı Ph	e As		g Se	r Pr	o Phe
15	Glu 145	Le	u Se	er Gl	y G1	y G1	n Me	et A	rg	Arg	Val	Al. 15	a Ilo	e Ala	a Gl	y Il	e Leu 160
20	Ala	Me	t Gl	u Pr	o Al	a Il 5	e Le	eu V	al	Leu	Asp 170		ı Pro	o Thi	r Al	a Gl 17	y Leu 5
20	Asp	Pro	o.Le	u Gl 18	y Ar O	g Ly	s Gl	u Le	eu	Met 185	Thr	Let	ı Phe	E Lys	19		u His
25	Gln	Se	r Gl 19	y Me 5	t Th	r Il	e Va	l Le 20		Val	Thr	His	i Leu	Met 205		p As	p Vaļ
•	Ala	Glu 210	ı Ту.)	r Al	a As	n Gl	n Va 21	1 T <u>)</u> 5	r'	Val	Met	Glu	Lys 220	Gly	' Arç	J Le	ı Val
30	Lys 225	Gly	/ Gl	у Ьу:	s Pro	Se:	r Asj 0	p Va	1 1	Phe	Gln	Asp 235		Val	Ph€	e Met	Glu 240
35	Glu	Val	. Glı	n Lei	u Gly 245	y Va.	l Pro	o Ly	s.	Ile	Thr 250	Ala	Phe	Cys	Lys	Arg 255	J Leu
33	Ala	Asp	Arg	Gly 260	/ Val	. Sei	c Phe	e Ly		Arg 265	Leu	Pro	Val	Lys	Ile 270		Glu
40	Phe	Lys	Glu 275	ı Ser	Leu	Asr) G17	7									
45	<210 <211 <212 <213	> 3 > P	09 RT	toco	ccus	pne	umon	iae						:			
50	<400 Met			Gln	Phe	Leu	Gly	Thi	G	: ly <i>P</i>	Ala	Gly	Gln	Pro	Ser	Lys	Ala
50	1 Arg 1	Asn	Val	Ser 20	5 Ser	Leu	Ala	Leu	L	ys L		Leu	Asp	Glu		15 Asn	Glu
55	Val 1	rp	Leu 35		Asp	Cys	Gly	Glu 40	G.	25 ly T	hr (Gln .	Asn	Arg 45	30 Ile	Leu	Glu

	T	hr	Thi 50	r Il	e Ar	g Pı	O A:	rg L	ys V 55	al	Ser	Lys	s Il		e I:	le T	hr .	His	: Le
5	H	i <i>s</i> 65	Gly	/ As	p Hi	s Il	e Pl	ne G] 70	ly L	eu 1	Pro	Gly	7 Phe	e Le 5	u Se	er S	er	Arg	Al 8
	Pł	ie i	G1n	Ala	a As	n Gl 8	u G1 5	u Gl	n T	hr 1	4sp	Leu 90		1 I l	е Ту	r G	ly	Pro 95	
10	G1	у :	Ile	Lys	Se:	r Ph O	e Va	l Le	u T	nr S	er 05	Leu	Arg	y Va.	l Se		ly 10	Ser	Ar
15	Le	u l	Pro	Туг 115	Arg	g Il	e Hi	s Ph	e H: 12	ls G 20	lu	Phe	Asp	Glı	n As 12		er J	Leu	Gl
	ГÀ	s]	[le [30	Leu	Glu	1 Ile	e As	р Ly 13	s Pł 5	e T	hr	Val	Tyr	Ala 140		u G]	lu I	Seu	Asp
20	Ні 14	s 1 5	hr	Ile	Phe	Cys	150	l Gl _i	у Ту	r A	rg	Val	Met 155	Gln	Ly:	s As	p I	eu	Glu 160
,	Gl	у Т	hr	Leu	Asp	Ala 165	Gli	ı Lys	s Le	u L	γs	Ala 170	Ala	Gly	Val	l Pr		he 75	Gly
25					10,0			e . Lys		18	35					19	0		
30				100				Ala	201	J					205				
		۵.						Gly 215						220					
35	225						230	Asp					235					2	240
						245		Ala			2	250					25	5	•
40					200			Val		26	5					270			
45			2	.75				Phe	280						285				
	Lys	As:	р A 0	la i	Ala '	Thr	Ile	Phe 295	Glu	Ası	1 V	al H	is V	/al ' 300	Val	Lys	As	рL	eu
50	Glu 305	G1	u V	al (Glu :	Ile													
55	<210 <211 <212 <213	> 5 > E	553 PRT	epto	coco	cus p	oneu	monia	ae				-					-	

	<pre><400> 130 Met Ser Asn Ile Ser Leu Thr Thr Leu Gly Gly Val Arg Glu Asn Gly 1 5 10 15</pre>
	Lys Asn Met Tyr Ile Ala Glu Ile Gly Glu Ser Ile Phe Val Leu Asn 20 25 30
10	Val Gly Leu Lys Tyr Pro Glu Asn Glu Gln Leu Gly Val Asp Val Val 35 40 45
	Ile Pro Asn Met Asp Tyr Leu Phe Glu Asn Ser Asp Arg Ile Ala Gly 50 55 60
15	Val Phe Leu Thr His Gly His Ala Asp Ala Ile Gly Ala Leu Pro Tyr 65 70 75 80
	Leu Leu Ala Glu Ala Lys Val Pro Val Phe Gly Ser Glu Leu Thr Ile 85 90 95
20	Glu Leu Ala Lys Leu Phe Val Lys Gly Asn Asp Ala Val Lys Lys Phe 100 105 110
25	Asn Asp Phe His Val Ile Asp Glu Asn Thr Glu Ile Asp Phe Gly Gly 115 120 125
	Thr Val Val Ser Phe Phe Pro Thr Thr Tyr Ser Val Pro Glu Ser Leu 130 135 140
30	Gly Ile Val Leu Lys Thr Ser Glu Gly Ser Ile Val Tyr Thr Gly Asp 145 150 155 160
	Phe Lys Phe Asp Gln Thr Ala Ser Glu Ser Tyr Ala Thr Asp Phe Ala 165 170 175
35	Arg Leu Ala Glu Ile Gly Arg Asp Gly Val Leu Ala Leu Leu Ser Asp 180 185 190
40	Ser Ala Asn Ala Asp Ser Asn Ile Gln Val Ala Ser Glu Ser Glu Val 195 200 205
	Arg Asp Glu Ile Thr Gln Thr Ile Ala Asp Trp Glu Gly Arg Ile Ile 210 215 220
45	Val Ala Ala Val Ser Ser Asn Leu Ser Arg Ile Gln Gln Ile Phe Asp. 225 230 235 240
	Ala Ala Asp Lys Thr Gly Arg Arg Ile Val Leu Thr Gly Phe Asp Ile 245 250 255
50	Glu Asn Ile Val Arg Thr Ala Ile Arg Leu Lys Lys Leu Ser Leu Ala 260 265 270
55	Asn Glu Ile Leu Leu Ile Lys Pro Lys Asp Met Ser Arg Phe Glu Asp 275 280 285
	His Glu Leu Ile Ile Leu Glu Thr Gly Arg Met Gly Glu Pro Ile Asn 290 295 300

	G1 30	у I 5	Seu	ı Arç	у Гу	s Me	t Se: 31	r Il	e Gl	y Ar	g Hi	315	g Ty: 5	r Vaj	l Glu	1 Ile	е Lys 320
5	As	p G	Sly	' Asp	Le	u Va 32	1 Ty: 5	r Ile	e Al	a Th	r Ala 330	a Pro	Sei	: Ile	e Ala	Lys 335	
10		a F	he	Val	Ala 340	a Aro	g Val	l Gl	u As	n Me 34	t Ile 5	∋∵Туг	Glr	a Ala	350		/ Val
	۷a	1 L	ys	Leu 355	Ile	Thi	c Glr	ı Sei	360	u Hi: O	s Val	. Ser	: Gly	7 His 365	Gly	Asn	val
15	Ar	д А З	.sp 70	Leu	Gl r	i Let	ı Met	: Ile 375	e Ası	n Let	ı Lev	Gln	Pro 380		Tyr	Leu	Phe
	Pro 385	o V	al	Gln	Gly	r Glu	390	Arg	g Gli	ı Leı	a Asp	Ala 395		Ala	Lys	Ala	Ala 400
20	Met	: A.	la	Val	Gly	Met 405	Leu	Pro	Glu	ı Arg	1le 410	Phe	Ile	Pro	Lys	Lys 415	Gly
25	Thr	· T	hr	Met	Ala 420	Tyr	Glu	Asn	Gly	425	Phe	Val	Pro	Ala	Gly 430	Ser	Val
	Ser	· A.	la	Gly 435	Asp	Ile	Leu	İle	Asp 440	Gly	Asn	Ala	Ile	Gly 445	Asp	Val	Gly
30	Asn	Va 45	al 50	Val	Leu	Arg	Asp	Arg 455	Lys	Val	Leu	Ser	Glu 460	Asp	Gly	Ile	Phe
	Ile 465	Va	1	Ala	Ile	Thr	Val 470	Asn	Arg	Arg	Glu	Lys 475	Lys	Ile	Val	Ala	Arg 480
35						485				-	490					495	
40					500					505					Glu 510		
			. :	515					520					525	Lys		
.45		53	0					535	-		Gln		Lys 540	Arg .	Arg :	Pro.	Ala
50	Ile 545	Le	u E	?ro	Val		Met 550	Glu	Ala	Lys							
50	<210 <211 <212 <213	> 3 > E	316 PRT	; ; ;	ococ	cus j	pneur	nonia	а̀е	٠.							
55	<400 Met	> 1	.31							Thr '	Val _. I	eu I	Seu F	lis G	Slu T	hr 1	lle

		1				5				1	.0				1	5
5	As	p Me	et Le	eu As 2	p Va	1 Ly	s Pr	o As	p G1 2	y Il 5	е Ту	r Va	l As	p Al 3	_	r Leu
	Gl	y G1	.y Al	.a Gl 85	y Hi	s Se	r Gl	u·Ty 4	r Le O	u Le	u Se	r Ly		u Se 5	r Gl	u Lys
10	Gl	у Ні 5	s Le	u Ty	r Al	a Ph		p G1: 5	n Ası	o Gl	n As	n Ala		e As	p Ası	n Ala
	G1: 6	n .Ly 5	s Ar	g Le	u Ala	a Pro	Ty O	r Il	e Glı	ı Ly	s Gl		l Va	l Th	r Phe	e Ile 80
15	Lу	s As	p As	n Ph	e Arc	g His	s Le	u Ġlı	n Ala	Arq		u Arq	g Glı	u Ala	a Gly 95	y Val
20	Glı	n Gl	u Il	e Ası	o Gly	/ Ile	е Су	з Туі	Asp 105		u Gly	y Val	L Sei	s Ser		Gln
	Let	ı As	p Gl:	n Arg	g Glu	Arg	r Gly	y Phe 120	e Ser	Туз	r Lys	5 Lys	Asp 125		Pro	Leu
25	. Asp	Me ⁺	t Ar	g Met	Asn	Gln	Asp 135	Ala	Ser	Leu	Thr	Ala 140		Glu	Val	. Val
	Asn 145	Hìs	з Туг	r Asp	Tyr	His 150	Asp	Leu	Val	Arg	11e 155		Phe	Lys	Tyr	Gly 160
30	Glu	Asp	Lys	s Phe	Ser 165	Lys	Gln	Ile	Ala	Arg 170		Ile	Glu	Gln	Ala 175	_
35	Glu	Val	. Lys	Pro 180	Ile	Glu	Thr	Thr	Thr 185	Glu	Leu	Ala	Glu	Ile 190	Ile	Lys
	Leu	Val	Lys 195	Pro	Ala	Lys	Glu	Leu 200	Lys	Lys	Lys	Glý	His 205	Pro	Ala	Lys
40	Gln	Ile 210	Phe	Gln	Ala	Ile	Arg 215	Ile	Glu	Val	Asn	Asp 220	Glu	Leu	Gly	Ala
	Ala 225	Äsp	Glu	Ser	Ile	Gln 230	Gln	Ala	Met	Asp	Met 235	Leu	Ala	Leu	Asp	Gly 240
45	Arg	Ile	Ser	Val	Ile 245	Thr	Phe	His	Ser	Leu 250	Glu	Asp	Arg	Leu	Thr 255	Lys
50-	Gln	Leu	Phe	Lys 260	Glu	Ala	Ser	Thr	Val 265	Glu	Val	Pro	Lys	Gly 270	Leu	Pro
50	Phe	Ile	Pro 275	Asp	Asp	Leu	Lys	Pro 280	Lys	Met	Glu		Val 285	Ser	Arg	Lys
55	Pro	Ile 290	Leu	Pro	Ser	Ala	Glu 295	Glu	Leu	Glu	Ala	Asn 300	Asn	Arg	Ser	His
	Ser	Ala	Lys	Leu	Arg	Val '	Val	Arg .	Lvs :	Ile	His	Lvs				

305 310 315 <210> 132 <211> 332 <212> PRT <213> Streptococcus pneumoniae <400> 132 10 Met Ser Arg Ile Leu Asp Asn Glu Ile Met Gly Asp Glu Glu Leu Val Glu Arg Thr Leu Arg Pro Gln Tyr Leu Arg Glu Tyr Ile Gly Gln Asp 15 Lys Val Lys Asp Gln Leu Gln Ile Phe Ile Glu Ala Ala Lys Met Arg Asp Glu Ala Leu Asp His Val Leu Leu Phe Gly Pro Pro Gly Leu Gly 20 Lys Thr Thr Met Ala Phe Val Ile Ala Asn Glu Leu Gly Val Asn Leu Lys Gln Thr Ser Gly Pro Val Ile Glu Lys Ala Gly Asp Leu Val Ala 25 . 85 Ile Leu Asn Glu Leu Glu Pro Gly Asp Val Leu Phe Ile Asp Glu Ile 30 His Arg Leu Pro Met Ser Val Glu Glu Val Leu Tyr Ser Ala Met Glu Asp Phe Tyr Ile Asp Ile Met Ile Gly Ala Gly Glu Gly Ser Arg Ser 35 135 Val His Leu Glu Leu Pro Pro Phe Thr Leu Ile Gly Ala Thr Thr Arg 150 40 Ala Gly Met Leu Ser Asn Pro Leu Arg Ala Arg Phe Gly Ile Thr Gly

165 Leu Arg Ala Arg Phe Gly Ile Thr Gly 165 170 175

His Met Glu Tyr Tyr Ala His Ala Asp Leu Thr Glu Ile Val Glu Arg
180 185 190

Thr Ala Asp Ile Phe Glu Met Glu Ile Thr His Glu Ala Ala Ser Glu 195 200 205

Leu Ala Leu Arg Ser Arg Gly Thr Pro Arg Ile Ala Asn Arg Leu Leu 210 215 220

45

Lys Arg Val Arg Asp Phe Ala Gln Ile Met Gly Asn Gly Val Ile Asp 235 230 235

Asp Ile Ile Thr Asp Lys Ala Leu Thr Met Leu Asp Val Asp His Glu 245 250 255

	G1	у 1	ie	u As	р Ту 26	r Va 50	l As	p Gl	n Ly	rs II 26	.e Le 55	u Ar	g Th	r Me	t Il 27		u Met
5	Ту	r S	Sei	c G1 27	y Gl 5	y Pr	o Va	1 G1	у Le 28		y Th	r Le	u Se	r Va 28		n Il	e Ala
	Gl	u 6	11 190	ı Ar	g Gl	u Th	r Va	1 G1 29	u As 5	p Me	t Ty	r Gl	u Pr 30		r Le	u Il	e Gln
10	L у	s G 5	:1 _}	, Ph	e Il	e Me	t Ar 31	g Th O	r Ar	g Se	r Gl	ý Ar 31	g Va 5	1 A1	a Th	r Al	a Lys 320
15	Al	а Т	'yr	: Gl	u Hi	s Le 32		у Ту	r Gl	и Ту	r Se 33	_	u Ly	s			
20	<2: <2:	10> 11> 12> 13>	4 P	36 RT	ptoc	occu	s pne	eumor	 niae						٠		
25	Met	Ļ	er	Met			.				10)				15	
	Gl	/ G.	Lу	Asp	Gl ₃ 20	y Met	: Val	Ala	Phe	Arç 25		g Glu	Lys	Туг	Val		Asn
30	Gly	, G]	Lу	Pro 35	Trp	Gly	Gly	Asp	Gly 40		/ Arg	Gly	Gly	Asn 45		Val	Phe
	Val	. Va	1 50	Asp	Glu	(G1y	Leu	Arg 55	Thr	Leu	Met	Asp	Phe 60		Туг	Asn	Arg
35	His .65	Ph	e	Lys	Ala	Asp	Ser 70	Gly	Glu	Lys	Gly	Met 75	Thr	Lys	Gly	Met	His 80
40	Gly	Ar	g	Gly	Ala	Glu 85	Asp	Leu	Arg	Val	Arg 90	Val	Ser	Gln	Gly	Thr 95	Thr
	Val	Ar	g	Asp	Ala 100	Glu	Thr	Gly	Lys	Val 105	Leu	Thr	Asp	Leu	Ile 110	Lys	His
45	Gly	Gl	n	Glu 115	Phe	Ile	Val	Ala	His 120	Gly	Gly	Arg	Gly	Gly 125	Arg	Gly	Asn
	Ile	Ar 13	g . 0	Phe	Ala	Thr	Pro	Lys 135	Asn	Pro	Ala	Pro	Glu 140	Ile	Ser	Glu	Asn
50	Gly 145	Gli	u :	Pro	Gly	Gln	Glu 150	Arg	Glu	Leu	Gln	Leu 155	Glu	Leu	Lys	Ile	Leu 160
55	Ala	Asp	, r	Val	Gly	Leu 165	Val	Gly	Phe	Pro	Ser 170	Val	Gly.	Lys	Ser	Thr 175	Leu
	Leu	Sei	٠ ٢	Val	Ile 180	Thr	Ser	Ala	Lys	Pro	Ŀys	Ile	Gly	Ala	Tyr	His	Phe

	Th	r Th	r Il 19	e Va 5	l Pr	o Ası	n Le	u G1 20	у Ме 0	t Va	l Ar	g Th	r Gl: 20:		Gl _y	y Glı
5	Se.	r Ph 21	e Al	a Va	l Ala	a Asp	21:	ı Pro	o Gl	у Ге	ı Ile	e Gli 220		y Ala	s Sea	c Gli
10	G1; 22	y Va 5	1 G1	y Le	u Gly	y Thr 230	Glr	n Phe	e Le	u Arg	9 His 235		e Glu	a Arg	Thr	240
	Va.	l I1	e Le	ı Hi:	s Ile 245	i Ile	e Asp	Met	: Se	r Ala 250		Glu	ı Gly	/ Arg	Asp 255	
15	Туз	c Gl	u Ası	260	r Leu	ı Ala	Ile	Asr	1 Lys 265		ı Leu	Glu	Ser	Tyr 270		Leu
	Arg	j Lei	u Met 275	Glı	ı Arg	Pro	Gln	11e 280	: Ile	• Val	Ala	Asn	Lys 285		Asp	Met
20		290	,			Asn	295					300				
25	Asn 305	Туз	Asp	Glu	l Phe	Glu 310	Glu	Leu	Pro	Ala	Ile 315	Phe	Pro	Ile	Ser	Gly 320
	Leu	Thr	Lys	Gln	Gly 325	Leu	Ala	Thr	Leu	Leu 330	Asp	Ala	Thr	Ala	Glu 335	Leu
30	Leu	Asp	Lys	Thr 340	Pro	Glu	Phe	Leu	Leu 345	Tyr	Asp	Glu	Ser	Asp 350	Met	Glu
	Glu	Glu	Ala 355	Tyr	Tyr	Gly	Phe	Asp 360	Glu	Glu	Glu	Lys	Ala 365	Phe	Glu	Ile
35	•	370			•	Ala	375					380				
40	Lys 385	Leu	Phe	Asn	Met	Thr 390	Asn	Phe	Asp	Arg	Asp 395	Glu	Ser	Val _.	Met	Lys 400
			•		405	Arg				410					415	
45	Arg	Gly	Ala .	Lys 420	Asp	Gly .	Asp	Leu	Val 425	Arg	Ile	Gly		Phe 430	Glu	Phe
	Glu	Phe	Val 435	Asp												
50	<210 <211 <212 <213	> 17 > PR	'2 T	ococ	cus j	pneur	monia	1e								
55	<400 Met A			Phe i	Asn V	Val G	Sly I	ys I	Ile V	/al <i>P</i>	Asn T	hr G	Sln G	Sly L	eu G	Sln

		1					5					1	0					:	15	
5		уG:	lu M	1et	Arç 20	y Va	l Le	u S	er	Val	Th: 25	As;	p Ph	e A	la (Glu		u Ai	g	Phe
		s Ly	ys G	35	Ala	Gl:	ı Le	u A	la	Leu 40	Phe	As _l	o Gl	u Ly	ys i	Asp 45		n Pl	ie '	Val
10	G1:	n Th	nr V 50	al	Thr	Ile	e Al	a Se	er 55	His	Arg	Lys	s Gl		/s / 50	nsA	Ph	e As	p :	Ile
•	I16	e Ly 5	rs P	he :	Lys	Asp	Me 7	t T <u>3</u> O	/r	His	Ile	Asr	7:		.e G	Slu	Ly	s Ту	r l	Նys 80
15	Gly	ү Ту	rs.	er 1	Leu	Lys 85	Va.	l Al	.a (Glu	Glu	Asp 90		ı As	n A	sp	Lei	ı As 9		4sp
20	Gl	7 Gl	u Pl	he :	ryr 100	Tyr	His	s Gl	u :	Ile	Ile 105	Gly	' Leı	ı Gl	u V	al	Тул 11(c Gl	u G	ly
	Asp	Se	r Le 11	eu 1 15	/al	Gly	Thi	: Il	e I	Lys 120	Glu	Ile	Leu	. G1		ro 25	G17	· / Ala	a A	sn
25	Asp	Va.	1 Ti 0	rp V	/al	Val	Lys	3 Ar	g I 5	ъ́уѕ	Gly	Lys	Arg	Ás)		eu	Let	ı Lei	ı P	ro
	Tyr 145	Ile	e Pr	o P	ro	Val	Val 150	. Le	u A	sn	Val	Asp	Ile 155		> A:	sn	Lys	Arg		al 60
30	Asp	Val	l G1	u I	le	Leu 165	Glu	Gly	уĹ	eu	Asp	Asp 170	Glu	Asp	•					
35	<21: <21: <21: <21:	1> 2 2> F	39 RT	pto	coc	cus	pne		ıia:	e										
40	<400 Met 1			e As	sp :	Ile 5	Leu	Thr	· Le	eu I	Phe	Pro 10	Glu	Met	Ph	e S	Ser	Pro 15	Le	ıu
45	Glu	His	Sei	r II 2	Le 7 20	Val	Gly	Lys	A)	la A	rg (25	Slu	Lys	Gly	Le	u I	Seu 30	Asp	11	e
	Gln	Tyr	His	s As	sn I	he .	Arg	Glu		en A	la 0	Glu	Lys	Ala	Ar 4	_	lis	Val	As	p
50	Asp	Glu 50	Pro	Ту	r G	Sly (Gly	Gly 55	Gl	n G	ly M	let :	Leu	Leu 60	Ar	g A	la	Gln	Pr	o
•	Ile 65	Phe	Asp	Se	r P	he l	Asp 70	Ala	Il	e G	lu L	ys 1	Lys . 75	Asn	Pro	• A	rg	Val	I16 80	_'
55	Leu 1	Leu	Asp	Pr	o A	la 0 85	Sly	Lys	G1:	n Pl	ne A	sp (Sln I	Ala	Туг	Α.	la	Glu	Ası	,

Leu Ala Gln Glu Glu Leu Ile Phe Ile Cys Gly His Tyr Glu Gly Tyr Asp Glu Arg Ile Lys Thr Leu Val Thr Asp Glu Ile Ser Leu Gly Asp Tyr Val Leu Thr Gly Gly Glu Leu Ala Ala Met Thr Met Ile Asp 130 10 Ala Thr Val Arg Leu Ile Pro Glu Val Ile Gly Lys Glu Ser Ser His Gln Asp Asp Ser Phe Ser Ser Gly Leu Leu Glu Tyr His Gln Tyr Thr 165 170 15 Arg Pro Tyr Asp Tyr Arg Gly Met Val Val Pro Asp Val Leu Met Ser 185 Gly His His Glu Lys Ile Arg Gln Trp Arg Leu Tyr Glu Ser Leu Lys 20 Lys Thr Tyr Glu Arg Arg Pro Asp Leu Leu Glu His Tyr Gln Leu Thr 25 Val Glu Glu Lys Met Leu Ala Glu Ile Lys Glu Asn Lys Glu 30 <210> 136 <211> 186 <212> PRT 35 <213> Streptococcus pneumoniae <400> 136 Met Ile Glu Ala Ser Lys Leu Lys Ala Gly Met Thr Phe Glu Thr Ala 40 Asp Gly Lys Leu Ile Arg Val Leu Glu Ala Ser His His Lys Pro Gly 45 Lys Gly Asn Thr Ile Met Arg Met Lys Leu Arg Asp Val Arg Thr Gly Ser Thr Phe Asp Thr Ser Tyr Arg Pro Glu Glu Lys Phe Glu Gln Ala 55 50 Ile Ile Glu Thr Val Pro Ala Gln Tyr Leu Tyr Lys Met Asp Asp Thr Ala Tyr Phe Met Asn Thr Glu Thr Tyr Asp Gln Tyr Glu Ile Pro Val 55

Val Asn Val Glu Asn Glu Leu Leu Tyr Ile Leu Glu Asn Ser Asp Val

															_	. 01,02
				10	0				10	5				11	0	
5	Ьу	s Il	e Gl 11	n' Ph 5	е Ту	r Gl	y Th	r Ġl 12		1 I1	e Gly	y Va	1 Th 12		l Pr	o Thr
5	Th	r Va 13	1 G1 0	u Le	u Th	r Va	1 Al		u Th	r Gl	n Pro	Se:		е Lу	s Gl	y Ala
10	Th:	r Va 5	l Th	r Gly	y Se:	r Gl;		s Pr	o Ala	a Th	r Met 155		u Th:	r Gl	y Le	u Val 160
	Va:	l As	n Va	l Pro	Asp 169		e Ilo	e Gl	ı Ala	a Gl		Lys	s Ļei	u Vai	1 Il	e Asn 5
15_	Th:	r Ala	a Gli	u Gly 180		тул	va:	l Se	185	-	3					
		•	,													
20	<21 <21	.0> : .1> : .2> :	523 PRT	otoco	CCUS	nne	umor	ni a a				÷				
25		0> 1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ccus	· phe	uiiiOi	irae								
		Ala		e Glu	Ser 5		Thr	Glu	Arg	Leu 10		Asn	Val	Phe	Lys 15	Asn
30	Leu	Arg	l Fàs	Lys 20		Lys	Ile	Ser	Glu 25		Asp	Val	Gln	Glu 30		Thr
	Lys	Glu	11e 35	Arg	Leu	Ala	Leu	Leu 40		Ala	Asp	Val	Ala 45		Pro	Val
35	Val	Lys 50	Asp	Phe	Ile	Lys	Lys 55		Arg	Glu	Arg	Ala 60	Val	Gly	His	Glu
40	Val 65	Ile	Asp	Thr	Leu	Asn 70	Pro	Ala	Gln	Gļn	Ile 75	Iļe	Lys	Ile	Val	Asp 80
	Glu	Glu	Leu	Thr	Ala 85	Val	Leu	Gly	Ser	Asp 90	Thr	Ala	Glu	Ile	Ile 95	Lys
45	Ser	Pro	Lys	Ile 100	Pro	Thr	Ile	Ile	Met 105	Met	Val	Gly	Leu	Gln 110	Gly	Ala
	Gly	Гуз	Thr 115	Thr	Phe	Ala	Gly	Lys 120	Leu	Ala	Asn	Lys	Leu 125	Ļys	Lys	Glu
50	Glu	Asn 130	Ala	Arg	Pro	Leu	Met 135	Ile	Ala	Ala	Asp	Ile 140	Tyr	Arg	Pro	Ala
55	Ala 145	Ile	Asp	Gln	Leu	Lys 150	Thr	Leu	Gly	Gln	Gln 155	Ile	Asp	Val	Pro	Val 160

Phe Ala Leu Gly Thr Glu Val Pro Ala Val Glu Ile Val Arg Gln Gly 165 170175

55

		eu G	lu G	ln A	Ala .80	Gln	Thi	r As	n Hi	ls A	sn 1 85	Asp	Туг	. Va	l Le	u II		sp Thr
	Al	a G	ly A 1	rg I 95	eu	Gln	Ile	e As	p G1 20	u L	eu 1	Leu	Met	: Ası	n G1 20	u Le 5	u Ar	g Asp
10	Va	1 Ly 2:	ys T 10	hr I	eu .	Ala	Glr	21	o As 5	n G	lu 1	Ile	Leu	Let 220	ı Va)	l Va	l As	p Ala
	Ме 22	t II 5	le G	ly G	ln (Slu	Ala 230	A1.	a As	n Va	al A	Ala	Arg 235		ı Ph	e As	n Al	a Gln 240
15	Le	u G]	u V	al T	hr (31 y 24 5	Val	Ile	e Le	u Th	ır I 2	ys 250	Ile	Asp	Gl	y .As	p Th 25	r Arg 5
	G1	y Gl	y Al	la A 2	la 1 60	Seu	Ser	Va]	l Ar	g Hi 26	s I 5	le	Thr	Gly	Lys	270		e Lys
20	Phe	e Th	r G] 27	ly T 15	nr G	Зlу	Glu	Lys	280 280	e Th O	r A	sp	Ile	Glu	Thr 285		e Hi	s Pro
25	Asp	29	д М е	et S	er S	er	Arg	11e 295	Le	ı Gl	уМ	et	G1y	Asp 300	Met	Let	Th:	r Leu
	11e 305	Gl	u Ly	rs Al	a S	er	Gln 310	Glu	Туг	As	p G	lu	Gln 315	Lys	Ala	Leu	ı Glı	Met 320
30					3	25					33	30					335	
				34	U					345	5					350		Lys
35			35	5					360			•	•		365			Val
40		370	,					3/5					,	380		•		Thr
	363					3						3	95					Arg 400
45					40	5				•	41	0					415	
50				420)	•				425				•		430	Met	
.50	Gly		435						440	٠				4	145			
55		450					4	55					4	60				•
	Glu 465	Gly	Met	Met	Gl	y G.	ln G 70	ly (Gly	Met	Pro	As 47	sp L 75	eu S	er i	Ala	Leu	Gly 480

Gly Ala Gly Met Pro Asp Met Ser Gln Met Phe Gly Gly Leu Lys Gly Lys Ile Gly Glu Phe Ala Met Lys Gln Ser Met Lys Arg Met Ala 505 Asn Lys Met Lys Lys Ala Lys Lys Lys Arg Lys 10 <210> 138 <211> 281 <212> PRT 15 <213> Streptococcus pneumoniae <400> 138 Met Tyr Leu Ile Glu Ile Leu Lys Ser Ile Phe Phe Gly Ile Val Glu 20 Gly Ile Thr Glu Trp Leu Pro Ile Ser Ser Thr Gly His Leu Ile Leu Ala Glu Glu Phe Ile Gln Tyr Gln Asn Gln Asn Glu Ala Phe Met Ser 25 40 Met Phe Asn Val Val Ile Gln Leu Gly Ala Ile Leu Ala Val Met Val 30 Ile Tyr Phe Asn Lys Leu Asn Pro Phe Lys Pro Thr Lys Asp Lys Gln Glu Val Arg Lys Thr Trp Arg Leu Trp Leu Lys Val Leu Ile Ala Thr 35 Leu Pro Leu Gly Val Phe Lys Phe Asp Asp Trp Phe Asp Thr His Phe His Asn Met Val Ser Val Ala Leu Met Leu Ile Ile Tyr Gly Val 40 Ala Phe Ile Tyr Leu Glu Lys Arg Asn Lys Ala Arg Ala Ile Glu Pro 45 Ser Val Thr Glu Leu Asp Lys Leu Pro Tyr Thr Thr Ala Phe Tyr Ile Gly Leu Phe Gln Val Leu Ala Leu Leu Pro Gly Thr Ser Arg Ser Gly 50 Ala Thr Ile Val Gly Gly Leu Leu Asn Gly Thr Ser Arg Ser Val Val 185 Thr Glu Phe Thr Phe Tyr Leu Gly Ile Pro Val Met Phe Gly Ala Ser

Ala Leu Lys Ile Phe Lys Phe Val Lys Ala Gly Glu Leu Leu Ser Phe

55

		2	10				21	15				. 22	20			
5	G1 22	ly G 25	ln L	eu Pl	ne Le	eu Le 23	eu Le 30	eu Va	al Al	la Me	et G1 23	Ly Va 85	al Al	la Pi	ne Al	a Val. 240
_	Se	er M	et V	al Al	la II 24	.e Ar 5	g Ph	ie Le	u Th	ır Se 25	r Ty	r Va	l Ly	s Lj	's Hi 25	s Asp 5
10	Ph	e T	hr Le	eu Ph 26	e Gl 60	у Lу	s Ty	r Ar	g Il 26	e Va 5	l Le	u Gl	y Se	r Va 27		u Leu
	Le	u Ty	yr Se 27	r Ph	e Va	l Ar	g Le	u `Ph 28		1						
15	<2	11>	139 429													
20	<2	13>		ptoc	occu	s pn	eumoi	niae	•							
		00> : Gl L		u Phe	e Ası	Arç	g Lei	ı Phe	e Gly	y Lys 10	s Lys	s Glu	ı Glı	ı Pro	Lys 15	3 Ile
25	Glu	ı Gl	u Va	l Val	L Lys	Glu	ı Ala	ı Lev	1 Glu 25	ı Asr	ı Lev	ı Asp	Let	sei 30		a Asp
30	Ile	G1	u Pro	o Ala	Phe	Thr	Glu	Ala 40	Glu	Glu	ı Val	Ser	Gln 45		Glu	Ala
	Glu	Va.	l Glu	3 Ser	Ser	Glu	Glu 55	Ser	Val	Phe	Gln	Glu 60		Asp	Ser	Gln
35	Asp 65	Thi	r Val	. Glu	Glu	Asn 70	Leu	Asp	Leu	Glu	Pro 75	Val	Val	Glu	Val	Ser 80
	Gln	Glu	ı Glu	. Val	Glu 85	Glu	Phe	Pro	Asn	Ser 90	Gln	Glu	Val	Thr	Glu 95	Glu
40	Glu	Lys	Leu	Glu 100	His	Glu	Gly	Thr	Val 105	Glu	Glu	Asn	Asn	Phe 110	Glu	Val
45			115					120					125			-
	Asp	Arg 130	Ser	Leu	Lys	Lys	Thr 135	Arg	Thr	Gly	Phe	Gly 140	Ala	Arg	Leu	Asn
50	145			Ala		150					155					160
	Leu	Glu	Glu	Leu	Leu 165	Ile	Met.	Ser		Val 170	Gly	Val	Gln	Val	Ala 175	Ser

Asn Leu Thr Glu Glu Leu Arg Tyr Glu Ala Lys Leu Glu Asn Ala Lys 180 185 190

	Ly	's P	ro	Asp 195	Al	a Le	u Ar	g A	rg V 2	al 00	Ile	e Il	e Gl	u Ly	/s Le 20		/al	Gl	u Le
5	Ту	r G. 2	lu 10	Lys	As	p Gl	y Se	r Ty 21	yr A L5	sp	Glu	Se:	r Il	е Ні 22		ne G	Sln	As	p Ası
	Le ²	u Tl 5	nr	Val	Me	t Le	u Ph 23	e Va 0	al G	ly	Val	Ası	n G1 23		l Gl	y L	ys	Th	r Thi
10	Se	r I	le	Gly	Lу	s Le 24	u Al 5	а Ні	s A	rg	Tyr	Lys 250	s Ar	g Al	a Gl	уЬ	ys	Ly. 25	s Val
15	Met	L€	eu	Val	Al: 260	a Ala	a As	p Th	ır Pl	he i	Arg 265	Ala	a Gl	y Al	a Va		la 70	Glı	n Leu
	Ala	a G1	u '	Trp 275	Gl	y Ar	g Ar	g Va	1 As 28	7 qz 08	Val	Pro	Val	L Va	1 Th 28		ly	Pro	o Glu
20	Lys	Al 29	a <i>i</i> 0	Asp	Pro	Ala	a Sei	v Va 29	1 Va 5	al E	?he	Asp	Gl	7 Met		u Ai	rg	Ala	val
	Ala 305	Gl	u (Gly	Ile	e Asp	310	e Le	u Me	et I	[le	Asp	Thr 315	Ala	a Gl	y Ai	cg	Leu	Gln 320
25	Asn	Ьy	s Æ	Asp	Asn	Leu 325	Met	: Ala	a Gl	u L	eu	Glu 330	Lys	Ile	e Gly	/ Ar		Ile 335	Ile
30	Lys	Ar	g V	/al	Val 340	Pro	Glu	Ala	a Pr	о _. Н З	is 45	Glu	Thr	Phe	: Leu	Al 35		Ĺeu	Asp
	Ala	Se	r 1 3	hr 55	Gly	Gln	Asn	Ala	36	u V O	al	Gļn	Ala	Lys	Glu 365	Ph	e S	Ser	Lys
35	Ile	Th:	: P	ro :	Leu	Thr	Gly	Ile 375	Va.	l L	eu '	Thr	Lys	Ile 380		G1	уΊ	hr	Ala
	Arg 385	ΈΙλ	, G	ly '	Val	Val	Leu 390	Ala	Ile	e A	rg (Glu	Glu 395	Leu	Asn	Il	e E	ro	Val 400
40	Lys	Leu	I	le (Gly	Phe 405	Gly	Glu	Lys	s II	le A	Asp 410	Asp	Ile	Gly	Gli		he 15	Asn
45	Ser	Glu	A	sn E	?he 120	Met	Lys	Gly	Let	1 Le 42		Slu	Gly	Leu	Ile				
50	<210 <211 <212 <213	> 1 > Þ	65 RT	epto	coc	cus	pneu	mon	iae		• • •								
•	<400 Met 1			.e G	lu i	Met	Val .	Asp	Glu	Th	r G	lv (aln '	val	Ser	Luc	G1		Mo+
55	1					5						10]	15	
	Leu (эти	GΤ	n T	hr (20	⊌1n I	Slu	Ile	Leu	Gl	uP	he A	Ala A	Ala	Lys	Lys	Le	eu (Gly

Lys Glu Asp Lys Glu Met Ala Val Thr Phe Val Thr Asn Glu Arg Ser 40 His Glu Leu Asn Leu Glu Tyr Arg Asp Thr Asp Arg Pro Thr Asp Val Ile Ser Leu Glu Tyr Lys Pro Glu Leu Glu Ile Ala Phe Asp Glu Glu 10 Asp Leu Leu Glu Asn Pro Glu Leu Ala Glu Met Met Ser Glu Phe Asp 90 Ala Tyr Ile Gly Glu Leu Phe Ile Ser Ile Asp Lys Ala His Glu Gln 15 Ala Glu Glu Tyr Gly His Ser Phe Glu Arg Glu Met Gly Phe Leu Ala Val His Gly Phe Leu His Ile Asn Gly Tyr Asp His Tyr Thr Pro Glu 20 Glu Glu Ala Glu Met Phe Gly Leu Gln Glu Glu Ile Leu Thr Ala Tyr 150 25 Gly Leu Thr Arg Gln 30 <210> 141 <211> 255 <212> PRT <213> Streptococcus pneumoniae 35 <400> 141 Met Ser Ile Arg Val Ile Ile Ala Gly Phe Lys Gly Lys Met Gly Gln Ala Ala Cys Gln Met Val Leu Thr Asp Pro Asp Leu Asp Leu Val Ala 40 Val Leu Asp Pro Phe Glu Ser Glu Ser Glu Trp Gln Gly Ile Pro Val 45 Phe Lys Asp Lys Ala Asp Leu Ala Gly Phe Glu Ala Asp Val Trp Val Asp Phe Thr Thr Pro Ala Val Ala Tyr Glu Asn Thr Arg Phe Ala Leu 50 Glu Asn Gly Phe Ala Pro Val Val Gly Thr Thr Gly Phe Thr Ser Glu 90 Glu Ile Ala Glu Leu Lys Glu Phe Ser Arg Ala Gln Asp Leu Gly Gly 55

Leu Ile Ala Pro Asn Phe Ala Leu Gly Ala Val Leu Leu Met Gln Phe

				11.	5			-	12	20				12	5		
5		a	Thr 130	Gl:	n Al	a Al	a Ly	s Ty 13	r Ph	e Pr	o As	n Va	l Gl		e Il	e Gl	u Leu
		s 5	His	Ası	o Ly	s Ly	's Ly 15	s As O	p Al	a Pr	o Se	r Gl 15		c Al	a Il	е Lу	s Thr 160
10	Al	a :	Glu	Let	ı Me	t Al 16	a Gl 5	u Va	l Ar	g Gl	u Se 17	r Ile O	e Glr	ı Glı	n Gl	y Ala 17	a Ala 5
	As	p (Glu	Glu	18	u Le O	u Il	e Ala	a Gl	y Ala 18	a Ar	g Gly	y Ala	Asp	Ph 19		o Gly
15	Me	t i	Arg	Ile 195	Hi:	s Se	r Vai	l Ar	g Le	u Pro	o Gl	y Let	ı Val	Ala 205		s Glr	Glu
20	V a∶	1 1	lle 210	Phe	Gly	y Ası	n Glr	Gl ₃ 215	y Gli	u Gly	/ Lei	ı Thr	Leu 220		y His	s Asp	Ser
	Туз 225	: <i>F</i>	Asp	Arg	Ile	e Sei	230	e Met	Thi	c Gl	y Val	Asn 235		Gly	Ile	e Lys	Glu 240
25	Val	. V	al	Lys	Arç	His 245	s Glu	Leu	val	Tyr	Gly 250		Glu	His	Lev	Leu 255	
30	<21 <21 <21 <21	1> 2>	91 PR	T	coco	ccus	pne	umon	iae								
•	<40																
35	. 1					5					10		Ala			15	
	Leu	Tl	hr :	Lys	Lys 20	Asp	Ser	Ala	Ala	Ala 25	Val	Glu	Ala	Val	Phe 30	Ala	Ala
40	.Val	A.	la A	Asp 35	Tyr	Leu	Ala	Ala	Gly 40	Glu	Lys	Val	Gln	Leu 45	Ile	Gly	Phe
45	Ser	As 5	sn I	Phe	Glu	Val	Arg	G1u 55	Arg	Ala	Glu	Arg	Lys 60	Gly	Arg	Asn	Pro
	Gln 65	Th	ır G	Sly	Lys	Glu	Met 70	Thr	Ile _.	Ala	Ala	Ser 75	Lys '	Val	Pro	Ala	Phe [.]
50 .	Lys	Al	a G	Sly :	Lys	Ala 85	Leu	Lys	Asp	Ala	Val 90	Lys					
55	<210 <211 <212 <213	> >	306 PRT		coc	cus	pneu	monia	ae į								

		100> t T 1			Th.	r Al	a Ph 5	e L	eu	Ph€	e Al		.у G:	ln G	ly	Ala	a Gl		r Leu .5
5	G1	у М	et (Gly	Arc 20	g As O	p Ph	e T	yr	Asp	G1:	n Ty 5	r Pi	co I	le	Va]	. Ly З		u Thr
10				35						40	,					45			u Ile
	As	P Ti	nr G 50	lu	Glı	ı As	р Ьу	s Le	eu 55	Asn	Glı	n Th	r Ai		yr 60	Thr	Gl	n Pr	o Ala
15	11 6	e Le 5	eu A	la	Thr	Se	r Va.	1 A1	.a	Ile	Туз	Ar	g Le 7	u Le 5	eu	Glņ	Glı	ı Ly	s Gly 80
	Ty:	r Gl	n P	ro	Asp	Met 85	Vai	L Al	a (Gly	Leu	9 Se:		u G	ly	Glu	Туі	Se.	r Ala 5
. 20	Le:	ı Va	1 A	la	Ser 100	Gl	/ Ala	a Le	u I	Asp	Phe 105	Glı	ı As	ρĄΙ	la	Val	Ala 110		u Val
. 25	Ala	а Ьу	s A:	rg 15	Gly	Ala	Туг	Me	t (Glu L20	Glu	Ala	a Al	a Pr		Ala 125	Asp	Sei	Gly
	Lys	Ме 13	t V a 0	al	Ala	Val	Leu	13:	n 1	'hr	Pro	Val	. Gl	va 14		Ile	Glu	Glu	ı Ala
30	Cys 145	Gl	n, Ly	ys.	Ala	Ser	Glu 150	Lei	ı G	Зlу	Val	Val	Th:		0 1	Ala	Asn	Tyr	Asn 160
	Thr	Pro	A]	la (Gln	Ile 165	Val	Ile	e A	la	Gly	Glu 170	Va]	. Va	1 1	Ala	Val	Asp 175	Arg
35	Ala	Va.	l GÌ	.u]	Leu 180	Leu	Gln	Glu	iΑ	la	Gly 185	Ala	Lys	Ar	g I	Seu	Ile 190	Pro	Leu
40	Lys	Val	. Se 19	r (Sly	Pro	Phe	His	T.	hr . 00	Ala	Leu	Leu	Glı		ro 905	Ala	Ser	Gln
	Lys	Leu 210	Al	a .0	Slu	Thr	Leu	Ala 215	G.	ln '	Val	Ser	Phe	Sei 220		rsp	Phe	Thr	Cys
45	Pro 225	Leu	Va	1 6	Sly	Asn	Thr 230	Glu	A.	la i	Ala	Val	Met 235	Glr	ı L	ys .	Glu	Asp	Ile 240
	Ala	Gln	Le	u Ĺ	eu	Thr 245	Arg	Gln	Vá	al I		Glu 250 _.	Pro	Val	. A	rg 1	Phe	Tyr 255	Glu
50	Ser	Ile	Gly	y V 2	al 1 60	Met.	Gln	Glu	Al	.a 0	31y 265	Ile	Ser	Asn	Pl		le 270	Glu	Ile
55	Gly	Pro	Gl ₃ 275	/ L	ys V	/al	Leu	Ser	G1 28	у Р 0	he '	Val	Lys	Lys		le <i>P</i> 35	sp	Gln	Thr
,	Ala	His 290	Leu	ı A.	la H	lis '	Val	Glu 295	As	рG	ln /	Ala	Ser	Leu 300	Va	al A	la :	Leu	Leu

Glu Lys 305 5 <210> 144 <211> 243 <212> PRT <213> Streptococcus pneumoniae 10 Met Lys Leu Glu His Lys Asn Ile Phe Ile Thr Gly Ser Ser Arg Gly 15 Ile Gly Leu Ala Ile Ala His Lys Phe Ala Gln Ala Gly Ala Asn Ile 25 Val Leu Asn Ser Arg Gly Ala Ile Ser Glu Glu Leu Leu Ala Glu Phe 20 Ser Asn Tyr Gly Ile Lys Val Val Pro Ile Ser Gly Asp Val Ser Asp Phe Ala Asp Ala Lys Arg Met Ile Asp Gln Ala Ile Ala Glu Leu Gly 25. Ser Val Asp Val Leu Val Asn Asn Ala Gly Ile Thr Gln Asp Thr Leu 30 Met Leu Lys Met Thr Glu Ala Asp Phe Glu Lys Val Leu Lys Val Asn 105 . . Leu Thr Gly Ala Phe Asn Met Thr Gln Ser Val Leu Lys Pro Met Met 120 35 Lys Ala Arg Glu Gly Ala Ile Ile Asn Met Ser Ser Val Val Gly Leu 135 Met Gly Asn Ile Gly Gln Ala Asn Tyr Ala Ala Ser Lys Ala Gly Leu 40 Ile Gly Phe Thr Lys Ser Val Ala Arg Glu Val Ala Ser Arg Asn Ile 170 45 Arg Val Asn Val Ile Ala Pro Gly Met Ile Glu Ser Asp Met Thr Ala 180 185 Ile Leu Ser Asp Lys Ile Lys Glu Ala Thr Leu Ala Gln Ile Pro Met 200 50 Lys Glu Phe Gly Gln Ala Glu Gln Val Ala Asp Leu Thr Val Phe Leu Ala Gly Gln Asp Tyr Leu Thr Gly Gln Val Val Ala Ile Asp Gly Gly 55

230

Leu Ser Met

	5	<2 <2	211 212	L> ?>	145 276 PRT Stre	ptoc	coccu	ıs pr	ieumo	niae								
	10				145 y Va	l Ly	rs Ly	rs Ly 5	s Le	u Ly	s Le	u Th 1	r Se O	r Le	u Le	u Gl		u Sei 5
	15	Le	u	Le	ı Il	e Me 2	t Th	r Al	а Су	s Ala	a Th:	r As 5	n Gl	y Va	l Th	r Se 3		p Ile
		Th	r.	Ala	a G1 3	u Se 5	r Al	a As	p Ph	e Trp	Ser	r Ly	s Lei	u Vai	1 Ty		e Ph	e Ala
	20	Gl	u	11e 50	: Il	e Ar	g Ph	e Le	u Ser 55	r Phe	e Asp	o Ile	e Sei	r Ile 60		y Val	l Gl	y Ile
		11	e] 5	Leu	Phe	e Th:	r Val	l Lei 70	ı Ile	Arg	Thr	: Val	L Leu 75		Pro	Val	l Phe	Gln 80
	25	Va.	1 (Gln	Met	: Vai	l Ala 85	a Sei	Arg	l Fàs	Met	Glr 90	ı Glu	ı Ala	Glr	Pro	Arç 95	, Ile
	30					100	,				105					110)	Thr
					115	•				120					125			Arg
	35		1	30					135					140		•		Leu
	40	. 145						150	Ser				155					160
							165	•	Gly			170					175	
	45						•		Thr		185		•			190		
	•				195				Gly	200	• •				205		-	
	50		21	LO					Phe 215					220				
	55	223						230	Asn				235					240
•	55	ren	As	n A	Asn	Pro	Phe 245	Lys	Ile	Ile A	Ala (Glu . 250	Arg (Glu /	Ala		Val 255	Gln

Ala Gln Lys Asp Leu Glu Asn Arg Lys Arg Lys Ala Lys Lys Lys Ala 260 265 270

Gln Lys Thr Lys 5 275

<210> 146

<211> 409

10 <212> PRT

25

40

55

<213> Streptococcus pneumoniae

<400> 146

Met Lys Ile Ser Lys Arg His Leu Leu Asn Tyr Ser Ile Leu Ile Pro 15 1 5 10 15

Tyr Leu Leu Ser Ile Leu Gly Leu Ile Val Val Tyr Ser Thr Thr 20 25 30

20 Ser Ala Ile Leu Ile Glu Glu Gly Lys Ser Ala Leu Gln Leu Val Arg
35 40 45

Asn Gln Gly Ile Phe Trp Ile Val Ser Leu Ile Leu Ile Ala Leu Ile 50 55 60

Tyr Lys Leu Arg Leu Asp Phe Leu Arg Asn Glu Arg Leu Ile Ile Leu 65 70 75 80

Val Ile Leu Ile Glu Met Leu Leu Leu Phe Leu Ala Arg Phe Ile Gly 85 90 95

Ile Ser Val Asn Gly Ala Tyr Gly Trp Ile Ser Val Ala Gly Val Thr
100 105 110

35 Ile Gln Pro Ala Glu Tyr Leu Lys Ile Ile Ile Ile Trp Tyr Leu Ala 115 120 125

His Arg Phe Ser Lys Gln Gln Glu Glu Ile Ala Thr Tyr Asp Phe Gln 130 135 140

Val Leu Thr Gln Asn Gln Trp Leu Pro Arg Ala Phe Asn Asp Trp Arg 145 150 155 160

Phe Val Leu Leu Val Leu Ile Gly Ser Leu Gly Ile Phe Pro Asp Leu 45 165 170 175

Gly Asn Ala Thr Ile Leu Val Leu Val-Ser Leu Ile Met Tyr Thr Val

50 Ser Gly Ile Ala Tyr Arg Trp Phe Ser Thr Ile Leu Ala Leu Val Ser 195 200 205

Ala Thr Ser Val Phe Val Leu Thr Thr Ile Ser Leu Ile Gly Val Glu 210 215 220

Thr Phe Ser Lys Ile Pro Val Phe Gly Tyr Val Ala Lys Arg Phe Ser 225 230 230 235

	_					243						250)				255	
	Ala	a A	sn S	er :	[yr 260	Phe	Ala	Me	t V	al	Asn 265	Gly	Gly	Tr	Phe	Gly 270		Gly
10		u G	ly A 2	sn 5 75	Ser	Ile	Glu	Ļy	s A: 28	rg 30	Gly	Tyr	Leu	Pro	Glu 285	Ala	His	Thr
	Asp	2 Pl	ne V 90	al E	he	Ser	Ile	Val 295	l I.	Le	Glu	Glu	Phe	G1 <u>y</u> 300	Phe	Val	Gly	Ala
15	Ser 305	Le 5	eu I	le I	eu ,	Ala	Leu 310	Le	ı Pi	ie l	Phe	Met	Ile 315	Leu	Arg	İle	Ile	Leu 320
	Val	. G1	у І.	le A	rg 1	Ala 325	Glu	Asn	Pr	o I	?he	Asn 330	Ala	Met	Val	Ala	Leu 335	Gly
20	Val	Gl	y Gi	Lу М З	et N 40	let .	Leu	Val	Gl	л V Э	7al 845	Phe	Val	Asn	Ile	Gly 350	Gly	Ile
25	Ser	Gl	у Le 35	u I.	le E	ro :	Ser	Thr	G1 36	у V 0	'al	Thr	Phe	Pro	Phe 365	Leu	Ser	Gln
•	Gly	G1: 37	y As O	n Se	er L	eu 1	Leu	Val 375	Lei	u S	er	Val.	Ala	Val 380	Ala	Phe	Val	Leu
30	Asn 385	Ile	e As	p Al	a S	er (51u 890	Lys	Arq	J A	la I	Lys :	Leu 395	Tyr	Arg	Glu		Glu 400
	Asn	Glr	n Pr	o Me		sn I 05	eu :	Leu	Let	ı L	ys							
35	<210 <211																	
40	<212 <213	> P	RT	toc	occi	ıs p	neum	noni	ae									
	<400 Met :	> 1 Leu	47 Gly	Ile	e Le	u Tl 5	nr P	he :	Ile	Le	u V	al P 10	he G	Sly :	Ile 1	le V		al
45	Val I	His	Glu	Phe 20	e G1	y Hi	is P	he :	Tyr	Ph 2	e A		ys L	ys S	Ser G	ly I	15 le L	eu
	Val A	٩rg	Glu 35	Phe	Al	a Il	.e G) 1y N	1et 40			ro L	ys I	le E	he A	30 .la H	is I	le
50	Gly I	ys 50	Asp	Gly	Th	r Al	a T	yr T 55		Ile	e Aı	g II	le L	eu P 60		eu G	ly G	ly
55	Tyr V 65	al	Arg	Met	Ala	3 G1 7	у Ті 0	rp G	1y	Asp) As	p Th			lu I	le L	ys Tl · 8	
	Gly T	hr	Pro	Val	Ser	Le	u Th	ır L	eu .	Ala	As			Ly L	ys Va	al Ly		

85	90	95

5	11	e As	n Lei	100		Lys	s Ly:	s Lei	u Ası 10		n Thi	c Al	a Le	u Pr		t Gl
	Va.	l Th	r Gli	n Phe	e Asp	Phe	e Gli	120		s Le	ı Phe	e Il	e Ly		λ΄ Γe	u Va
10	Lei	ı Ğl [.] 13	u Glu O	ı Glu	ı Lys	Thr	Phe 135		a Val	l Asp	o His	14		a Th:	r Vai	l Va
	Glu 145	ı Ala	a Asp	Gl	/ Thr	Glu 150		l Arg	g Ile	e Ala	155		u Ası	o Va.	l Glr	ту: 160
15	Glr	ı Ası	n Ala	Thr	11e		Gly	/ Lys	s Leu	170		: Ası	n Phe	e Ala	a Gly 175	
20	Met	: Asr	n Asn	Phe 180		Leu	Gly	v Val	Val 185		Phe	Tr	o Val	Let 190		Phe
	Met	Glr	1 Gly 195		Val	Arg	Asp	Val 200		Thr	Asn	Glr	Phe 205		: Ile	Met
25	Pro	Glr 210	Gly	Ala	Leu	Ala	Lys 215		Gly	Val	Pro	Glu 220		Ala	Gln	Ile
	Thr 225	Lys	: Ile	Gly	Ser	His 230	Glu	Val	Ser	Asn	Trp 235		Ser	Leu	ılle	Gln 240
30	Ala	Val	Glu	Thr	Glu 245	Thr	Lys	Asp	Lys	Thr 250		Pro	Thr	Leu	Asp 255	
35	Thr	Ile	Ser	Glu 260	Lys	Gly	Ser	Asp	Lys 265	Gln	Val	Thr	Val	Thr 270		Glu
·	Asp	Ser	Gln 275	Gly	Arg	Tyr	Leu	Leu 280	Gly	Val	Gln	Pro	Gly 285	Val	Lys	Ser
40	Asp	Phe 290	Leu	Ser	Met	Phe	Val 295	Gly	Gly	Phe	Thr	Thr 300	Ala	Ala	Asp	Ser
	Ala 305	Leu	Arg	Ile	Leu	Ser 310	Ala	Leu	Lys	Asn	Leu 315	Ile	Phe	Gln	Pro	Asp 320
45	Leu	Asn	Lys	Leu	Gly 325	Gly	Pro	Val	Ala	Ile 330	Phe.	Lys	Ala	Ser	Ser 335	Asp
50	Ala	Ala	Lys	Asn 340	Gly	Ile	Glu	Asn	Ile 345	Leu	Tyr	Phe	Leu	Ala 350	Met	Ile
	Ser	Ile	Asn 355	Ile	Gly	Ile	Phe	Asn 360	Leu	Ile	Pro	Ile,	Pro 365	Ala	Leu	Asp
55	Gly	Gly 370	Lys	Ile	Val :		Asn 375	Ile	Leu	Glu	Ala	Ile 380	Arg	Arg	Lys	Pro
	Leu	Lys	Gln	Glu	Ile	Glu	Thr	Tyr	Val	Thr	Leu	Ala	Gly	Ϋal	Val	Ile

385 390 395 400

Met Val Val Leu Met Ile Ala Val Thr Trp Asn Asp Ile Met Arg Leu
405 410 415

Phe Phe Arg

- 10 <210> 148 <211> 197 <212> PRT <213> Streptococcus pneumoniae
- 15 <400> 148

 Met Tyr Ala Tyr Leu Lys Gly Ile Ile Thr Lys Ile Thr Ala Lys Tyr

 1 5 10 15
- Ile Val Leu Glu Thr Asn Gly Ile Gly Tyr Ile Leu His Val Ala Asn 20 25 30
 - Pro Tyr Ala Tyr Ser Gly Gln Val Asn Gln Glu Ala Gln Ile Tyr Val 35 40 45
- 25 His Gln Val Val Arg Glu Asp Ala His Leu Leu Tyr Gly Phe Arg Ser 50 55 60
- Glu Asp Glu Lys Lys Leu Phe Leu Ser Leu Ile Ser Val Ser Gly Ile
 65 70 75 80
 - Gly Pro Val Ser Ala Leu Ala Ile Ile Ala Ala Asp Asp Asn Ala Gly
 85 90 95
- Leu Val Gln Ala Ile Glu Thr Lys Asn Ile Thr Tyr Leu Thr Lys Phe 100 105 110
 - Pro Lys Ile Gly Lys Lys Thr Ala Gln Gln Met Val Leu Asp Leu Glu 115 120 125
- 40 Gly Lys Val Val Val Ala Gly Asp Asp Leu Pro Ala Lys Val Ala Val 130 135 140
- Gln Ala Ser Ala Glu Asn Gln Glu Leu Glu Glu Ala Met Glu Ala Met 145 150 155 160
 - Leu Ala Leu Gly Tyr Lys Ala Thr Glu Leu Lys Lys Ile Lys Lys Phe
 165 170 175
- Phe Glu Gly Thr Thr Asp Thr Ala Glu Asn Tyr Ile Lys Ser Ala Leu 180 180 180

·Lys Met Leu Val Lys 195

55 <210> 149 <211> 257

<212> PRT <213> Streptococcus pneumoniae

Gly Gly Leu Ser Ala Asp Leu Ala Thr Tyr Thr Leu Asn Gly Leu 20 25 30

His Gly Phe Val Ala Val Thr Cys Leu Thr Ala Leu Thr Glu Lys Gly
35 40 45

Phe Glu Val Phe Pro Thr Asp Asp Thr Ile Phe Gln His Glu Leu Asp 50 55 60 .

Ser Leu Arg Asp Val Glu Phe Gly Gly Ile Lys Ile Gly Leu Leu Pro 65 70 75 80

20 Thr Val Ser Val Ala Glu Lys Ala Leu Asp Phe Ile Lys Gln Arg Pro 85 90 95

Gly Val Pro Val Val Leu Asp Pro Val Leu Val Cys Lys Glu Thr His 100 105 110

Asp Val Ala Val Ser Glu Leu Cys Gln Glu Leu Ile Arg Phe Pro 115 120 125

Tyr Val Ser Val Ile Thr Pro Asn Leu Pro Glu Ala Glu Leu Leu Ser 130 135 140

Gly Gln Glu Ile Lys Thr Leu Glu Asp Met Lys Thr Ala Ala Gln Lys
145 150 155 160

35 Leu His Asp Leu Gly Ala Pro Ala Val Ile Ile Lys Gly Gly Asn Arg 165 170 175

Leu Ser Gln Asp Lys Ala Val Asp Val Phe Tyr Asp Gly Gln Thr Phe 180 185 190

Thr Ile Leu Glu Asn Pro Val Ile Gln Gly Gln Asn Ala Gly Ala Gly 195 200 205

Cys Thr Phe Ala Ser Ser Ile Ala Ser His Leu Val Lys Gly Asp Lys 210 215 220

Phe Leu Pro Ala Val Glu Ser Ser Lys. Ala Phe Val Tyr Arg Ala Ile 225 230 235 240

50 Ala Gin Ala Asp Gin Tyr Gly Val Arg Gin Tyr Glu Ala Asn Lys Asn 245 250 255

Asn

55

40

25

<210> 150

	<211> 412 <212> PRT
	<213> Streptococcus pneumoniae
	5 <400> 150 Met Ile Glu Thr Glu Lys Lys Glu Glu Arg Val Leu Leu Ile Gly Val 1 5 10 15
10	Glu Leu Gln Gly Met Asp Ser Phe Asp Leu Ser Met Glu Glu Leu Ala 20 25 30
	Ser Leu Ala Lys Thr Ala Gly Ala Val Val Val Asp Ser Tyr Arg Gln 35 40 45
15	Lys Arg Glu Lys Tyr Asp Ser Lys Thr Phe Val Gly Ser Gly Lys Leu 50 60
20	Glu Glu Ile Ala Leu Met Val Asp Ala Glu Glu Ile Thr Thr Val Ile 65 70 75 80
•	Val Asn Asn Arg Leu Thr Pro Arg Gln Asn Val Asn Leu Glu Glu Val 85 90 95
25	Leu Gly Val Lys Val Ile Asp Arg Met Gln Leu Ile Leu Asp Ile Phe 100 105 110
	Ala Met Arg Ala Arg Ser His Glu Gly Lys Leu Gln Val His Leu Ala 115 120 125
30	Gln Phe Lys Tyr Leu Leu Pro Arg Leu Val Gly Gln Gly Ile Met Leu 130 135 140
35	Ser Arg Gln Ala Gly Gly Ile Gly Ser Arg Gly Pro Gly Glu Ser Gln 145 150 150 160
	Leu Glu Leu Asn Arg Arg Ser Val Arg Asn Gln Ile Thr Asp Ile Glu 165 170 175
40	Arg Gln Leu Lys Val Val Glu Lys Asn Arg Ala Thr Val Arg Glu Lys 180 185 190
	Arg Leu Glu Ser Ser Thr Phe Lys Ile Gly Leu Ile Gly Tyr Thr Asn 195 200 205
45	Ala Gly Lys Ser Thr Ile Met Asn Ile Leu Thr Ser Lys Thr Gln Tyr 210 215 220
50	Glu Ala Asp Glu Leu Phe Ala Thr Leu Asp Ala Thr Thr Lys Ser Ile 225 230 235 240
	His Leu Gly Gly Asn Leu Gln Val Thr Leu Thr Asp Thr Val Gly Phe 245 250 255
55	Ile Gln Asp Leu Pro Thr Glu Leu Val Ser Ser Phe Lys Ser Thr Leu 260 265 270
	Glu Glu Ser Lys His Val Asp Leu Leu Val His Val Ile Asp Ala Ser

				27	5					28	80					2	285	.			
5	As	n E	Pro 190	Ту	r H:	is G	lu (Glu	Hi 29	s G: 5	lu :	Lys	Th	r Va	1 Le 30		Ser	11	e Mo	et	Lys
	As 30	р L 5	eu	As	p M∈	et Gi	lu A	Asp 310	Il	e Pr	o l	His	Le	u Th 31		eu I	'yr	As	n Ly		Ala 320
10	As	рL	eu	Va	1 G1	u As 32	sp 1 25	Phe	Th	r Pr	:o :	ľhr	Gl: 330	n Th	r Pr	r o	'yr	Th	r Le 33		Ile
	Se:	r A	la	Ьγ	s Se 34	r Gl O	u F	dsp	Se:	r Ar	g (51u 845	Asr	n Le	u Gl	n A	la	Le:		u I	Leu
15	Ası	o L	ys	11e 35	e Ly 5	s Gl	u I	le	Phe	e G1 . 36	u A 0	la	Phe	e Th	r Le		rg 65 _.		l Pr	0 1	Phe
20	Sei	3.	ys 70.	Sei	с Ту	r Ly	s I	le	His 375	As;	рL	eu	Glu	ı Sei	7 Va 38		la	Ile	e Le	u (Glú
	Glu 385	ı Aı	cg	Asp	ту	r Gl	n G 3	lu 90	Asp	Gl:	y · G	lu	Val	Ile 395		r G	ly	Туг	: I1		Ser 100
25	Glu	Ly	s .	Asn	Ly:	40		rg	Leu	Glı	ı G	lu	Phe 410		. Asi	•			,		
30	<21 <21 <21 <21	1> 2>	160 PR:	כ כ	tocc	(ccus	pr	ıeuı	mon	iae								٠			
35	<40 Met 1				Lys	Thr	Ту	r l	Pro	Met	Tł	ır j	Leu 10	Glu	Glu	Ьу	s (Glu	Lys 15		eu
	Glu	Lу	s G	lu	Leu 20	Glu	G1	u I	Leu	Lys	Le 2	u 1 5	/al	Arg	Arg	Pr	0 (31u 30	Val	Va	al
40 _	Glu	Arg	g I	le 35	Lys	Ile	Al	a A	Arg	Ser 40	Ту	r (Sly	Asp	Leu	Se 4		lu	Asn	Se	er
45	Glu	Туг 50	G)	lu	Ala	Ala	Lу	s A	sp [.] 55	Glu	Gl	n A	la	Phe	Val 60	Gl	u G	ly	Gln	11	.e
•	Ser 65	Ser	L	eu	Glu	Thr	Ly:	s I)	le	Arg	ту	r A	la ·	Glu 75	Ile	Va]	l A	sn	Ser	_	р 0
50 .	Ala	Val	. A.	la	Gln	Asp 85	Glı	ı V	al	Ala	Ile		ly : 90	Lys	Thr	Val	T	hr	Ile 95	Gl	n
	Glu :	Ile	G]	У	Glu 100	qeA	Glu	ı G	lu (Glu	Va)	L T;	yr :	Ile	Ile	Val		ly 10	Ser	Al	a

Gly Ala Asp Ala Phe Ala Gly Lys Val Ser Asn Glu Ser Pro Ile Gly 115 120 125

55

Gln Ala Leu Ile Gly Lys Lys Thr Gly Asp Thr Ala Thr Ile Glu Thr 130 $$ 135 $$ 140

- Pro Val Gly Ser Tyr Asp Val Lys Ile Leu Lys Val Glu Lys Thr Ala 5 145 150 155 160
- 10 <210> 152
 - <211> 189
 - <212> PRT
 - <213> Streptococcus pneumoniae
- 15 <400> 152
 - Met Thr Lys Leu Leu Val Gly Leu Gly Asn Pro Gly Asp Lys Tyr Phe $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$
- 20 Glu Thr Lys His Asn Val Gly Phe Met Leu Ile Asp Gln Leu Ala Lys 20 25 30
 - Lys Gln Asn Val Thr Phe Thr His Asp Lys Ile Phe Gln Ala Asp Leu 35 40 45
- 25
 Ala Ser Phe Phe Leu Asn Gly Glu Lys Ile Tyr Leu Val Lys Pro Thr
 50
 55
 60
- Thr Phe Met Asn Glu Ser Gly Lys Ala Val His Ala Leu Leu Thr Tyr 70 75 80
 - Tyr Gly Leu Asp Ile Asp Asp Leu Leu Ile Ile Tyr Asp Asp Leu Asp 85 90 95
- 35 Met Glu Val Gly Lys Ile Arg Leu Arg Ala Lys Gly Ser Ala Gly Gly 100 105 110
- His Asn Gly Ile Lys Ser Ile Ile Gln His Ile Gly Thr Gln Val Phe 115 120 . 125
 - Asn Arg Val Lys Ile Gly Ile Gly Arg Pro Lys Asn Gly Met Ser Val 130 135 140
- Val His His Val Leu Ser Lys Phe Asp Arg Asp Glu Tyr Ile Gly Ile
 145 150 155 160
 - Leu Gln Ser Val Asp Lys Val Asp Asp Ser Val Asn Tyr Tyr Leu Gln 165 170 175
- 50 Glu Lys Asn Phe Glu Lys Thr Met Gln Arg Tyr Asn Gly
 180 185
- <210> 153
- 55 <211> 283
 - <212> PRT
 - <213> Streptococcus pneumoniae

5	Me	1	Le Le			5					10)	,			1	u Arg
	Ту	r Le	eu Le	eu As 2	sp G] 20	lu Ar	g A	sn G	lu G	51 u 25	Туг	. Va.	1 _. .A1.	a Va		p Va O	l Ala
10	Ly	s Me	et As	sp I] 35	le Th	r As	n G	Lu .G.	lu M 40	let	Val	. Gli	ı Ly:		l Ph 5	e Gl	u Glu
•	Va.	1 Ly · 5	s Pr O	o Th	r Le	u Va	1 Ty	/r Hi 55	is C	:ys	Ala	Ala	а Тул 60		r Al	a Va	l Asp
15	Ala 65	a Al	a Gl	u As	p Gl	u Gl 7	у Гу 0	's Gl	.u L	eu	Asp	Phe 75		a · Il	e Ası	n Va.	l Thr 80
- 20	G17	y Th	r Ly	s As	n ya 8	1 Al	a Ly	s Al	a S	er	Glu 90	Lys	His	Gl:	y Ala	a Th:	r Leu 5
	Val	. Ту	r Il	e Se 10	r Th:	r As _l	р Ту	r Va	1 PI	he 05	Asp	Gly	Lys	Lys	Pro 110		l Gly
25	Gln	Glu	Tr 11	p Gl: 5	u Val	l Asp	o As	p Ar 12	g Pi 0	ro.	Asp	Pro	Gln	Thr 125		Туг	Gly
	Arg	Thr 130	Lys	s Arc	g Met	: Gly	/ Gli 13	u G1:	u Le	eu '	Val	Glu	Lys 140	His	Val	Ser	Asn
30 -	Phe 145	Tyr	Ile	e Ile	e Arg	Thr 150	: Ala	Tr	o V a	ıl 1	Phe	Gly 155	Asn	Tyr	Gly	Lys	Asn 160
35	,			•	165		•			J	L70					175	
				180			•		18	5			•		190		
40			190		Tyr			200						205			-
4.5		210			Asp		215						220				
45	225			•	Lys	230				·	. 2	235					240
50					Ala 245						50					255	
	Leu I	Ala	Lys ·	Ala 260	Lys	Ala	Thr	Gly	Phe 265	v Va	al I	le E	Pro :		Trp 270	Gln	Asp
55	Ala 1	Leu	Gln 275	Glu	Phe	Tyr	Lys	Gln 280	Glu	Va	al A	rg				-	

5	<;	211 212	> · > I	154 407 PRT Stre	ptod	cocci	ıs pı	neum	onia	e									•
10		100: et 1			g Se	er L∈	eu As 5	sp S	er A:	rg V		sp 10	Tyr	Sei	r Le	u Le		eu Pi .5	co
	Va	1 F	Ph∈	e Ph	e Le 2	u Le	u Va	al II	le Gl		al V. 25	al i	Ala	Ile	Э Ту:	r Il 3		a Va	1
15	Se	r F	lis	3 As	р Ту 5	r Pr	o As	n As	sn I] 4	e Le 10	eu Pa	ro :	Ile	Leu	1 Gl		n Gl	n Va	1.
20	Al	a I	rp 50	Ile	e Al	a Le	u Gl	у Le	eu Va 15	ıl Il	e G	Ly I	Phe	Val 60		l Me	t Le	u Ph	e .
	As 6	n T 5	'hr	Glı	ı Ph	e Le	u Tr 7	р Ly О	's Va	l Th	r Pı	o I	?he 75	Leu	Туг	: Ile	e Le	u G1 8	_
25	Le	u G	ly	Let	ı Me	t Il. 8.	e Le 5	u Pr	o Il	e Va		e I	'yr	Asn	Pro	Se:	Lei 9		1
	Ala	a S	er	Thr	Gl ₂	y Ala	a Ly	s As	n Tr	p Va 10	l Se 5	ŗI	le	Asn	Gly	Ile 110		c Le	u ,
30	Phe	e G.	ln	Pro 115	Sei	Glı	ı Phe	e Me	t Ly 12	s Il	e Se	r T	yr	Ile	Leu 125		Leu	ı Ala	a
35	Arç	y Va 13	al 30	Ile	Val	Glr	n Phe	Thi 135	r Lys	s Ly:	s Hi	s L		Glu 140	Trp	Arg	Arc	Th:	:
	Val	. P1	0	Leu	Asp	Phe	Lev 150	Leu	ı Ile	e Phe	Tr	р М 1	et 55	Ile	Leu	Phe	Thr	Ile 160	
40	Pro	Va	al	Leu	Val	Leu 165	Leu	Ala	Let	Glr	Se:		sp :	Leu	Gly	Thr	Ala 175		l
	Val	Ph	e	Val	Ala 180	Ile	Phe	Ser	Gly	11e	· Val	L Le	eu 1	Leu	Ser	Gly 190	Val	Ser	
45	Trp	Ьy	's	Île 195	Ile	Ile	Pro	Val	Phe 200	Val	Thr	: Al	la V	/al	Thr 205	Gly	Val	Ala	
50	Gly	Ph 21	e : 0	Leu	Ala	Ile	Phe	Ile 215		Lýs	Asp	G1		Arg 220	Ala	Phe	Leu	His	
50	Gln 225	Il	e (Gly	Met	Pro	Thr 230	Tyr	Gln	Ile	Asn	Ar 23		le :	Leu	Ala	Trp	Leu 240	
55	Asn	Pro	o I	Phe	Glu	Phe 245	Ala	Gln	Thr	Thr	Thr 250	ту	r G	ln (Gln	Ala	Gln 255	Gly	
	Gln	Ile	∋ <i>P</i>	Ala	Ile	Gly	Şer	Gly	Gly	Leu	Phe	Gl	уG	ln (Sly	Phe	Asn	Ala	

				2	60					2	65					2	270		
5	Sei	As	n Le 2	eu L 75	eu I	lę 1	Pro	Va.	l Ar 28	g G 0	lu	Ser	As	p Me		le E 35	he	Th	r Val
	Ile	Al 29	a G] 0	Lu A	sp P	he (Sly	Phe 295	e Il 5	e G	ly	Ser	· Va.	l Le 30		al I	le	Ala	a Leu
10	Tyr 305	Le	u Me	et Le	eu I.	le T	yr 10	Arg	g Me	t Le	eu	Lys	Ile 31	e Th	r Le	eu L	уs	Sei	320
	Asn	G1	n Ph	e Ty	/r Tl 32	nr T 25	'yr	Ile	e Se	r Tì		Gly 330	Leu	ı Il	e Me	t M	et	Let 335	Leu
15	Phe	Hi	s Il	e Ph 34	ie GI	lu A	sn	Ιle	Gl;	y Al 34	.a '	Val	Thr	G1;	y Le		eu 50	Pro	Leu
20	Thr	Gl	y Il 35	e Pr 5	o Le	eu P	ro	Phe	11e	e Se	r (Gln	Gly	Gly	γ Se 36		la	Ile	Ile
20	Ser	As:	ı Le	u Il	e Gl	у V	al	Gly 375	Let	ı Le	u I	Ĺeu	Ser	Met 380		r T	yr	Gln	Thr
25	Asn 385	Let	ı Al	a Gl	u Gl	u L;	ys 90	Ser	Gl	, Ly	s l	/al	Pro 395		Ly	s Ai	g	Lys	Lys 400
	Val	Val	. Le	ı Ly	s Gl 40		le :	Lys											•
30	<210	'> '1	55												٠				
35	<211 <212 <213	> P	RT	toc	occu	s pr	eun	noni	iae'										
	<400 Met 1			Ile	e Ile	e G1	y 1	lle	Thr	Gl2	, G	ly :	Ile	Ala	Ser	Gl	у І		Ser
40	Thr	Val	Thr	Asr 20	Phe		u I	ys ·	His	Gln 25	G.		Leu	Ser	Ser	Se.		15 Sly	Leu
	Pro !	ľhr,	Gln 35	Суз	Ser	Th	r A	sn	Tyr 40			ys I	Pro	Gly	Gly 45	Ar		eu	Phe
. 45	Glu /	Ala 50	Leu	Val	Gln	Ri.	s P	he 55	Gly		G]			Ile 60		•	ı A	sn	Gly
50	Glu I 65	Seu	Asn	Arg	Pro	Lei 70	ı I)	le /	Ala	Ser	Le	eu I	le 75	Phe	Ser	Asr	ı P	ro	Glu 80
	Glu G	ln	Lys	Trp	Ser .85	Ası	1 G.	ln :	Įĺe	Gln		.y G 90	lu .	Ile	Ile	Arç		lu (95	Glu
55	Leu A	la	Thr	Leu 100	Arg	Glu	G.	ln I		Ala 105	Gl	n T	hr (Slu	Glu	Ile 110		he 1	?he

Met Asp Ile Pro Leu Leu Phe Glu Gln Asp Tyr Ser Asp Trp Phe Ala 115 120 125

- Glu Thr Trp Leu Val Tyr Val Asp Arg Asp Ala Gln Val Glu Arg Leu

 130 130 140
 - Met Lys Arg Asp Gln Leu Ser Lys Asp Glu Ala Glu Ser Arg Met Ala 145 150 155 160
- 10 Ala Gln Trp Pro Leu Glu Lys Lys Lys Asp Leu Ala Ser Gln Val Leu 165 170 175
 - Asp Asn Asn Gly Asn Gln Asn Gln Leu Leu Asn Gln Val His Ile Leu 180 185 190
 - Leu Glu Gly Gly Arg Gln Asp Asp Arg Asp 195 200

15

55

- 25 <400> 156

 Met Arg Lys Ile Val Ile Asn Gly Gly Leu Pro Leu Gln Gly Glu Ile

 1 5 10 15 .
- Thr Ile Ser Gly Ala Lys Asn Ser Val Val Ala Leu Ile Pro Ala Ile 20 25 30
 - Ile Leu Ala Asp Asp Val Val Thr Leu Asp Cys Val Pro Asp Ile Ser 35 40 45
- 35 Asp Val Ala Ser Leu Val Glu Ile Met Glu Leu Met Gly Ala Thr Val 50 55
- Lys Arg Tyr Asp Asp Val Leu Glu Ile Asp Pro Arg Gly Val Gln Asn 65 70 75 80
 - Ile Pro Met Pro Tyr Gly Lys Ile Asn Ser Leu Arg Ala Ser Tyr Tyr 85 90 95
- Phe Tyr Gly Ser Leu Leu Gly Arg Phe Gly Glu Ala Thr Val Gly Leu 100 105 110
 - Pro Gly Gly Cys Asp Leu Gly Pro Arg Pro Ile Asp Leu His Leu Lys 115 120 125
- 50 Ala Phe Glu Ala Met Gly Ala Thr Ala Ser Tyr Glu Gly Asp Asn Met 130 135 140
 - Lys Leu Ser Ala Lys Asp Thr Gly Leu His Gly Ala Ser Ile Tyr Met 145 150 155 160
 - Asp Thr Val Ser Val Gly Ala Thr Ile Asn Thr Met Ile Ala Ala Val 165 170 175

		ys A	la	Ası	n Gl 18	у А <u>1</u>	g T	hr I	le	Ile	e Gl 18	u A: 5	sn	Ala	a Al	a Aı		lu 90	Pro	Glu
5	11	e I	le	Asp 195	va S	l Al	a Tl	nr L	eu	Le: 200	ı As	n As	sn	Met	: Gl	y Al 20	.a H: 15	is	Ile	Arg
10		у А 2	la 10	Gly	Th	r As	n I]	le I 2	le 15	Ιle	e Il	e As	ъp	Gly	Va.	l G1	u Ar	g :	Leu	His
		у Т) 5	hr	Arg	Hi	s Gl	n Va 23	1 I 30	le	Pro	As _i	o Ar	g	Ile 235	Glı	ı Al	a Gl	у :	ľhr	Tyr 240
15	Il	e Se	er	Leu	Ala	a Al 24	a Al 5	a V	al	Gly	Ly	s G1 25	у : 0	Ile	Arg	, Il	e As		Asn 255	Val
	Le	u T	r	Glu	His 260	s Le	ı Gl	u G	lу	Phe	Ile 265	Al	a J	Ĺуs	Leu	Gl	u Gl 27	u M		Gly
20	۷a	l Ar	g	Met 275	Thr	Va:	. Se	r Gl	u.	Asp 280	Ser	11	e E	Phe	Val	Glu 285	ı G1:	u G	ln	Ser
25	Asr	1 Le 29	u 0	Lys	Ala	Ile	Ası	n Il 29	e :	Lys	Thr	Ala	a P	ro	Tyr 300	Pro	Gl	y P	he	Ala
	Thr 305	As	р	Leu	Gln	Glr	Pro	Le	u ′.	Thr	Pro	Let	1 L 3	eu 15	Leu	Arg	Ala	a A		Gly 320
30	Arg	G1	у :	Thr	Ile	Val 325	Asp	Th	r]	Ile	Tyr	G1:	ı L		Arg	Val	Asr			
	Phe	Glı	ן גו	Leu	Ala 340	Lys	Met	As	o P	Ala	Asp 345	Ile	S	er	Thr	Thr	Asn 350	G]		His
35	Ile	Lei	1]	fyr 855	Thr	Gly	Gly	Ar	у А З			Arg	G.	ly.	Ala	Ser 365			/s l	Ala
	Thr	Asp 370) I	eu l	Arg	Ala	Gly	Ala 375	ı A	la	Leu	Vál	IJ	le i	Ala 380		Leu	Мe	et A	Ala
40	Glu 385	Gly	L	ys '	ľhr	Glu	Ile 390	Thr	· A	sn :	Ile	Glu	Ph 39	ne I		Leu	Arg	Gl		
45	Ser	Asp	I	le 1	lle	Glu 405	Lys	Leu	A:	rg /	Asn	Leu 410			Ala A	Asp	Ile		g L	00 eu
	Val	Glu	A	sp														41	J	
50	<210																			
	<211 <212 <213	> PI	RT	epto	coco	cus	oneu	mon.	iae	.										
55	<400: Met :	> 15	57								er I	.eu	Met	: Ti	hr M	(et)	Asp.	Le:	1 A	en.

	;	1				5				1	0 .		15			
5		s Ph	e Ly	s Gl 2	u Gl: O	n Il	e Th	r Phe	e Le	u Ası 5	n Asp	b Ly	s Va	1 Ala 30		r Туі
		s Il	e As	p Il. 5	e Met	t As _l	p Gly	y His 40	Phe	e Val	Pro	Ası	n Ile 45		Le	u Ser
. 10	Pro	Tr 5	p Ph O	e Il	e Glr	Gli ;	ע Va] 55	l Glr	Lуs	; Ile	Ser	Asp 60		r Pro	Lei	u Ser
	Val 65	Hi	s Le	u Met	: Va:	L Tha	Asp	Pro	Thr	Phe	Trp 75		. Asp	Gln	Val	Leu 80
15	Asp	Le	u Gl	n Cys	85 85	ı Туг	: Ile	Cys	Ile	His 90	Ala	Glu	. Val	. Leu	Asr 95	Gly
20	Leu	Ala	a Pho	9 Arc	Leu	Ile	Asp	Lys	Ile 105	His	Asp	Ala	Gly	Leu 110		Ala
	Gly	Va]	l Vai	l Leu	Asn	Pro	Glu	Thr 120	Pro	Val	Ser	Thr	Ile 125		Pro	Tyr
25	Ile	Asp 130	Let	Leu	Asp	Lys	Val 135	Thr	Ile	Met	Thr	Val 140	Asp	Pro	Gly	Phe
	Ala 145	Gly	Gln	Arg	Phe	Leu 150	Glu	Ser	Thr	Leu	Tyr 155	Lys	Ile	Gln	Glu	Leu 160
30	Arg	Gln	Leu	Arg	Val 165	Gln	Asn	Gly	Tyr	His 170	Tyr	Ile	Ile	Glu	Met 175	Asp
35	Gly	Ser	Ser	Ser 180	Arg	Lys	Thr	Phe	Lys 185	Gln	Ile	Asp	Val	Ala 190	Gly	Pro
	Asp	Ile	Tyr 195	Val	Ile	Gly	Arg	Ser 200	Gly	Leu	Phe	Gly	Leu 205	Asp	Asp	Asp
40	·Ile	Ala 210	Lys	Ala	Trp	Asp	11e 215	Cys	Ser	Arg		Tyr 220	Glu	Glu	Met	Thr
	Gly : 225	Lys	Thr	Met		Ile 230	Lys							-		
45	Z210:	. 15	: 0					•						Í		
	<210: <211: <212: <213:	> 37 > PR	4 T	ococ	CIIS I	nnew	moni:	30		÷.,			:			
50						p110 a.			٠							
	<400> Met 7			Met /	Ala 1 5	Leu '	Thr A	Ala G	Sly 1	le V 10	Äl G	ily 1	Le _u 1	Pro <i>!</i>	Asn 15	Val
55	Gly I	ys	Ser	Thr 1 20	Leu I	Phe A	Asn A	Ala I	le 1 25	hr I	ys A	la G	Sly A	Ala 6	Slu A	Ala

	Al	a As	n Ty 3	r Pr 5	o Phe	e Ala	a Th	r Il		o Pr	o Ası	ņ Va	1 G1 4		t Va	l Glu
5	Ası	p Pr 5	o As	p Gl	u Ar	g Leu	Gli 5!	n Ly: 5	s Lei	ı Th	r Gl	ı Me		e Th	r Pr	o Lys
	Ly: 65	s Th	r Va	l Pr	o Thi	Thr 70	Phe	e Glu	ı Phe	e Th:	r Asp 75		e Ala	a Gl	y Il	e Val 80
10	Lys	s Gl	y Al	a Se	r Lys 85	Gly	Glu	ı Gly	/ Let	Gly 90		ı Lys	s Phe	e Let	a Ala 9!	a Asn
15	Ile	e Ar	g Gl	u Vai	l Asp	Ala	Ile	e Val	His 105		l Val	. Arç	, Ala	Phe 110	_	Asp
	Glu	ı As	n Va 11	l Met 5	Arg	Glu	Gln	Gly 120		Glu	Asp	Ala	Phe 125		. Asp	Pro
20	Leu	13	a As _l O	p Ile	Asp	Thr	Ile 135	Aşn	Leu	Glu	Leu	Ile 140		a Ala	Asp	Leu
	Glu 145	Se	r Val	l Asr	Lys	Arg 150	Tyr	Ala	Arg	Val	Glu 155		Met	Ala	Arg	Thr 160
25	Gln	Lys	s Asp	. Lys	Glu 165	Ser	Val	Ala	Glu	Phe 170		Val	Leu	Gln	Lys 175	
30	Lys	Pro	Val	Leu 180	Glu	Asp	Gly	Lys	Ser 185	Ala	Arg	Thr	Ile	Glu 190	Phe	Thr
	Asp	Glu	1 Glu 195	Gln	Lys	Val	Val	Lys 200	Gly	Leu	Phe	Leu	Leu 205	Thr	Thr	Lys
35	Pro	Val 210	Leu	Tyr	Val	Ala	Asn 215	Val	Asp	Glu	Asp	Val 220	Val	Ser	Glu	Pro
	Asp 225	Ser	Ile	Asp	Tyr	Val 230	Lys	Gln	Ile	Arg	Glu 235	Phe	Ala	Ala	Thr	Glu 240
40	Asn	Ala	Glu	Val	Val 245	Val	Ile	Ser	Ala	Arg 250	Ala	Glu	Glu	Glu	Ile 255	Ser
45	Glu-	Leu	Asp	Asp 260	Glu	Asp :	Lys	Lys	Glu 265	Phe	Leu	Glu	Ala	Ile 270	Gly	Leu
	Thr	Glu	Ser 275	Gly	Val	Asp :	Lys	Leu 280	Thr	Arg	Ala	Ala	Tyr 285	His	Leu	Leu
50	Gly	Leu 290	Gly	Thr	Tyr		Thr 295	Ala	Gly	Glu		Glu 300	Val	Arg	Ala	Trp
	Thr .	Phe	Lys	Arg	Gly	Met 1 310	Lys .	Ala	Pro		Ala /	Ala	Gly ·	Ile	Ile	His 320
55	Ser i	Asp	Phe	Glu	Lys (325	Gly E	?he :	Ile		Ala 330	Val '	Thr	Met		Tyr 335	Glu

Asp Leu Val Lys Tyr Gly Ser Glu Lys Ala Val Lys Glu Ala Gly Arg 345

Leu Arg Glu Glu Gly Lys Glu Tyr Ile Val Gln Asp Gly Asp Ile Met 5 360

Glu Phe Arg Phe Asn Val 370

10

<210> 159

<211> 110

<212> PRT

<213> Streptococcus pneumoniae

15

25

50

<400> 159

Met Glu Ile Glu Lys Thr Asn Arg Met Asn Ala Leu Phe Glu Phe Tyr

20 Ala Ala Leu Leu Thr Asp Lys Gln Met Asn Tyr Ile Glu Leu Tyr Tyr

Ala Asp Asp Tyr Ser Leu Ala Glu Ile Ala Glu Glu Phe Gly Val Ser

Arg Gln Ala Val Tyr Asp Asn Ile Lys Arg Thr Glu Lys Ile Leu Glu

Asp Tyr Glu Met Lys Leu His Met Tyr Ser Asp Tyr Ile Val Arg Ser 30

Gln Ile Phe Asp Gln Ile Leu Glu Arg Tyr Pro Lys Asp Asp Phe Leu

35 Gln Glu Gln Ile Glu Ile Leu Thr Ser Ile Asp Asn Arg Glu 100 105

<210> 160 40

<211> 223

<212> PRT

<213> Streptococcus pneumoniae

<400> 160

45 Met Thr Leu Glu Trp Glu Glu Phe Leu Asp Pro Tyr Ile Gln Ala Val

Gly Glu Leu Lys Ile Lys Leu Arg Gly Ile Arg Lys Gln Tyr Arg Lys

Gln Asn Lys His Ser Pro Ile Glu Phe Val Thr Gly Arg Val Lys Pro

Ile Glu Ser Ile Lys Glu Lys Met Ala Arg Arg Gly Ile Thr Tyr Ala 55

Thr Leu Glu His Asp Leu Gln Asp Ile Ala Gly Leu Arg Val Met Val

	6	5				70	0				7	5				80
5	G1	n Ph	e Va	l As	P Ası 89	Val	l Ly	s Gl	u Val	1 Va 9		p Il	e Le	u Hi	s Ly:	s Arg
	G1:	n As	р Ме	t Ar	g Ile O	e Ile	ë Gl:	n Gl	u Arg		р Ту	r Il	e Th	r Hi:		J Lys
. 10	Al	a Se	r Gl	у Ту: 5	r Arg	j Ser	ту	r Hi:		L Vai	l Va	l Glı	и Ту: 12		val	l Asp
	Th	r Il 13	e Ası 0	n Gly	y Ala	Lys	Th:		e Leu	a Ala	a Glu	Ile 140		n.Ile	e Arg	J Thr
15	Le:	a Al	a Met	t Ası	n Phe	Trp 150		a Thi	: Ile	e Glu	155		. Le	ı Asr	Туг	Lys 160
20	Туз	Gli	n Gly	y Asp	Phe 165		Asp	Glu	ılle	Lys 170		s Arc	J Lei	ı Glu	11e 175	Thr
	Ala	Ar	g Il∈	2 Ala 180	His	Gln	Leu	ı Asp	Glu 185		ı Met	: Gly	glu	11e 190		Asp
25	Asp	Ile	9 Gln 195		Ala	Gln	Ala	Leu 200		Asp	Pro	Leu	Ser 205	-	Lys	Leu
	Asn	Asp 210		Val	Gly	Asn	Ser 215		Asp	Thr	Asp	Glu 220		Tyr	Arg	
30	<21	0> 1 1> 1 2> P	95													
35	<21	3> S	trep	toco	ccus	pne	mon	iae								
		0> 1 Glu		Asn	Thr 5	His	Asn	Ala	Glu	Ile 10	Leu	Leu	Ser	Ala	Ala 15	Asn
40	Lys	Ser	His	Tyr 20	Pro	Gln	Asp	Glu	Leu 25	Pro	Glu	Ile	Ala	Leu 30	Ala	Gly
45	Arg	Ser	Asn 35	Val	Gly	Lys	Ser	Ser 40	Phe	Ile	Asn	Thr	Met 45	Leu	Asn	Arg
. 10	Lys	Asn 50	Leu	Ala	Arg	Thr	Ser 55	Gly	Lys	Pro	Gly	Lys 60	Thr	Gln	Leu	Leu
50	Asn 65	Phe	Phe	Asn	Ile	Asp 70	Asp [.]	Lys	Met	Arg	Phe 75	Val	Asp	Val	Pro	Gly 80
	Tyr	Gly	Tyr	Ala	Arg 85	Val	Ser	Lys	Lys	Glu 90	Arg	Glu	Lys	Trp	Gly 95	Cys
55	Met	Ile	Glu	Glu 100	Tyr	Leu	Thr		Arg (Glu	Asn	Leu	Arg	Ala 110	Va:l	Val

Ser Leu Val Asp Leu Arg His Asp Pro Ser Ala Asp Asp Val Gln Met Tyr Glu Phe Leu Lys Tyr Tyr Glu Ile Pro Val Ile Ile Val Ala Thr 5 Lys Ala Asp Lys Ile Pro Arg Gly Lys Trp Asn Lys His Glu Ser Ala 145 Ile Lys Lys Leu Asn Phe Asp Pro Ser Asp Asp Phe Ile Leu Phe Ser Ser Val Ser Lys Ala Gly Met Asp Glu Ala Trp Asp Ala Ile Leu 185 15 Glu Lys Leu 195 20 <210> 162 <211> 97 <212> PRT <213> Streptococcus pneumoniae 25 <400> 162 Met Lys Thr Arg Lys Ile Pro Leu Arg Lys Ser Val Val Ser Asn Glu Val Ile Asp Lys Arg Asp Leu Leu Arg Ile Val Lys Asn Lys Glu Gly 30 Gln Val Phe Ile Asp Pro Thr Gly Lys Ala Asn Gly Arg Gly Ala Tyr 35 Ile Lys Leu Asp Asn Ala Glu Ala Leu Glu Ala Lys Lys Lys Val Phe Asn Arg Ser Phe Ser Met Glu Val Glu Glu Ser Phe Tyr Asp Glu 40 Leu Ile Ala Tyr Val Asp His Lys Val Lys Arg Arg Glu Leu Gly Leu Glu 45 ુ <210> 163 <211> 103 50 <212> PRT <213> Streptococcus pheumoniae <400次163 Met Leu Lys Pro Ser Ile Asp Thr Leu Leu Asp Lys Val Pro Ser Lys 55 10

Tyr Ser Leu Val Ile Leu Glu Ala Lys Arg Ala His Glu Leu Glu Ala

20 25. 30 Gly Ala Pro Ala Thr Gln Gly Phe Lys Ser Glu Lys Ser Thr Leu Arg 5 Ala Leu Glu Glu Ile Glu Ser Gly Asn Val Thr Ile His Pro Asp Pro Glu Gly Lys Arg Glu Ala Val Arg Arg Arg Ile Glu Glu Glu Lys Arg 10 Arg Lys Glu Glu Glu Lys Lys Ile Lys Glu Gln Ile Ala Lys Glu Lys Glu Asp Gly Glu Lys Ile 100 <210> 164 20 <211> 103 <212> PRT <213> Streptococcus pneumoniae <400> 164 25 Met Ser Leu Thr Ser Lys Gln Arg Ala Phe Leu Asn Ser Gln Ala His Thr Leu Lys Pro Ile Ile Gln Ile Gly Lys Asn Gly Leu Asn Asp Gln 25 30 Ile Lys Thr Ser Val Arg Gln Ala Leu Asp Ala Arg Glu Leu Ile Lys Val Thr Leu Leu Gln Asn Thr Asp Glu Asn Ile His Glu Val Ala Glu 35 55 -Ile Leu Glu Glu Glu Ile Gly Val Asp Thr Val Gln Lys Ile Gly Arg 40 Ile Leu Ile Leu Phe Lys Gln Ser Ser Lys Lys Glu Asn Arg Lys Ile Ser Lys Lys Val Lys Glu Ile 100 45 <210> 165 <211> 175 <212> PRT 50 <213> Streptococcus pneumoniae <400> 165 Met Ala Ile Glu Asn Tyr Ile Pro Asp Phe Ala Val Glu Ala Val Tyr

25

Asp Leu Thr Val Pro Ser Leu Gln Ala Gln Gly Ile Lys Ala Val Leu

20

Val Asp Leu Asp Asn Thr Leu Ile Ala Trp Asn Asn Pro Asp Gly Thr Pro Glu Met Lys Gln Trp Leu His Asp Leu Arg Asp Ala Gly Ile Gly Ile Ile Val Val Ser Asn Asn Thr Lys Lys Arg Val Gln Arg Ala Val 10 Glu Lys Phe Gly Ile Asp Tyr Val Tyr Trp Ala Leu Lys Pro Phe Thr Phe Gly Ile Asp Arg Ala Met Lys Glu Phe His Tyr Asp Lys Lys Glu 15 105 Val Val Met Val Gly Asp Gln Leu Met Thr Asp Ile Arg Ala Ala His 20 Arg Ala Gly Ile Arg Ser Ile Leu Val Lys Pro Leu Val Gln His Asp Ser Ile Lys Thr Gln Ile Asn Arg Thr Arg Glu Arg Arg Val Met Arg 150 25 Lys Ile Thr Glu Lys Tyr Gly Pro Ile Thr Tyr Lys Lys Gly Ile 30 <210> 166 <211> 455 <212> PRT <213> Streptococcus pneumoniae 35 <400> 166 Met Phe Arg Lys Ile Leu Ile Ala Asn Arg Gly Glu Ile Ala Val Arg Ile Ile Arg Ala Ala Arg Glu Leu Gly Ile Ala Thr Val Ala Val Tyr 40 Ser Thr Ala Asp Lys Glu Ala Leu His Thr Leu Leu Ala Asp Glu Ala 45 Val Cys Ile Gly Pro Gly Lys Ala Thr Glu Ser Tyr Leu Asn Ile Asn Ala Val Leu Ser Ala Ala Val Leu Thr Glu Ala Glu Ala Ile His Pro 70 50 Gly Phe Gly Phe Leu Ser Glu Asn Ser Lys Phe Ala Thr Met Cys Glu Glu Ile Gly Ile Lys Phe Ile Gly Pro Ser Gly His Val Met Asp Met 55 Met Gly Asp Lys Ile Asn Ala Arg Ala Gln Met Ile Lys Ala Gly Val

				11	.5					3	120)	-					12	5			
5		ro	Val 130	. Il	.e P:	ro G	ly	Se	r As	sp (Sly	G1	u V	al	Hi		sn 40.	Sei	c G]	.u G	lu	Ala
	Le 14	eu :	Ile	· Va	1 A	la G	lu	Lys 150	s Il	.е G	Sly	ту	r P	ro	Va:	L Me	et .	Let	ı Ly	s A	la	Ser 160
10	Al	.a (Gly	G1	y GI	ly G 1	1 y 65	Lys	s Gl	уI	le	Ar	g L	ys 70	Val	L G1	lu :	Ьys	Pr		sp 75	Asp
		u V	/al	Se	r Al 18	a P.	he	Glu	Th	r A	la	Se:	r Se 5	er	Glu	ı Al	.a]	ьуŝ	Al 19		sn	Tyr
15	G1	уA	sn	G1; 19	y Al 5	a Mo	et '	Tyr	11	e G 2	lu 00	Ar	g Va	al	Ile	Ту		?ro !05	Al	a Ai	rg	His
20	IJ	e G 2	lu 10	Val	l Gl	n I	le 1	Leu	G1: 21:	у А. 5	sp	Glı	ı Hi	.s	Gly	Hi 22		'al	Ile	e Hi	.s	Leu
	G1 22	y G 5	lu	Arg	j As	p C	7s S 2	Ser 230	Let	ı G	ln	Arg	As	n i	Asn 235	G1:	n L	ys	Va.	l Le		Glu 240
25	Glı	a S	er	Pro	Se:	r Il 24	e <i>F</i> 5	lla	Ile	e GI	У	Lys	Th 25	r 1 0	Leu	Ar	g H	is	Gli	11 25		Gly
	`Ala	a A.	la	Ala	Va. 260	L Ar)	g A	la	Ala	G1	.u	Phe 265	۷a	1 (Sly	Туз	c G	lu	Asn 270		a (Gly
30	Thr	: I]	le	Glu 275	Phe	e Le	u L	eu	Asp	G1 28	u . 0	Ala	Se	r S	Ser	Asr		ne 35	Tyr	Ph	e N	1et
35	Glu	Me 29	t i	Asn	Thr	Ar	g V	al	Gln 295	۷a	1 (Glu	His	s P	, ro	Val 300		ır	Glu	Phe	J e	al
	Ser 305	G1	у '	Val	Asp	Ile	∋ V. 3:	al 10	Lys	Gl	u (Gln	Ιlε		ys 15	Ile	Al	a.	Ala	Gly		1n 20
40	Pro	Le	u S	Ser	Val	Lys 325	5 G.	ln	Glu	Ası	p]	le	Val 330	. L	eu .	Arg	G1	y 1	His	Ala 335		le
	Glu	Су	s Į	lrg	Ile 340	Asr	ı Al	la (Glu	Ası	1 F	ro 45	Ala	P	he i	Asn	Ph		Ala 350	Pro	Š	er
· 45	Pro	Gl;	y I 3	ys 555	Ile	Thr	As	n]	Leu	Ту1 360	: L	eu 	Pro	Se	er (Gly	G1 36		/al	Gly	L	eu
50	Arg	Va] 37(L A	sp	Ser	Ala	۷a	1 3	Cyr 375	Pro	G	ly	Tyr	Tr		le 880	Pr	o F	ro	Tyr	T	yr
	Asp 385	Ser	M	et	Ile	Ala	Ly 39	s 1 0	le	Ile	V	al 1	His	G1 39	y (lu	Ası	ı A	rg	Phe		90 00
55	Ala	Leu	M	et 1	Lys	Met 405	Gli	n A	rg ;	Ala	Le	eu 1	lyr 110	G1	ụ L	eu	Glu	ı I		Glu 415	Gl	У
	Val '	Gln	Tì	hr A	Asn	Ala	Ası	o P	he (Gln	L∈	eu A	Asp	Le	u I	le	Ser	A	sp 1	Arg	As	n

420 425 430

Val Ile Ala Gly Asp Tyr Asp Thr Cys Phe Leu Met Glu Thr Phe Leu 435 440 445

Pro Lys Tyr Gln Glu Lys Glu 450 455

10 <210> 167 <211> 77 <212> PRT <213> Streptococcus pneumoniae

15 <400> 167

Met Ile Tyr Lys Val Phe Tyr Gln Glu Thr Lys Glu Arg Ser Pro Arg

1 5 10 15

Arg Glu Thr Thr Arg Ala Leu Tyr Leu Asp Ile Asp Thr Ser Ser Glu 20 25 30

Leu Glu Gly Arg Ile Thr Ala Arg Gln Leu Val Glu Glu Asn Arg Pro
35 40 45

25 Glu Tyr Asn Ile Glu Tyr Ile Glu Leu Leu Ser Asp Lys Leu Leu Asp 50 55 60

Tyr Glu Lys Glu Thr Gly Ala Phe Glu Ile Thr Glu Phe 65 . 70 . 75

<210> 168 <211> 336

30

40

55

<212> PRT
35 <213> Streptococcus pneumoniae

<400> 168

Met Lys Asp Arg Tyr Ile Leu Ala Phe Glu Thr Ser Cys Asp Glu Thr 1 5 10 15

Ser Val Ala Val Leu Lys Asn Asp Asp Glu Leu Leu Ser Asn Val Ile 20 25 30

Ala Ser Gln Ile Glu Ser His Lys Arg Phe Gly Gly Val Val Pro Glu
45 40 45

Val Ala Ser Arg His His Val Glu Val Ile Thr Ala Cys Ile Glu Glu 50 55 60

50 Ala Leu Ala Glu Ala Gly Ile Thr Glu Glu Asp Val Thr Ala Val Ala 65 70 75 80

Val Thr Tyr Gly Pro Gly Leu Val Gly Ala Leu Leu Val Gly Leu Ser $85 \hspace{1.5cm} 90 \hspace{1.5cm} 95$

Ala Ala Lys Ala Phe Ala Trp Ala His Gly Leu Pro Leu Ile Pro Val 100 105 110

	Ası	n Hi	s Me	t Al. 5	a Gl	y His	5 Let	и Ме 12	t Ala	a Al	a Glr	n Sei	Va:		ı Pr	D Leu
5	Gli	13	e Pro	o Le	u Lei	u Ala	Let 135	Lei	ı Val	l Se:	r Gly	Gly 140		5 Thi	Gli	ı Leu
10	Va]	l Ty:	r Val	l Sei	r Glu	1 Ala 150	Gly	/ Asp	Ту1	Lys	s Ile 155	Val	Gl ₃	/ Glu	Thi	Arg 160
	Asp	Asp	Ala	a V.al	1 Gly 165	7 Glu	Ala	Туг	: Asp	Lys 170	· Val	Gly	Arg	Val	Met 175	Gly
15	Leu	Thr	Туг	Pro 180	Ala	Gly	Arg	Glu	1]e 185		Glu	Leu	Ala	His 190		Gly
	Gln	Asp	11e	Туг	Asp	Phe	Pro	Arg 200	Ala	Met	Ile	Lys	Glu 205		Asn	Leu
20	Glu	Phe 210	Ser	Phe	Ser	Gly	Leu 215	Lys	Ser	Ala	Phe	Ile 220	Asn	Leu	His	His
25	Asn 225	Ala	Glu	Gln	Lys	Gly 230	Glu	Ser	Leu	Ser	Thr 235	Glu	Asp	Leu	Суз	Ala 240
	Ser	Phe	Gln	Ala	Ala 245	Val	Met	Asp	Ile	Leu 250	Met	Ala	Lys	Thr	Lys 255	Lys
30	Ala	Leu	Glu	Glu 260	Tyr	Pro	Val	Lys	Thr 265	Leu	Phe	Val	Ala	Gly 270	Gly	Val
	Ala	Åla	Asn 275	Lys	Gly	Leu	Arg	Glu 280	Arg	Leu	Ala	Ala	Glu 285	Ile	Thr	Asp
35	Val	Lys 290	Val	Ile	Ile	Pro	Pro 295	Leu	Arg	Leu	Суз	Gly 300	Asp	Asn	Ala	Gly
40	Met 305	Ile	Ala	Tyr	Ala	Ser 310	Val	Ser	Glu	Trp	Asn 315	Lys	Glu	Asn	Phe	Ala 320
	Gly	Trp	Asp	Leu	Asn . 325	Ala :	Ľуs	Pro	Ser	Leu 330	Ala	Phe .	Asp		Met 335	Glu
45																
50	<210: <211: <212: <213:	> 60 > PR	2 T	ococ	cus]	pneum	nonia	ìe				••				
55.	<4002 Met 0		-	Ile '	Val (Gly V	al V	al (Sly #	Asn :	Thr A	sn A	ala 1	Thr 2	Asp :	Ile
	Leu I	le (Gln (Sly 1	Leu (Slu L	ys I	eu G	Slu I	'yr <i>E</i>	Arg G	ly T	yr F	lsp S	er 1	Ala

/US00/35604

	***	0 01/	497	21													Ì	PCT/US
					2	20					25	į			•	3	30	
5		Ly 1	le	Phe 35	e Va	ıl Le	eu As	sp G	ly A	1a 40	Asp	As:	n Hi	s Le		11 L ₃ 15	/s Al	a Val
	G1	-у А	rg 50	Ile	Al	a Gl	u Le	u S	er A 55	la :	Lys	Th	r Al	a Gl 6		l Gl	u Gl	y Thr
10	Th 6	r G	ly	Ile	Gl	y Hi	s Th 7	r A: 0	rg T	rp i	Ala	Thi	r Hi. 7		у Lу	s Pr	o Th	r Glu 80
	As	рA	sn	Ala	Hi:	s Pr 8	o Hi 5	s Ai	g S	er (Glu	Th:	c Glu	ı Ar	g Ph	e Va	l Le 9	u Val 5
15	Hi	s A	sn	Gly	Va:	1 11	e Gl	u As	in T	yr I	Leu 105	Glu	ı Ile	E Lys	s Gl	u Gl 11		r Leu
20	Al	a G	Ly !	His 115	His	s Phe	e Ly:	s Gl	у G1 12	ln T 20	'hr	Asp	Thr	Glu	11e 125		a Vai	l His
	Lei	u II 13	le (30	Gly	Lys	s Phe	e Ala	3 Gl 13	u G1 5	.u G	lu	Gly	Leu	Ser 140		l Lei	ı Glu	ı Ala
25	Phe 145	e Ly	s I	уys	Ala	Leu	His 150	ıl)	e Il	e A	rg	Gly	Ser 155		Ala	Phe	e Ala	Leu 160
	Ile	As	p S	Ser	Glu	Asn 165	Pro	As;	o Va	1 I	le	Tyr 170	Val	Ala	Lys	Asn	Lys 175	Ser
30	Pro	Le	u L	eu	Ile 180	Gly	Leu	Gly	y Gl	u G.	ly ' 35	Tyr	Asn	Met	Val	Cys 190	Ser	Asp
35	Ala	Me	t A 1	1a 95	Met	Ile	Arg	Glu	Th:	r As	sn (Gln	Tyr	Met	Glu 205	Ile	His	Asp
	Gln	GÌ: 21	u L	eu	Val	Ile	Val	Lys 215	Ala	a As	sp S	Ser	Val	Glu 220	Val	Gln	Asp	Tyr
40	Asp 225	Gly	y As	sn :	Ser	Arg	Glu 230	Arg	Ala	a Se	rı	yr	Thr 235	Ala	Glu	Leu	Asp	Leu 240
	Ser	Asp) II	Le (Gly	Lys 245	Gly	Thr	Tyr	Pr	o I	yr 50	Tyr	Met	Leu	Lys	Glu 255	Ile
45	Asp	Glu	G1	n E	Pro 260	Thr	Val	Met	Arg	26	s L 5	eu :	Ile	Gln	Ala	Tyr 270	Thr	Asp
50	Asp	Ala	G1 27	y G	Sln	Val	Val	Val	Ala 280	Pr	o A	la :	Ile		Lys 285	Ala	Val	Gln
	Asp	Ala	As	pΑ	rg	Ile	Tyr	Ile	Leu	Ala	a A.	la (Gly '	Thr :	Ser	Tyr	His .	Ala

Gly Phe Ala Ser Lys Lys Met Leu Glu Glu Leu Thr Asp Thr Pro Val 305 310 315 320 Glu Leu Gly Ile Ser Ser Glu Trp Gly Tyr Gly Met Pro Leu Leu Ser

295

				325					330					335
Lys	Lys	Pro	Leu	Phe	Ile	Phe	Ile	Ser	Gln	Ser	Glv	Glu	Thr	Ala

340 345 350
Ser Arg Glp Val Lieu Val Livs Ala Asp Clu Mot Clu Llo Bra Gir A

Ser Arg Gln Val Leu Val Lys Ala Asn Glu Met Gly Ile Pro Ser Leu 355 360 365

Thr Val Thr Asn Val Pro Gly Ser Thr Leu Ser Arg Glu Ala Asn Tyr 370 370 375 380

Thr Met Leu Leu His Ala Gly Pro Glu Ile Ala Val Ala Ser Thr Lys 385 390 395 400

15 Ala Tyr Thr Ala Gln Ile Ala Ala Leu Ala Phe Leu Ala Lys Ala Val 405 410 415

Gly Glu Ala Asn Gly Asn Ala Lys Ala Gln Ala Phe Asp Leu Val His
420 425 430

Glu Leu Ser Ile Val Ala Gln Ser Ile Glu Ser Thr Leu Ser Glu Lys 435 440 445

Glu Thr Ile Glu Ala Lys Val Arg Glu Leu Leu Glu Thr Thr Arg Asn 450 455 460

Ala Phe Tyr Ile Gly Arg Gly Gln Asp Tyr Tyr Val Ala Met Glu Ala 465 470 475 480

30 Ser Leu Lys Leu Lys Glu Ile Ser Tyr Ile Gln Cys Glu Gly Phe Ala 485 490 495

Ala Gly Glu Leu Lys His Gly Thr Ile Ala Leu Ile Glu Glu Gly Thr 500 505 510

Pro Val Leu Ala Leu Leu Ser Asp Pro Val Leu Ala Asn His Thr Arg 515 520 525

Gly Asn Ile Gln Glu Val Ala Ala Arg Gly Ala Lys Val Leu Thr Ile 530 535 540

Ala Glu Glu Asn Val Ala Lys Asp Thr Asp Asp Ile Val Leu Thr Thr 545 550 555 560

Val His Pro Tyr Leu Ser Pro Ile Ser Met Val Val Pro Thr Gln Leu 565 570 575

Val Ala Tyr Phe Ala Thr Leu His Arg Gly Leu Asp Val Asp Lys Pro 580 585 585

Arg Asn Leu Ala Lys Ser Val Thr Val Glu 595 600

55 <210> 170 <211> 240 <212> PRT

20

35

															_	\ \ \
	<2	13>	Stre	ptoc	occu	s pn	eumo	niae								
5		00> t Il 1		g Il	e Gl:	u Ası 5	n Le	u Se:	r Va	1 Se	т Ту: 0	r Ly:	s Gl	u Th:	r Le	u Ala 5
	Lei	ı Ly	s As _l	P Il€ 20	e Sei	r Lei	ı Vai	l Lei	ı Hi:	s Gly	y Pro	Thi	: Ile	∓ Thi 30		y Ile
10	Ile	e Gly	y Pro	Asr	ı Gly	/ Ala	ı Gly	л Lys 40	Sei	Thi	Leu	ı Lev	Lys 45	Gly	Met	: Leu
15	Gly	7 Ile 50	e Ile	Pro	His	Gln	Gly 55	Gln	Ala	Phe	. Leu	Asp 60	Asp	Lys	Glu	Val
	Lys 65	Lys	Ser	Leu	His	Arg 70	Ile	Ala	Tyr	Val	Glu 75	Gln	Lys	Ile	Asn	Ile 80
20	Asp	Tyr	Asn	Phe	Pro 85	Ile	Lys	Val	Lys	Glu 90	Cys	Val	Ser	Leu	Gly 95	Leu
	Phe	Pro	Ser	Ile 100	Pro	Leu	Phe	Arg	Ser 105	Leu	Lys	Ala	Lys	His 110	Trp	Lys
25	Lys	Val	Gln 115	Glu	Ala	Leu	Glu	Ile 120	Val	Gly	Leu	Ala	Asp 125	Tyr	Ala	Glu
30	Arg	Gln 130	Ilė	Ser	Gln	Leu	Ser 135	Gly	Gly	Gln	Phe-	Gln 140	Arg	Val	Leu	Ile

Ala Arg Cys Leu Val Gln Glu Ala Asp Tyr Ile Leu Leu Asp Glu Pro 145 150 155 160

Phe Ala Gly Ile Asp Ser Val Ser Glu Glu Ile Ile Met Asn Thr Leu 165 170 175

Arg Asp Leu Lys Lys Ala Gly Lys Thr Val Leu Ile Val His His Asp 180 185 190

40 Leu Ser Lys Ile Pro His Tyr Phe Asp Gln Val Leu Leu Val Asn Arg
195 200 205

Leu Lys Glu Ala Tyr Gly Asn Gln Leu Phe Phe Asn Gly Gly Asp Leu 225 230 235 240

50

45

<210> 171

<211> 740

55 <212> PRT

<213> Streptococcus pneumoniae

•		
	<pre><400> 171 Met Pro Lys Glu Val Asn Leu Thr Gly Glu Glu Val Val Ala Le</pre>	5
5	5 Lys Glu Tyr Leu Thr Glu Glu Asp Val His Phe Val His Lys Al 20 25 30	a Leu
10	Val Tyr Ala Val Glu Cys His Ser Gly Gln Tyr Arg Lys Ser Gly 35 40 45	y Glu
	Pro Tyr Ile Ile His Pro Ile Gln Val Ala Gly Ile Leu Ala Lys 50 55 60	Leu
15	Lys Leu Asp Ala Val Thr Val Ala Cys Gly Phe Leu His Asp Val 65 70 75	. Val 80
	Glu Asp Thr Asp Ala Thr Leu Asp Asp Leu Glu Arg Glu Phe Gly 85 90 95	
20	Asp Val Arg Val Ile Val Asp Gly Val Thr Lys Leu Gly Lys Val 100 105 110	Glu ·
25	Tyr Lys Ser Ile Glu Glu Gln Leu Ala Glu Asn His Arg Lys Met 115 120 125	Leú
	Met Ala Met Ser Glu Asp Ile Arg Val Ile Leu Val Lys Leu Ser 130 135 140	Asp
30	Arg Leu His Asn Met Arg Thr Leu Lys His Leu Arg Lys Asp Lys 145 150 155	Gln 160
	Glu Arg Ile Ser Lys Glu Thr Met Glu Ile Tyr Ala Pro Leu Ala 165 170 175	His
35	Arg Leu Gly Ile Ser Ser Val Lys Trp Glu Leu Glu Asp Leu Ser 180 185 190	Phe
40	Arg Tyr Leu Asn Pro Thr Glu Phe Tyr Lys Ile Thr His Met Met 195 200 205	Lys
	Glu Lys Arg Arg Glu Arg Glu Ala Leu Val Asp Glu Val Val Thr 210 215 220	ГÀЗ
45	Leu Glu Glu Tyr Thr Thr Glu Arg His Leu Lys Gly Lys Ile Tyr C 235 235 2	Sly 240
	Arg Pro Lys His Ile Tyr Ser Ile Phe Arg Lys Met Gln Asp Lys A 245 250 255	lrg
50	Lys Arg Phe Glu Glu Ile Tyr Asp Leu Ile Ala Ile Arg Cys Ile I 260 265 270	eu
55	Asp Thr Gln Ser Asp Val Tyr Ala Met Leu Gly Tyr Val His Glu P 275 280 285	he
	Trp Lys Pro Met Pro Gly Arg Phe Lys Asp Tyr Ile Ala Asn Arg L 290 295 300	ys

	A1 30	a A)5	sn G	ly T	yr	Gln	Se:	r II	le H	is	Thi	r Th	ır V 3	al 15	Туг	G1	у Р	ro	Ly	s Gly 320
5	Pr	°0 I.	le G	lu F	he	Gln 325	Ile	e Ar	g T	hr	Lys	33	u M	et	His	G1	u V		Ala 335	ı Glu
10	Ту	r G	ly V	al A 3	la 1	Ala	His	Tr	p A	la	Tyr 345	Ly	s L	ys	Gly	· Il	e Ly 35		Gl,	Gln
	Va	l As	sn Se 35	er L 55	ys (Slu	Ser	Al	a I:	le 60	Gly	Me	t A	sn '	Trp	I1 36		/S (Glu	Met
15	Me	t G] 37	u Le 70	eu G	ln A	lsp	Gln	Al 37	a A: 5	sp	Asp	Al.	a Ly		Glu 380	Ph	e Va	1.	Asp	Ser
	Va. 38:	1 Ь у 5	rs G]	lu A	șn T	'yr	Leu 390	Al	a G]	lu	Glu	Ile	e T <u>y</u> 39		Val	Phe	€ Th	r I	?ro	Asp 400
20	Gly	y Al	a.Va	ıl A:	rg S 4	er 05	Leu	Pr	o L'	/S .	Asp	Se:	r G1	уI	Pro	Ile	e As		he 115	Ala
25	Тул	G1	u Il	e Hi 42	ls T	hr	Lys	Va	l Gl	y (Glu 425	Lys	s Al	a T	hr	Gly	Al.		ys	Val
	Asn	Gl	y Ar 43	g Me 5	et V	al	Pro	Let	1 Th 44	ř : 0	fhr	Lys	Le	u L	ys	Thr 445		уА	sp	Gln
30	Val	Gl: 45	u Il O	e Il	e A	la i	Asn	Pro 455	As	n S	Ser	Phe	G1,		ro 60	Ser	Arq	j A	sp	Trp
	Leu 465	Ası	n Me	t Va	1 L;	ys :	Phr 470	Ser	Lу	s A	la	Arg	47.	n L 5	ys	Ile	Arg	g G	ln	Phe 480
35	Phe	Lys	S Ası	n Gl	n As 48	sp I 85	'nуs	Glu	Le	u S	er	Val 490	Ası	n L	ys '	Gly	Arc		lu 95	Met
40	Leu	Met	: Ala	50	n Ph O	ie G	Sln	Glu	Ası	n G 5	ly 05	Tyr	Va]	A	la i	Asn	Lys 510		ne	Met
	Asp	Lys	Arg 515	Hi:	s Me	t A	sp	Gln	Val 520	L L	eu (Gln	Lys	Tì		Ser 525	Tyr	L	/s	Thr
45	Glu	Asp 530	Ser	Let	ı Ph	e A	la .	Ala 535	Ile	G.	ly i	Phe	Gly		.u] !0	Ίe	Gly	Al	.a :	Ile
	Thr 545	Val	Phe	Asr	ı Ar	g L 5	eu ! 50	Phr	Glu	Ly	ys (Arg 555	Ar	g G	Slu	Glu	G1		Arg 560
50	Ala	Lys	Ala	Lys	56	a. G. 5	lu /	Ala	Glu	G]	Lu I	Seu 570	Val	Ьy	s G	ly	Gly	G1 57		/al
55	Lys	Val	Glu	Asn 580	Ly	s G:	lu I	hr.	Leu	Ly 58	rs V 15	/al	Lys	Нi	s G		Gly 590	G1	y V	al
	Val	Ile	Glu 595	Gly	Ala	s Se	er G	ly	Leu 600	Le	u V	al.	Arg	11		la :	Lуs	Су	s C	ys

Asn Pro Val Pro Gly Asp Asp Ile Val Gly Tyr Ile Thr Lys Gly Arg 615 Gly Val Ala Ile His Arg Val Asp Cys Met Asn Leu Arg Ala Gln Glu Asn Tyr Glu Gln Arg Leu Leu Asp Val Glu Trp Glu Asp Gln Tyr Ser 10 Ser Ser Asn Lys Glu Tyr Leu Ala His Ile Asp Ile Tyr Gly Leu Asn Arg Thr Gly Leu Leu Asn Asp Val Leu Gln Val Leu Ser Asn Thr Thr 15 Lys Asn Ile Ser Thr Val Asn Ala Gln Pro Thr Lys Asp Met Lys Phe 20 Ala Asn Ile His Val Ser Phe Gly Ile Ala Asn Leu Ser Thr Leu Thr Thr Val Val Asp Lys Ile Lys Ser Val Pro Glu Val Tyr Ser Val Lys 25 Arg Thr Asn Gly 740 30 <210> 172 <211> 492 <212> PRT <213> Streptococcus pneumoniae 35 <400> 172 Met Ser Asn Trp Asp Thr Lys Phe Leu Lys Lys Gly Phe Thr Phe Asp Asp Val Leu Leu Ile Pro Ala Glu Ser His Val Leu Pro Asn Asp Ala 40 Asp Leu Thr Thr Lys Leu Ala Asp Asn Leu Thr Leu Asn Ile Pro Ile 40 45 Ile Thr Ala Ala Met Asp Thr Val Thr Glu Ser Gln Met Ala Ile Ala Ile Ala Arg Ala Gly Gly Leu Gly Val Ile His Lys Asn Met Ser Ile 70 50 Ala Gln Gln Ala Asp Glu Val Arg Lys Val Lys Arg Ser Glu Asn Gly 90 Val Ile Ile Asp Pro Phe Phe Leu Thr Pro Glu His Thr Ile Ala Glu

Ala Asp Glu Leu Met Gly Arg Tyr Arg Ile Ser Gly Val Pro Val Val

			.]	115						12	0					12	25			
5		.u T	hr I 30	Leu	Glı	u As	n A:	rg I	ys .35	Le	u Va	al G	ly	Ile	e Le 14		nr A	sn .	Arç	J Asp
		u A 5	rg F	he	Ile	e Se	r As	T qs	yr	Ası	n Gl	n P	ro	Ile 155		r As	sn H.	is I	Met	Thr 160
10	Se	r G	lu A	sn	Let	ı Va 16	1 Th 5	ır A	la	Pro	o Va	1 G	ly 70	Thr	As	p Le	u A.		Thr 175	Ala
	Gl	u S	er I	le	Leu 180	ı Gl:	n Gl	u H	is	Arg	7 Il 18	e .G. 5	lu	Lys	Lei	u Pr	O Le		/al	Asp
15	G1	u G	lu G 1	1 y 95	Ser	Le	u Se	r G	ly	Let 200	ı Il	e Ti	nr	Ile	Lys	As 20		.e (Slu	Lys
. 20	Va.	1 II 21	le G. LO	lu	Phe	Pro	As	n Al 21	La L5	Ala	Lу	s As	sp	Glu	Phe 220		y Ar	g I	eu	Leu
	Va. 225	L Al	.a G	ly i	Ala	Va]	. G1 23	у Va 0	al	Thr	Se:	r As	p !	Thr 235	Phe	Gl	u Ar	g A	.la	Glu 240
25	Ala	ı Le	u Pl	ne (Glu	Ala 245	Gl;	y Al	.a .	Asp	Ala	a Il 25	e '	Val	Ile	Ası	7 Th		1a 55	His
•	Gly	Hi.	s Se	er F	Ala 260	Gly	Va:	l Le	u i	Arg	Lуз 265	s Il	e P	Ala	Glu	Ile	27		la	His
30	Phe	Pr	o As 27	р <i>Р</i> 5	lrg	Thr	Let	ı Il	e <i>I</i>	Ala 280	Gly	As:	n I	le	Ala	Thr 285		a G	lu	Gly
35	Ala	Ar 29	g Al O	a L	eu	Tyr	Glu	Al 29	a (Gly	Val	Ası	y V	al	Val 300	Lys	Va.	L G	lу	Ile
	Gl [·] y 305	Pro	G1	y S	er	Ile	Cys 310	Th:	r I	ľhr	Arg	Val	l I 3	le 15	Ala	Gly	Va]	. G]		Val 320
40	Pro	Glr	ı Va	l T	hr.	Ala 325	Ile	Туз	c A	sp	Ala	Ala 330	a A	la	Val	Ala	Arg	G1 33		Tyr
	Gly	Lys	Thi	r I.	le: 40	Ile	Ala	Asp	G	ју	Gly 345	Ile	. L	ys '	Tyr	Ser	Gly 350		p.	[le
45	Val	Lys	Ala 355	a ·Le	eu i	Ala	Ala	Gly	' G 3	ly 60	Asn	Ala	. Vá	al I	Met	Leu 365	Gly	Se	r l	let.
50	Phe	Ala 370	Gly	7 Th	ır I	Asp	Glu	Ala 375	P.	ro (Glÿ	Glu	Tł		51u 880	Ile	Phe	Gl:	n G	Sly
	Arg 385	Lys	Phe	Ly	s I	Thr	Tyr 390	Arg	G.	ly I	Met	Gly	Se 39	er I 95.	le	Ala	Ala	Me		ys 00
55	Lys	Gly	Ser	Se	r A	sp 1	Arg	Tyr	Pł	ne (Sln	Gly 410	Se	r V	al 1	A sn	Glu	Ala		sn

Lys Leu Val Pro Glu Gly Ile Glu Gly Arg Val Ala Tyr Lys Gly Ala

					4:	20				. 4	25				-	4	30		
. 5	A)	La	Al	a As	sp II 35	le Va	al P	he G	ln M	et I 40	le	Gl y	/ Gl	y Il		rg S 45	er	Gly	Met
	G1	-У	Ту 45	r C3	/s G]	Ly Al	la Ai	la A:	sn L	eu L	ys (Gl u	ı Leı	ы Ні 46		sp A	sn .	Ala	Gln
10	Ph 46	ie 55	Il	e Gl	.u M∈	t Se	er Gl 47	ly Al 70	la G	ly L	eu 1	Lys	Glu 475	ı Se	r H:	is P	ro 1	His	Asp 480
	۷a	1	G1ı	n Il	e Th	r As	n G1	.u Al	a Pi	:0 A		Tyr 190	Ser	Me	t.				
15	<2			173 548															
20	<2	13:	> 5		ptoc	occu	s pn	eumo	niae										
	<40 Met				u Gl	u Il	e Ly 5	s As	n Le	u Gl		la 10	Gln	Asp	ту	r As		la 15	Ser
25	Glr	ı I	le	Gli	n Va:	L Lei	ı Gl	u Gl	y Le	u G1 2	u A 5	la	Val	Arc	Me		g P O	ro	Gly
30	Met	T	yr	11e 35	: Gl	/ Sei	Thi	. Se	Ly:	s Gl	u G	ly	Leu	His	Hi.		u V	al	Trp
	Glu	I	le 50	Val	. Asp	Asr	Ser	: Ile 55	e Asp	Gl.	u A.	la	Leu	Ala 60		y Ph	e A	la :	Ser
35					Val		70				•		75						80
					Gly	85					9	90					9	95	
40	Ala	Va	al	Glu	Thr 100	Val	Phe	Thr	Val	Leu 105	ı Hi	s 1	Ala	Gly	Gly	Lys 110		ne G	ly
45				113	Tyr			•	120						125				
		13			Ala		•	135		•			. :	140				•	
50	143				His		150					1	55		•			1	60
٠	Leu	G1	u :	Ilė	Val	Gly 165	Asp	Thr	Asp	Lys	Th:	r G	ly 1	hr	Thr	Val	Hi:		ne

Thr Pro Asp Pro Lys Ile Phe Thr Glu Thr Thr Ile Phe Asp Phe Asp 180 185 190

	Lу	's L	eu	Asn 195	Ly	s Ar	g Il	e Gl	n G1 20	lu L 10	eu I	Ala	Phe	e Le	As 20		g Gl	y Leu
5	G1	n I 2	le 10	Ser	Il	e Th	r As	р L y 21	s Ar 5	g G	ln (Gly	Leu	Glu 220		n Th	r Ly	s His
	Ту 22	r H 5	is	Tyr	Gli	u Gly	y Gl; 23	y Il O	e Al	a Se	er :	Гуr	Val 235		ту:	r Il	e As	n Glu 240
10	As	n L	ys	Asp	Va.	1 Ile 245	e Phe	e As	p Th	r Pi		[le 250	Tyr	Thr	As _l	9 G1	y Gl 25	u Met 5
15	As	p As	gp	Ile	Th: 260	val	. Glu	ı Va	l Al	a Me 26	et 6 55	Sln	Tyr	Thr	Thi	G1; 27		r His
	Glı	u As	sn :	Val 275	Met	Ser	Phe	Al:	a As 28	n As 0	n I	le	His	Thr	His 285		ı Gl	y Gly
20	Thi	r Hi 29	.s (Glu	Gln	Gly	Phe	295	g Th	r Al	a L	eu	Thr	Arg 300	Val	. Ile	e Ası	n Asp
	Ту: 305	Al	.a <i>1</i>	Arg	Lys	Asn	Lys 310	Let	ı Lei	ı Ly	s A	sp	Asn 315	Glu	Asp	Asr	Let	Thr 320
25	G1 y	Gl	u F	4sp	Val	Arg 325	Glu	Gl	/ Let	ı Th	r A 3	la 30	Val	Ile	Ser	Val	Lys	His
30	Pro	As	n F	ro	G1ņ 340	Phe	Glu	Gly	Glr	Th. 34		ys	Thr	Lys	Leu	Gly 350		Ser
•	Glu	Va	1 V 3	al 55	Lys	Ile	Thr	Asn	Arg 360	Lei	ı Pl	he .	Ser	Glu	Ala 365	Phe	Ser	Asp
35	Phe	Le ²	u M C	et	Glu	Asn	Pro	Gln 375	Ile	Ala	a Ly	ys i	Arg	Ile 380	Val	Glu	Lys	Gly
	Ile 385	Lei		la i	Ala	Lys	Ala 390	Arg	Val	Ala	a Al		Lys 395	Arg	Ala	Arg	Glu	Val 400
40	Thr	Arc	J L	ys 1	Lys	Ser 405	Gly	Leu	Glu	Ile	Se 41		Asn	Leu	Pro	Gly	Lys 415	Leu
45	Ala	Asp	C ₂	ys S	Ser 120	Ser	Asn	Asn	Pro	Ala 425		.u I	Chr (Glu	Leu	Phe 430	Ile	Val
	Glu	Gly	43	sp 5 85	Ser	Ala	Gly	Gly	Ser 440	Ala	Ly	s S	Ger (Arg 445	Asn	Arg	Glu
50	Phe	Gln 450	. AJ	la I	le	Ļeu	Pro	Ile 455	Arg	Gly	Lу	s I		Leu 1 160	Asn	Val	Glu	Lys
	Ala 465	Ser	Me	et A	sp :	Lys :	Ile : 470	Leu	Ala	Asn	Gl		lu 1 75	le /	Arg	Ser	Leu	Phe 480
55	Thr	Ala	Ме	t G	ly '	Thr (Gly 1	Phe	Gly	Ala	Gl: 490		he A		/al	Ser	Lys 495	Ala

	Ar	g T	yr G	iln	Lys 500	Le	u Va	l Le	u Me	t Th 50	r As 5	p Al	a Ası	∘ Va	1 As ₁		y Ala
5	Hi	s I	le A 5	rg 15	Thr	Lei	ı Le	u Le	u Th 52	r Le O	u Il	е Ту	r Arg	у Ту: 52:		t Ly	s Pro
	Il	e Le 53	eu G 30	lu	Ala	Gly	у Ту	r Va 53	l Ту 5	r Il	e Al	a Glı	n Pro 540		o Ile	э Ту	c Gly
10	Va:	l L <u>y</u> 5	s V	al	Gly	Ser	Gl: 550	ı Il	е Гу	s Gl	u Ty	r Ile 555		Pro	Gly	/ Ala	Asp 560
15	Glı	n Gl	u I	le	Lys	Leu 565	Gli	n Gl	u Ala	a Le	u Ala 570		J Tyr	Ser	Glu	Gl ₃ 575	/ Arg
	Thi	. Ly	s Pi	ro	Thr 580	Ile	Glr	n Arq	ј Туј	585	Gly	/ Leu	Gly	Glu	Met 590		Asp
20	His	G1	n Le 59	eu 95	Trp	Glu	Thr	Thi	Met 600	: Asp	Pro	Glu	His	Arg 605		Met	Ala
	Arg	Va 61	1 Se 0 .	er '	Val	Asp	Asp	Ala 615	Ala	Glu	a Ala	Asp	Lys 620	Ile	Phe	Asp	Met
25	Leu 625	Me	t Gl	.у 1	Asp	Arg	Val 630	Glu	Pro	Arg	Arg	Glu 635	Phe	Ile	Glu	Glu	Asn 640
30	Ala	Va.	l Ty	r S	Ser	Thr 645	Leu	Asp	Val								
35	<21 <21 <21 <21	1> 8 2> E	88 PRŢ	pto	coc	cus	pneı	ımon.	iae							•	
40	<400 Met 1			e T	hr (Glu 5	Glu	Thr	Val	Arg	Phe 10	Lys	Leu	Asp	Asp	Ser 15	Asn
	Lys	Lys	Gl:	u I	le 5 20	Ser	Glu	Thr	Leu	Thr 25	Asp	Val	Tyr .	Ala	Ser 30	Leu	Asn
45	Asp	Lyʻs	G1 <u>y</u> 35	ý T ; 5	yr <i>F</i>	Asn	Pro	Ile	Asn 40	Gln	Ile	Val .	Gly '	Tyr 45	Val	Leu	Ser
	Gly	Asp 50	Pro) A.	la T	yr	Val	Pro 55	Arg	Tyr	Asn	Asn .	Ala i 60	Arg	Asn	Gln	Ile .
50	Arg 65	Lys	Туг	G.	lu A	rg i	Asp 70	Glu	Ile	Val	Glu	Glu : 75	Leu V	/al /	Arg '	ſyr '	Tyr 80
55	Leu :	Lys	Gly	G]		ly \ 85	/al .	Asp	Leu								
	-010																

<211> 198 <212> PRT <213> Streptococcus pneumoniae <400> 175 Met Val Asn Tyr Pro His Lys Val Ser Ser Gln Asp Arg Gln Thr Ser Leu Ser Gln Pro Lys Asn Phe Ala Asn Arg Gly Met Ser Phe Glu Lys 10 Met Ile Asn Ala Thr Asn Asp Tyr Tyr Leu Ser Gln Gly Leu Ala Val 15 Ile His Lys Lys Pro Thr Pro Ile Gln Ile Val Gln Val Asp Tyr Pro 55 Gln Arg Ser Arg Ala Lys Ile Val Glu Ala Tyr Phe Arg Gln Ala Ser 20 Thr Thr Asp Tyr Ser Gly Val Tyr Asn Gly Tyr Tyr Ile Asp Phe Glu 90 Val Lys Glu Thr Lys Gln Lys Arg Ala Ile Pro Met Lys Asn Phe His 25 Pro His Gln Ile Gln His Met Glu Gln Val Leu Ala Gln Gln Gly Ile Cys Phe Val Leu Leu His Phe Ser Ser Gln Gln Glu Thr Tyr Leu Leu 30 135 Pro Ala Phe Asp Leu Ile Arg Phe Tyr His Gln Asp Lys Gly Gln Lys 150 35 Ser Met Pro Leu Glu Tyr Ile Arg Glu Tyr Gly Tyr Glu Ile Lys Ala 170 Gly Ala Phe Pro Gln Ile Pro Tyr Leu Asn Val Ile Lys Glu His Leu 40 Leu Gly Gly Lys Thr Arg 195 45 <210> 176 <211> 288 <212> PRT <213> Streptococcus pneumoniae 50 <400> 176 Met Ala Leu Phe Ser Lys Lys Asp Lys Tyr Ile Arg Ile Asn Pro Asn 10

Arg Ser Val Arg Glu Lys Pro Gln Ala Lys Pro Glu Val Pro Asp Glu
20 25 30

	Le	u P	ne Se	er Gl 35	n Cy	s Pro	o G1	y Cy.	s Ly O	s Hi	s Thi	r Ile	€ Ty.		n Ly	s As
5	Le	u G	Ly Se 50	er Gl	u Ar	g Ile	€ Cy. 5.	s Pro 5	o Hi	s Cy	s Sei	Tyr 60		r Ph	e Ar	g Ile
	Se 6	r Al 5	a Gl	n Gl	u Arç	7 Let 70	a Ala	a Leu	ı Thi	r Ile	e Asp 75	Met	Gl	y Th	r Ph	е Lys 80
10	Gl	u Le	u Ph	e Th	r Gly 85	/ Ile	: Gl	ı Ser	Lys	s Asp 90	Pro	Leu	His	s Ph	e Pr	
15	Ту	r Gl	n Ly	s Lys 100	s Leu)	Ala	Ser	: Met	Arg 105	g Glu	Lys	Thr	Gly	/ Let		s Glu
	Ala	a Va	l Va 11	l Thi	Gly	Thr	Ala	Leu 120	Ile	. Lys	Gly	Gln	Thr 125		. Ala	a Leu
20	Gl	/ Il 13	e Met O	t Asp	Ser	Asn	Phe 135	lle	Met	Ala	Ser	Met 140	Gly	Thr	' Val	. Val
	Gly 145	Gl:	u Lys	s Ile	Thr	Arg 150	Leu	Phe	Glu	Туг	Ala 155	Thr	Val	Glu	Lys	Leu 160
25	Pro	Va.	l Val	Leu	Phe 165	Thr	Ala	Ser	Gly	Gly 170	Ala	Arg	Met	Gln	Gl u 175	
30	Ile	Met	: Ser	Leu 180	Met	Gln	Met	Ala	Lys 185	Ile	Ser	Ala	Ala	Val 190	Lys	Arg
	· His	Ser	195	Ala	Gly	Leu	Phe	Tyr 200	Leu	Thr	Ile		Thr 205	Asp	Pro	Thr
35	Thr	Gly 210	Gly	Val	Thr	Ala	Ser 215	Phe	Ala	Met	Glu	Gly . 220	Asp	Ile	Ile	Leu
	Ala 225	Glu	Pro	Gln	Ser	Leu 230	Val	Gly	Phe	Ala	Gly . 235	Arg i	Arg	Val	Ile	Glu 240
40	Asn	Thr	Val	Arg	Glu 245	Ser :	Leu	Pro	Glu	Asp 250	Phe (Gln 1	Lys	Ala	Glu 255	Phe
45	Leu	Leu	Glu	His 260	Gly :	Phe v	Val	Asp :	Ala 265	Ile	Val]	Lys A		Arg 270	Asp	Leu
	Pro	Asp	Thr 275	Ile	Ala S	Ser I	Leu :	Val 2 280	Arg I	Leu l	His 0		Sly :	Ser	Pro	Arg
															•	

<400> 177

10

25

Met Arg Ile Met Gly Leu Asp Val Gly Ser Lys Thr Val Gly Val Ala 1 5 10 15

- 5 Ile Ser Asp Pro Leu Gly Phe Thr Ala Gln Gly Leu Glu Ile Ile Gln 20 25 30
 - Ile Asn Glu Glu Gln Gly Gln Phe Gly Ser Asp Arg Val Lys Glu Leu 35 40 45
- Val Asp Thr Tyr Lys Val Glu Arg Phe Val Val Gly Leu Pro Lys Asn 50 55 60
- Met Asn Asn Thr Ser Gly Pro Arg Val Glu Ala Ser Gln Ala Tyr Gly 65 70 75 80
 - Ala Lys Leu Glu Glu Phe Phe Gly Leu Pro Val Asp Tyr Gln Asp Glu
 85 90 95
- 20 Arg Leu Thr Thr Val Ala Ala Glu Arg Met Leu Ile Glu Gln Ala Asp
 100 105 110
 - Ile Ser Arg Asn Lys Arg Lys Lys Val Ile Asp Lys Leu Ala Ala Gln
 115. 120 125
 - Leu Ile Leu Gln Asn Tyr Leu Asp Arg Lys Phe 130 135
- 30 <210> 178 <211> 398 <212> PRT <213> Streptococcus pneumoniae
- 35 <400> 178

 Met Ala Lys Leu Thr Val Lys Asp Val Asp Leu Lys Gly Lys Lys Val

 1 5 10 15
- Leu Val Arg Val Asp Phe Asn Val Pro Leu Lys Asp Gly Val Ile Thr 20 25 30
 - Asn Asp Asn Arg Ile Thr Ala Ala Leu Pro Thr Ile Lys Tyr Ile Ile 35 40 45
- 45 Glu Gln Gly Gly Arg Ala Ile Leu Phe Ser His Leu Gly Arg Val Lys
 50 55 60
- Glu Glu Ala Asp Lys Ala Gly Lys Ser Leu Ala Pro Val Ala Ala Asp
 65 70 75 80
 - Leu Ala Ala Lys Leu Gly Gln Asp Val Val Phe Pro Gly Val Thr Arg
 85 90 95
- Gly Ala Glu Leu Glu Ala Ala Ile Asn Ala Leu Glu Asp Gly Gln Val 100 105 110
 - Leu Leu Val Glu Asn Thr Arg Tyr Glu Asp Val Asp Gly Lys Lys Glu

				115	•					120)					12	25		•
5		r L	ys <i>1</i> 30	Asn	As _]	p Pr	:0 G]	lu L	eu 35	Gly	/ Ly	s T	yr '	ľrp	Al 14	a Se O	er Le	eu G	ly Asp
-		у I: 5	le E	he	Va:	l As	n As 15	p A:	la	Ph∈	Gl	у Т1	nr A	Ala 155	Hi:	s Ar	g Al	a Hi	is Ala 160
10	Se	r As	sn V	'al	Gly	y Il 16	e Se 5	r Al	la i	Asn	va	1 G1 17	lu I 70	ıуs	Ala	a Va	l Al	a Gl	y Phe
	Le	u Le	eu G	lu	Asr 180	n Gl	u Il	e Al	la :	ľyr	11 18	e G1 5	n G	lu	Ala	a Va	1 Gl 19		ir Pro
15	Gli	ı Ar	g P 1	ro 95	Phe	e Vai	l Al	a Il	.e I	Seu 200	Gly	y Gl	y S	er	Lys	Va 20		r As	p Lys
20	Ílε	e Gl 21	0 V	al	Ile	Gli	ı Ası	n Le 21	u I 5	eu	Glu	ı Ly	s A		Asp 220		s Va	l Le	u Ile
	Gly 225	g Gl	уG	Ly	Met	Thi	Tyı 230	r Th	r P	he	Tyr	Ly	s A. 2.	la 35	Gln	Gly	y Ile	e Gl	u Ile 240
25	Gly	As:	n Se	er	Leu	Val 245	Glu	ı Gl	u A	.sp	Lys	Le:	u As O	sp '	Val	Ala	Lys	3 Ala 25	a Leu
	Leu	Gli	u Ly	78	Ala 260	Asn	Gly	Ly:	s L	eu	Ile 265	Lei	ı Pı	: o	Val	Asp	Ser 270		s Glu
30	Ala	Ası	n Al 27	а 5	Phe	Ala	Gly	Туз	r T) 21	hr 80	Glu	Va]	. Ar	g 1	Asp	Thr 285		Gl _y	/ Glu
35	Ala	Va]	. Se	r(Glu	Gly	Phe	Let 295	a G.	lу	Leu	Asp	Il		51y 300	Pro	Lys	Ser	Ile
	Ala 305	Lys	Ph	e <i>1</i>	Asp	Glu	Ala 310	Lev	Tł	r	G1 y	Ala	Ly 31		hr	Val	Val	Trp	Asn 320
40	Gly	Pro	Me	t G	Sly	Val 325	Phe	Glu	As	n I	Prò	Asp 330	Ph	e G	ln	Ala	Gly	Thr 335	Ile
	Gly	Val	Me	: A 3	sp.	Ala	Ile	Val	Ьy	s (Gln 845	Pro	Gl	γV	al	Lys	Ser 350	Ile	Ile
45	Gly	Gly	Gl ₃ 355	7 A	sp ;	Ser	Ala	Ala	A1 36	a <i>I</i> 0	Ala	Ile	Ası	ı L		Gly 365	Arg	Ala	Asp
50	Lys	Phe 370	Ser	T	rp :	Ile	Ser	Thr 375	G1	у 🤄	Slý	Gly	Ala		er 1 80	Met	Glu	Leu	Leu
•	Glu (Gly	Lys	V	al I	Leu	Pro 390	Gln	Lei	u A	la i	Ala	Leu 395		nr (Slu	Lys		
55	<210; <211; <212;	> 16	5																

<213> Streptococcus pneumoniae

<4	00>	179

15

30

55

Met Leu Lys Ser Glu Lys Gln Ser Arg Tyr Gln Met Leu Asn Glu Glu
5 1 5 10 15

Leu Ser Phe Leu Leu Glu Gly Glu Thr Asn Val Leu Ala Asn Leu Ser 20 25 30

- 10 Asn Ala Ser Ala Leu Ile Lys Ser Arg Phe Pro Asn Thr Val Phe Ala 35 40 45
 - Gly Phe Tyr Leu Phe Asp Gly Lys Glu Leu Val Leu Gly Pro Phe Gln
 50 55 60
- Gly Gly Val Ser Cys Ile Arg Ile Ala Leu Gly Lys Gly Val Cys Gly 65 70 75 80
- Glu Ala Ala His Phe Gln Glu Thr Val Ile Val Gly Asp Val Thr Thr 85 90 95
 - Tyr Leu Asn Tyr Ile Ser Cys Asp Ser Leu Ala Lys Ser Glu Ile Val
- 25 Val Pro Met Met Lys Asn Gly Gln Leu Leu Gly Val Leu Asp Leu Asp 115 120 125
 - Ser Ser Glu Ile Glu Asp Tyr Asp Ala Met Asp Arg Asp Tyr Leu Glu 130 135 140
 - Gln Phe Val Ala Ile Leu Leu Glu Lys Thr Ala Trp Asp Phe Thr Met 145 150 155 160
- Phe Glu Glu Lys Ser

<210> 180

<211> 209

40 <212> PRT

<213> Streptococcus pneumoniae

<400> 180

- 45 Met Thr Ile Glu Leu Leu Thr Pro Phe Thr Lys Val Glu Leu Glu Pro 15 10 15
 - Glu Ile Lys Glu Lys Lys Arg Lys Gln.Val Gly Ile Leu Gly Gly Asn 20 25 30
- 50 Phe Asn Pro Val His Asn Ala His Leu Ile Val Ala Asp Gln Val Arg
 - Gln Gln Leu Gly Leu Asp Gln Val Leu Leu Met Pro Glu Tyr Gln Pro
 50 55 60
 - Pro His Val Asp Lys Lys Glu Thr Ile Pro Glu His His Arg Leu Lys 65 70 75 80

Met Leu Glu Leu Ala Ile Glu Gly Ile Asp Gly Leu Val Ile Glu Thr Ile Glu Leu Glu Arg Lys Gly Ile Ser Tyr Thr Tyr Asp Thr Met Lys Ile Leu Thr Glu Lys Asn Pro Asp Thr Asp Tyr Tyr Phe Ile Gly 10 Ala Asp Met Val Asp Tyr Leu Pro Lys Trp Tyr Arg Ile Asp Glu Leu 135 • Val Asp Met Val Gln Phe Val Gly Val Gln Arg Pro Arg Tyr Lys Val 15 Gly Thr Ser Tyr Pro Val Ile Trp Val Asp Val Pro Leu Met Asp Ile Ser Ser Ser Met Val Arg Ala Phe Leu Ala Gln Gly Arg Lys Pro Asn 20 185 Phe Leu Leu Pro Gln Pro Val Leu Asp Tyr Ile Glu Lys Glu Gly Leu 25 Tyr 30 <210> 181 <211> 255 <212> PRT <213> Streptococcus pneumoniae 35 <400> 181 Met Asn Ile Ala Lys Ile Val Arg Glu Ala Arg Glu Gln Ser Arg Leu Thr Thr Leu Asp Phe Ala Thr Gly Ile Phe Asp Glu Phe Ile Gln Leu 40 His Gly Asp Arg Ser Phe Arg Asp Asp Gly Ala Val Val Gly Gly Ile 45 Gly Trp Leu Gly Asp Gln Ala Val Thr Val Val Gly Ile Gln Lys Gly 55 Lys Ser Leu Gln Asp Asn Leu Lys Arg Asn Phe Gly Gln Pro His Pro 50 Glu Gly Tyr Arg Lys Ala Leu Arg Leu Met Lys Gln Ala Glu Lys Phe 90 Gly Arg Pro Val Val Thr Phe Ile Asn Thr Ala Gly Ala Tyr Pro Gly 55

Val Gly Ala Glu Glu Arg Gly Gln Gly Glu Ala Ile Ala Arg Asn Leu

				115						12	0					12	5			
:	M∈ 5	et (51u 130	Met	Ser	As	рL	eu :	Lys 135	Va	1 P	ro	Ile	Ile	Ala 140	ı Il	e I	le .	Ile	Gly
	G1 14	u 6 5	Sly	Ģly	Ser	G1	y G.	ly <i>1</i> 50	Ala	Lei	u Al	la :	Leu	Ala 155	Val	Al	a A	sp i	Arg	Val 160
10	Tr	рΜ	let 1	Leu	Glu	Asr 165	n Se	er I	lle	Туз	c Al	.a :	Ile 170	Leu	Ser	Pro	o G		31 y 175	Phe
	Al	a S	er 1	lle	Leu 180	Trp	b Ly	rs A	sp	Gly	7 Th	r <i>F</i> 5	Arg	Ala	Met	Glı	1 Al		la	Glu
.15	Lei	u M	eť I 1	ys .95	Ile	Thr	Se	r H	is	Glu 200	Le	u I	eu	Glu	Met	Asp 205		ıl V	al	Asp
20		5 Va 23	al I 10	le :	Ser	Glu	Va	1 G. 2:	ly 15	Leu	Se	r S	er :	Lys	Glu 220	Leu	11	e L	ys	Ser
		L	/s L	y s (Glu	Leu	G1: 230	n Ti	nr (Glu	Let	1 A	la i	Arg 235	Leu	Ser	Gl	n L		Pro 240
25	Leu	G1	u G	lu I	seu	Leu 245	Glu	ı Gl	lu i	Arg	Tyr	G. 25	ln <i>1</i> 50	∖rg	Phe	Arg	Lys	s Ty 25		
30	<21 <21 <21 <21	1> 2>	169 PRT	pto	coco	cus	pne	umo	nia	ie										
35	<400 Met 1	Ile	₽ Il			5						1	U					1	5	
	Ala	Lys	Gl:	n Tł	nr P 20	he i	Arg	Glu	1 T	hr i	Phe 25	Al	а Т <u>у</u>	yr A	sp A	sn	Thr 30	Gl	u G	lu .
40	Gln	Leu	Gl: 35	n Gl 5	u T	yr I	?he	Glu	1 G	lu <i>1</i> 40	Ala	Ту	r Se	er L	eu L	ys ' 45	Thr	Let	ı Se	er
45	Thr	Glu 50	Let	1 Gl	у А	sn E	?ro	Asp 55	Se	er G	Slu	Thi	Ty	r Pl	ne I 60	le M	let	His	6 G]	Lų
	Glu (65	31u	Ile	Al	a G	ly P	he 70	Leu	Ly	7 5 V	al .	Asn	Tr 7	p G] 5	y Se	er P	la	Gln		ır 10
50	·Glu A	Arg	Glu	Le	u Gl 8	u A 5	sp .	Ala	Ph	e G	lu :	11e 90	Gl	n Ar	g Le	eu T	yr	Val 95		u··
	Gln L	ys	Phe	Glr 100	n Gl	y Pl	he (Gly	Le	u G.	ly I 05	ys	Gli	n Le	u Ph		lu :	Phe	Al	a
55	Leu G	lu	Leu 115	Ala	Th	r L	ys I	\sn	Sei 120	r Pł	ne S	er	Trp	Al:	a Tr	p L	eu (Gly	Va:	1

Trp Glu His Asn Thr Lys Ala Gln Ala Phe Tyr Asn Arg Tyr Gly Phe Glu Lys Phe Ser Gln His His Phe Met Val Gly Gln Lys Val Asp Thr Asp Trp Leu Leu Arg Lys Lys Leu Arg 165 10 <210> 183 <211> 529 <212> PRT <213> Streptococcus pneumoniae 15 <400> 183 Met Leu Arg Gly Thr Ala Leu Leu Thr Ala Ser Asn Phe Ile Ser Arg 5 20 Leu Leu Gly Ala Val Tyr Ile Ile Pro Trp Tyr Ile Trp Met Gly Ala Tyr Ala Ala Lys Ala Asn Gly Leu Phe Thr Met Gly Tyr Thr Ile Tyr 25 Ala Trp Phe Leu Leu Val Ser Thr Ala Gly Ile Pro Val Ala Val Ala Lys Gln Val Ala Lys Tyr Asn Thr Met Arg Glu Glu Glu His Ser Phe 30 70 Ala Leu Ile Arg Ser Phe Leu Gly Phe Met Thr Gly Leu Gly Leu Val 90 Phe Ala Leu Val Leu Tyr Val Phe Ala Pro Trp Leu Ala Asp Leu Ser 35 Gly Val Gly Lys Asp Leu Ile Pro Ile Met Gln Ser Leu Ala Trp Gly 120 40 Val Leu Ile Phe Pro Ser Met Ser Val Ile Arg Gly Phe Phe Gln Gly Met Asn Asn Leu Lys Pro Tyr Ala Met Ser Gln Ile Ala Glu Gln Val 45 Ile Arg Val Ile Trp Met Leu Leu Ala Thr Phe Ile Ile Met Lys Leu Gly Ser Gly Asp Tyr Leu Ala Ala Val Thr Gln Ser Thr Phe Ala Ala 50 180 Phe Val Gly Met Val Ala Ser Phe Ala Val Leu Ile Tyr Phe Leu Ala . 200 55 Gln Glu Ser Ser Leu Lys Arg Val Phe Glu Thr Gly Asp Lys Ile Asn

220

	S 2	er 1 25	Lys	Ar	g Le	eu I	eu	Val 230	As	sp '	Thr	: Il	e L	ys	G1u 235	ı Al	a I	le	Pro	Ph	e Il 24
) L	eu 1	hr.	Gl	y Se	er A 2	la 45	Ile	Gl	.n :	Ίle	Ph	e G 2	1n 50	Ile	. Le	u A	sp (Gln	Le 25	u Th: 5
10		ne I	le	Asn	26	r M	et	Ser	Tr	p I	Phe	Th.	r A 5	s'n	Tyr	Se	r As		51u 270	As	p Le
	Vā	al V	al	Met 275	Ph	e ˌS	er '	Tyr	Ph	e S 2	er 180	Ala	a A	sn	Pro	Ası	n Ly 28	/s I 85	le	Th	r Met
15	11	.e L 2	eu 90	Ile	Se.	r V	al (Gly	Va. 29	1 S 5	er	Ile	e G	Ly :	Ser	Va:	l G1	уL	eu	Pro) Let
	Le 30	u Ti 5	hr (Glu	Ası	n Ty	/r V 3	7al 810	Lys	s G	ly	Asp) L∈	eu 1	Lys 315	Ala	a Al	a S	er	Arc	J Leu 320
20						22							33	0						335	
25					240	,						345						3.	50		Gly
	Ly	s Pr	o A 3	Asp 855	Ser	Le	u A	la :	Leu	G] 36	l.y 50	Leu	Ph	e V	al	Phe	Ala 365	a Va	al:	Leu	Gln
30	Sei	: I1 37	e I 0	le	Leu	G1	y "L	eu 1	Fyr 375	M∈	t'	Val	Le	u S	er	Pro 380	Met	. L∈	eu (Gln	Ala
	500	,					33	9 U						3	95						Ile 400
35						401	,		-				410)					4	15	Tyr
40				•	420						4	25						43	0		Leu
			4.							44()						445				Ile
45	Leu	450	,					4:	55						4	60					
50	Leu 465						4/1	J						47	5					•	480
50	Gly					400						4	190						49	€5	_
55	Gly			,	00						50	15						510			
	Val	Ile	Gl: 51:	у <u>Г</u>	ys 1	Ala	Gln	Al	a <i>A</i>	Asp 520	Ar	g L	eu	Arç	, Al		ys 25	Phe	Lу	s I	eu

Ser

5.

<210> 184

<211> 155

<212> PRT.

<213> Streptococcus pneumoniae

10

Asn Gly His Leu Asp Ile Ile Glu Arg Ala Ser Arg Leu Phe Asp Lys
20 25 30

Leu Tyr Val Gly Ile Phe Phe Asn Pro His Lys Gln Gly Phe Leu Pro 35 40 45

20

Ile Glu Asn Arg Lys Arg Gly Leu Glu Lys Ala Leu Gly His Leu Glu

Asn Val Glu Val Val Ala Ser His Asp Glu Leu Val Val Asp Val Ala 25 65 70 75 80

Lys Arg Leu Gly Ala Thr Cys Leu Val Arg Gly Leu Arg Asn Ala Ser

30 Asp Leu Gln Tyr Glu Ala Ser Phe Asp Tyr Tyr Asn His Gln Leu Ser 100 105 110

Ser Asp Ile Glu Thr Ile Tyr Leu His Ser Arg Pro Glu His Leu Tyr 115 120 125

Ile Ser Ser Ser Gly Val Arg Glu Leu Leu Lys Phe Gly Gln Asp Ile
130 135 140

Ala Cys Tyr Val Pro Glu Ser Ile Trp Arg Lys 145 155

<210> 185

<211> 143

45 <212> PRT

35

<213> Streptococcus pneumoniae

<400> 185

Met Thr Ile Leu Phe Val Val Ile Ser Ala Ser Phe Leu Tyr Met Val

50 1 5 10 15

Ser Leu Ser Met Lys Pro Tyr Gln Thr Ala Lys Ser Glu Gly Glu Lys 20 25 30

55 Leu Ala Gln Gln Tyr Ala Gly Leu Glu Gln Ala Asp Gln Val Asp Leu
35 40 45

Tyr Asn Gly Leu Glu Ser Tyr Tyr Ser Val Leu Gly Arg Asn Lys Gln 50 Gln Glu Ala Leu Ala Val Leu Ile Gly Lys Asp Asp His Lys Ile Tyr

- Val Tyr Gln Leu Asn Gln Gly Val Ser Gln Glu Lys Ala Glu Thr Val
- 85 90 95
- 10 Ser Lys Glu Lys Gly Ala Gly Glu Ile Asp Lys Ile Ile Phe Gly Arg 100 105 110
 - Tyr Gln Asp Lys Pro Ile Trp Glu Val Lys Ser Gly Ser Asp Phe Tyr 115 120 125
 - Leu Val Asp Phe Glu Thr Gly Ala Leu Val Asn Lys Glu Gly Leu 130 135 140
- 20 <210> 186 <211> 243 <212> PRT <213> Streptococcus pneumoniae

- 25 <400> 186

 Met Ile Asp Ile His Ser His Ile Val Phe Asp Val Asp Asp Gly Pro

 1 5 10 15
- Lys Ser Arg Glu Glu Ser Lys Ala Leu Leu Thr Glu Ala Tyr Arg Gln 20 25 30
 - Gly Val Arg Thr Ile Val Ser Thr Ser His Arg Arg Lys Gly Met Phe 35 40 45
- 35 Glu Thr Pro Glu Glu Lys Ile Ala Glu Asn Phe Leu Gln Val Arg Glu
 50 55 60
- Ile Ala Lys Glu Val Ala Ser Asp Leu Val Ile Ala Tyr Gly Ala Glu 65 70 75 80
 - Ile Tyr Tyr Thr Pro Asp Val Leu Asp Lys Leu Glu Asn Asn Arg Ile
 85 90 95
- Pro Thr Leu Asn Asn Ser Arg Tyr Ala Leu Ile Glu Phe Ser Met Asn 100 105 110
 - Thr Pro Tyr Arg Asp Ile His Ser Ala Leu Asn Lys Ile Leu Met Leu 115 120 125
- 50 Gly Ile Thr Pro Val Ile Ala His Ile Glu Arg Tyr Asp Val Leu Glu 130 135 140
- Asn Asn Glu Lys Arg Val Arg Glu Leu Ile Asp Met Gly Cys Tyr Thr
 145 150 155 160
 - Gln Ile Asn Ser Ser His Val Leu Lys Ser Lys Leu Phe Gly Glu Pro 165 170 175

Tyr Lys Phe Met Lys Lys Arg Ala Gln Tyr Phe Leu Glu Arg Asp Leu Val His Ile Ile Ala Ser Asp Met His Asn Val Asp Gly Arg Pro Pro 200 His Met Ala Glu Ala Tyr Asp Leu Val Ser Gln Lys Tyr Gly Glu Ala 10 Lys Ala Gln Glu Leu Phe Ile Asp Asn Pro Arg Lys Ile Val Met Asp Gln Leu Ile 15 <210> 187 <211> 308 20 <212> PRT <213> Streptococcus pneumoniae <400> 187 Met Ser Thr Ile Asp Lys Glu Lys Phe Gln Phe Val Lys Arg Asp Asp 25 Phe Ala Ser Glu Thr Ile Asp Ala Pro Ala Tyr Ser Tyr Trp Lys Ser 30 Val Phe Lys Gln Phe Met Lys Lys Lys Ser Thr Val Val Met Leu Gly Ile Leu Val Ala Ile Ile Leu Ile Ser Phe Ile Tyr Pro Met Phe Ser 35 Lys Phe Asp Phe Asn Asp Val Ser Lys Val Asn Asp Phe Ser Val Arg 70 Tyr Ile Lys Pro Asn Ala Glu His Trp Phe Gly Thr Asp Ser Asn Gly 40 Lys Ser Leu Phe Asp Gly Val Trp Phe Gly Ala Arg Asn Ser Ile Leu Ile Ser Val Ile Ala Thr Val Ile Asn Leu Val Ile Gly Val Phe Val 45 120 Gly Gly Ile Trp Gly Ile Ser Lys Ser Val Asp Arg Val Met Met Glu 50 Val Tyr Asn Val Ile Ser Asn Ile Pro Pro Leu Leu Ile Val Ile Val 155 Leu Thr Tyr Ser Ile Gly Ala Gly Phe Trp Asn Leu Ile Phe Ala Met 55 Ser Val Thr Thr Trp Ile Gly Ile Ala Phe Met Ile Arg Val Gln Ile

. 180 185 . 190 Leu Arg Tyr Arg Asp Leu Glu Tyr Asn Leu Ala Ser Arg Thr Leu Gly 200 5 .Thr Pro Thr Leu Lys Ile Val Ala Lys Asn Ile Met Pro Gln Leu Val Ser Val Ile Val Thr Thr Met Thr Gln Met Leu Pro Ser Phe Ile Ser 10 225 230 Tyr Glu Ala Phe Leu Ser Phe Phe Gly Leu Gly Leu Pro Ile Thr Val 250 15 Pro Ser Leu Gly Arg Leu Ile Ser Asp Tyr Ser Gln Asn Val Thr Thr . 260 265 Asn Ala Tyr Leu Phe Trp Ile Pro Leu Thr Thr Leu Val Leu Val Ser 20 Leu Ser Leu Phe Val Val Gly Gln Asn Leu Ala Asp Ala Ser Asp Pro 295 300 Arg Thr His Arg 25 <210> 188 <211> 77 30 <212> PRT - <213> Streptococcus pneumoniae <400> 188 Met Tyr Asn Leu Leu Thr Ile Leu Leu Val Leu Ser Val Val Ile 35 10 Val Ile Ala Ile Phe Met Gln Pro Thr Lys Asn Gln Ser Ser Asn Val 40 Phe Asp Ala Ser Ser Gly Asp Leu Phe Glu Arg Ser Lys Ala Arg Gly Phe Glu Ala Val Met Gln Arg Leu Thr Gly Ile Leu Val Phe Phe Trp 45 Leu Ala Ile Ala Leu Ala Leu Thr Val Leu Ser Ser Arg 70 50 <210> 189 <211> 369 <212> PRT <213> Streptococcus pneumoniae <400> 189

10

Met Phe Arg Arg Asn Lys Leu Phe Phe Trp Thr Thr Glu Ile Leu Leu

	Le	u Th	nr I.	le I	le Ph 20	ne T	r Le	u Tr	p Ar 2		n Me	t Gl	y Se		u I1 0	e Ası
.5	Pr	o Ph	ne Va	al Se 35	er Va	ıl Le	u As	n Th 4	r Il	e Me	t Il	e Pr	o Ph 4		u Le	u Gly
10	Gl	y Ph	e Le 0	eu Ty	yr Ty	r Le	u Th 5	r As 5	n Pr	o Il	e Va	1 Th:		e Le	u As	n Lys
	Va.	1 Cy 5	s Ly	s Le	eu As	n Ar 7	g Le O	u Le	u Gly	y Il	e Le		e Th	r Le	u Cy	s Thr 80
15	. Lei	u Va	l Tr	p Gl	y Me 8	t Va 5	1 11	e Gl	y Val	l Va:		r Let	ı Le	ı Pro	o Il 9.	e Leu 5
	Ile	e As	n Gl	n Le 10	u Se 0	r Se	r Le	u Ile	105	e Sei	Se:	Glr	Th:	110		r Ser
20	Arg	y Va.	l Gl 11	n As 5	p Le	u Ile	e Ile	2 Asp 120	Leu)	Ser	: Asr	Туг	Pro 125		ı Leı	ı Gln
25	Asn	130	u As 0	p Va	l Gl	u Ala	Thr 135	: Ile	: Gln	Glr	Let	140		Ser	туз	. Val
	Asp 145	Ile	e Le	u Gl	n Ası	11e	e Leu	Asn	Ser	Val	Ser 155	Asn	Ser	Val	. Gly	/ Ser 160
30	Val	Let	ı Sei	r Ala	a Lėu 165	ı Ile	e Ser	Thr	Val	Leu 170		Leu	Ile	Met	Thr 175	Pro
	Val	Phe	e Let	. Val 180	l Tyr	Phe	Leu	Leu	Asp 185	Gly	His	Lys	Phe	Leu 190		Met
35	Leu	Glu	195	Thr	: Ile	Leu	Lys	Arg 200	Asp	Arg	Leu	His	Ile 205	Ala	Gly	Leu
40	Leu	Lys 210	Asn	Lev	ı Asn	Ala	Thr 215	Ile	Ala	Arg	Tyr	Ile 220	Ser	Gly	Val	Ser
	Ile 225	Asp	Ala	Ile	lle	Ile 230	Gly	Суз	Leu	Ala	Tyr. 235	Ile	Gly	Tyr	Ser	Ile 240
45	Ile	Gly	Leu	Lys	Tyr 245	Ala	Leu	Val	Phe	Ala 250	Ile	Phe	Ser	Gly	Val 255	Ala
	Asn	Leu	Ile	Pro 260	Tyr	Val	Gly	Pro	Ser 265	Ile	Gly	Leu	Ile	Pro 270	Met	Ile
50	Ile	Ala	Asn 275	Ile	Phe	Thr	Val	Pro 280	His	Arg	Leu	Leu	Ile 285	Ala	Val	Ile
55	Tyr	Met 290	Leu	Val	Val	Gln	Gln 295	Val	Asp	Gly	Asn	Ile 300	Leņ	Tyr	Pro	Arg
	Ile 305	Val	Gly	Ser	Val	Met 310	Lys	Val	His		Ile 315	Thr	Ile	Leu	Val	Leu 320

Leu Leu Leu Ser Ser Asn Ile Tyr Gly Val Val Gly Met Ile Val Ala 325 330 335

- 5 Val Pro Thr Tyr Ser Ile Leu Lys Glu Ile Ser Lys Phe Leu Ser Arg
 - Leu Tyr Glu Asn His Lys Ile Met Lys Glu Arg Glu Arg Glu Leu Ala 355 360 365

10 Lys

- 15 <210> 190 <211> 451 <212> PRT <213> Streptococcus pneumoniae
- 20 <400> 190

 Met Tyr Gln Ala Leu Tyr Arg Lys Tyr Arg Ser Gln Asn Phe Ser Gln

 1 5 10 15
- Leu Val Gly Gln Glu Val Val Ala Lys Thr Leu Lys Gln Ala Val Glu
 25 20 25 30
 - Gln Glu Lys Ile Ser His Ala Tyr Leu Phe Ser Gly Pro Arg Gly Thr
 35 40 45
- 30 Gly Lys Thr Ser Val Ala Lys Ile Phe Ala Lys Ala Met Asn Cys Pro 50 55 60
 - Asn Gln Val Gly Gly Glu Pro Cys Asn Asn Cys Tyr Ile Cys Gln Ala 65 70 75 80
 - Val Thr Asp Gly Ser Leu Glu Asp Val Ile Glu Met Asp Ala Ala Ser 85 90 95
- Asn Asn Gly Val Asp Glu Ile Arg Glu Ile Arg Asp Lys Ser Thr Tyr
 100 105 110
 - Ala Pro Ser Leu Ala Arg Tyr Lys Val Tyr Ile Ile Asp Glu Val His 115 120 125
- 45 Met Leu Ser Thr Gly Ala Phe Asn Ala Leu Leu Lys Thr Leu Glu Glu 130 135 140
- Pro Thr Gln Asn Val Val Phe Ile Leu Ala Thr Thr Glu Leu His Lys 145 150 155 160
 - Ile Pro Ala Thr Ile Leu Ser Arg Val Gln Arg Phe Glu Phe Lys Ser 165 170 175
- Ile Lys Thr Gln Asp Ile Lys Glu His Ile His Tyr Ile Leu Glu Lys
 180 185 190
 - Glu Asn Ile Ser Ser Glu Pro Glu Ala Val Glu Ile Ile Ala Arg Arg

				19	5				20	0	•			20	5		
5		a G 2	lu 10	G1	y Gl	y Me	t Ar	g As 21	p Al 5	a Le	u Se	r Il	e Lei 220		p Glı	n Al	a Leu
		r L 5	eu	Thi	r Gl	n Gl	y As 23	n Gl O	u Le	u Th	r Th	r Ala 23	a Ile 5	e Se	r Glı	ı Glı	u Ile 240
10	Th	r G	ly	Thi	c Il	e Se:	r Lei 5	u Se	r Al	a Le	a Ası 250	p Ası 0	э Туг	Va.	l Ala	Ala 255	a Leu 5
	Se	r G	ln	Glr	260	o Vai	l Pro	o Ly	s Ala	a Let 265	Sei 5.	r Cys	5 Leu	ı Ası	n Leu 270		Phe
15	Ası) A	sn	G1y 275	Lys	s Sei	c Met	Th:	280	g Phe	e Val	L Thr	: Asp	Let 285		His	Tyr
20	Leı	1 A1 29	eg 90	Asp	Let	ı Lev	ı Ile	295	l Glr 5	Thr	Gly	/ Gly	Glu 300		Thr	His	His
	Ser 305	: S∈	er	Val	Phe	· Val	. Glu 310	Asr	Leu	ı Ala	Leu	Pro 315	Gln	Lys	Asn	Leu	Phe 320
25						325					330				Lys	335	
					340					345					Leu 350		
30			•	333					360					365	Glu		
35		371	J					375					380		Ser		
	363						390					395			Pro		400
40 .						405					410					415	
a <i>m</i> ·					420					425					Leu . 430		_
45	Leu	Gln	4.	sn 2 35	Ala	Trp	Gly	Glu	Val 440	Ile	Glu	Ser		31y 145	Gly 1	Pro .	Asp
50	Lys	Leu 450		ys						•			٠	٠			
55	<210: <211: <212: <213:	> 6 > P	62 RT	epto	coc	cus p	oneur	nonia	ae								
	<400	> 19	91				•			•							

	Me	t P 1	he	Arg	Lei	u Th	r As 5	sn L	ys I	eu	Ala	va:	l Se O	r A	sn 1	Leu	Il		/s L5	Asn
5	Ar	g L	ys	Leu	Туз 20	r Ty	r Pı	ro Pl	he A	la	Leu 25	Ala	a Va	l Le	eu I	Seu	A1 3		1	Thr
	Le	u T	hr '	Tyr 35	Leu	ı Ph	е ту	r Se	er L	eu 40	Thr	Phe	e As	n Pr	:0 I	ys 45	Il	e Al	.a (Glu
10	Ile	e Ai	cg (50	Gly ·	Gly	Th:	r Th	r Il	Le G 55	ln	Ala	Thr	Le		у Р 50	he	Gl	y Me	t I	Phe
15	Va) 65	l Va 5	11 ?	ľhr	Leu	Ala	a Se 7	r Al O	a I	le	Ile	Val	. Lei 75		r A	la	Asr	n Se	r I	Phe 80
	Val	l Me	t I	уys	Lys	Arg 85	g Se	r Ly	s G	lu	Leu	Gly 90		∋ Ту	r G	ly	Met	Le 9		Sly
20	Leu	ı Gl	u I	ys	Arg 100	His	Le	u Il	e S	er i	Met 105	Thr	Phe	e Ly	s G	lu	Leu 110		1 V	al
	Phe	Gl	у I 1	le 15	Leu	Thr	Va.	l Gl	y Al 12	La (20	Gly	Ile	Gly	, Il	e G:		Ala	Let	ı P	he
. 25	Asp	Ly 13	s L O	eu	Ile	Phe	Ala	13:	e Le 5	u I	Seu	Lys	Leu	Met 140		/S	Leu	Lys	5 V	al
30	143						150			•			155			•			1	60
		•				162		e Lei				170						175		
35	·			•	190			Leu		1	85					1	190			
40	Glu	•	13	75					20)					20.	5				
40	Ser	210						215						220						
45	Thr 225						230						235						24	0
	Thr				•	245					2	50						255		
50	Lys			2	60					26	55					2	70			
55.	Ser 1		41:	כ					280						285					
55 [.]	Ile A	Ala 290	Ile	e L∈	eu S	er 1	Chr	Met 295	Val	Le	u V	al T		1et 300	Ser	A]	la A	Ala	Thr	:

	Ser II 305	le Ph	e Asn	Ser .	Ala (310	31u <i>-</i>	Ser	Phe	Lys	Lys 315	Val	Leu	a Asr	n Pro	His 320
5	Asp Pl	ne Gl	y Val	Ser (Gly (3ln :	Asn	Val	Glu 330	Lуs	Glu	Asp	Leu	1 As ₁ 335	
	Leu Le	eu Sei	Gln 340	Phe A	Ala S	Ser 1	Asp	Asn 345	Gly	Tyr	Lys	Ile	Lys 350		Lys
10	Glu Va	1 Phe 355	Arg	Tyr 1	Thr I	yr 1	Phe 360	Gly	Val	Ala	Asn	Gln 365	Glu	Gly	Asn
15	Lys Le 37	u Thr	Phe	Phe G	lu L 3	ys (75	Sly	Gln	Asn	Arg	Val 380	Gln	Pro	Thr	Thr
	Val Ph 385	e Met	Val	Phe A	sp G 90	ln I	ys i	Asp	Tyr	Glu 395	Asn	Met	Thr	Gly	Gln 400
20	Lys Le	u Ser	Leu S	Ser G 105	ly A	sn G	lu V	Val	Gly 410	Leu :	Phe	Ala	Lys	Asn 415	Asp
	Gly Le	ı Lys	Gly (In L	ys Ti	nr L	eu]	[le :	Leu i	Asn A	qz	His	Gln 430	Phe	Ser
25	Val Lys	Glu 435	Glu F	he A	sn Ly	/s A	sp F 40	he 1	[le	Val A	Asn i	His 445	Val	Pro	Asn
30	Gln Phe 450	Asn	Ile L	eu Ti	nr Al 45	.a A:	sp T	'yr <i>P</i>	Asn 1		eu 1	Val	Val	Pro	Asp
	Leu Gln 465	Ala	Phe L	eu As 47	n Gl	n Pł	ne P	ro A	sp S	Ser A 175	sp]	[le	Tyr	Asn	Gln 480
35	Phe Tyr	Gly	Gly M 4	et As 85	n Va	l As	sn V	al S 4	er G 90	lu G	lu G	Glu (Leu 495	Lys
	Val Ala	Glu	Glu T 500	yr Gl	u As	n Ty	r Le 50	eu A 05	sn G	ln P	he A		Ala (Gln	Leu
40	Asp Thr	Glu 515	Gly Se	er Ty	r Vai	1 Ty 52	r GI 0	ly s	er A	sn L	eu A 5	la <i>P</i> 25	lsp i	Ala	Ser
. 45	Ser Gln 530	Met :	Ser Al	a Le	u Phe 535	e G1	y Gl	y Va	al P		ne I 10	le G	1y 1	[le]	Phe
	Leu Ser 545	Ile	Ile Ph	e Met 55(: Val	Gl:	y Th	r Va	al Le 55		al I	le T	yr 1	_	195 . 160 ·
50	Gln Ile	Ser (31u G1 56	у Туі 5	Glu	Asp	P Ar	g G1 57	.u Ar '0	g Ph	e II	le I		eu 6 75	In
	Lys Val	Gly I	eu As 80	o Gln	Lys	Glr	11 58	e Ly 5	s Gl	n Th	r Il		is L 90	ys G	ln
55	Val Leu	Thr V 595	al Ph	Phe	Leu	Pro 600	Le	ı Le	u Ph	e Al	a Ph 60		le H	is L	eu ·

Ala Phe Ala Tyr His Met Leu Ser Leu Ile Leu Lys Val Ile Gly Val 610 615 620

- Leu Asp Thr Thr Met Met Leu Ile Val Thr Leu Ser Ile Cys Ala Ile 5 625 630 635 640
 - Phe Leu Ile Ala Tyr Val Leu Ile Phe Met Ile Thr Ser Arg Ser Tyr 645 650 655
- 10 Arg Lys Ile Val Gln Met
 660
- <210> 192
- 15 <211> 296

25

55

- <212> PRT
- <213> Streptococcus pneumoniae
- <400> 192
- 20 Met Lys Gln Asp Gln Leu Lys Ala Trp Gln Pro Ala Gln Phe Asp Arg
 1 5 10 15
 - Phe Val Arg Ile Leu Glu Gln Asp Gln Leu Asn His Ala Tyr Leu Phe
 20 25 30
 - Ser Gly Phe Phe Gly Ser Leu Glu Met Ala Gln Phe Leu Ala Lys Ser 35 40 45
- Leu Phe Cys Thr Asp Lys Val Gly Val Leu Pro Cys Glu Lys Cys Arg
 50 55 60
 - Ser Cys Lys Leu Ile Glu Gln Glu Glu Phe Pro Asp Val Thr Leu Ile 65 70 75 80
- 35 Lys Pro Val Asn Gln Val Ile Lys Thr Glu Arg Ile Arg Glu Leu Val 85 90 95
- Gly Gln Phe Ser Gln Ala Gly Ile Glu Ser Gln Gln Gln Val Phe Ile 100 . 105 . 110
 - Ile Glu Gln Ala Asp Lys Met His Pro Asn Ala Ala Asn Ser Leu Leu 115 120 125
- Lys Val Ile Glu Glu Pro Gln Ser Glu Val Tyr Ile Phe Phe Leu Thr
 130 135 140
 - Ser Asp Glu Glu Lys Met Leu Pro Thr Ile Arg Ser Arg Thr Gln Ile 145 150 155 160
- 50 Phe His Phe Lys Lys Gln Glu Glu Lys Leu Ile Leu Leu Glu Gln 165 170 175
 - Met Gly Leu Val Lys Lys Lys Ala Thr Leu Leu Ala Lys Phe Ser Gln 180 185 190
 - Ser Arg Ala Glu Ala Glu Lys Leu Ala Asn Gln Ala Ser Phe Trp Thr 195 200 205

	Le	eu V	al A :10	sp G	lu S	er G	lu A 2	rg L 15	eu L	eu T	hr T		eu 20	Va.	1 Al	a L	ys Lys
5	Ly 22	78 G 25	lu S	er T	yr L	eu G. 2:	ln V 30	al A	la L	ys L	ец A 2	la A 35	sn	Lei	u Al	a As	sp Asp 240
10		's G	lu L	ys G	ln A	sp G: 45	ln V	al L	eu A	rg I 2	le L 50	eu G	lu	Va]	l Le	u C <u>y</u> 25	s Gly
	G1	n A	sp L	eu Le 20	eu Gi 60	ln Va	al A	rg Va	al A: 20	rg V. 65	al I	le L	eu	Glr	1 As 27		u Leu
15	G1	u A	la A: 2	rg Ly 75	үз Ме	et Tr	p G	ln Al 28	la As 80	sn Va	al S	er P		Gln 285		n Al	a Met
••	G1	u T;	yr Le 90	eu Va	ıl L∈	u Ly	's G] 29		.e								
20	<2	105	193														
	<2; <2;	11> 12>	204 PRT	ptoc	occu	s nn	eumo	niao									
25				рссс	0000	o pii	camo	iirae									
		00> : As		r Ph	e Ly	s As:	n Ph	e Le	u Ly		u Tr O	p Gl	уI	Leu	Phe	Len	ı Leu
30 -	Ile	: Le	u Se	r Le	u Le	ı Ala	a Le	u Se	r Ar	g Il 5	e Ph	e Ph	e T	rp.	Ser 30		n Val
35	Arg	Va	1 G1 3	u Gly 5	y His	3 Sei	r Mei	t Ası 40	p Pro	o Th	r Le	u Al	a A	sp 45	Gly	Gl:	ı Ile
	Leu	Ph 5	e Vai	l Val	L Lys	His	Let 55	ı Pro	o Ile	e As	o Ar	g Ph 6		.sp	Ile	Val	Val
40	Ala 65	Hi:	3 Glı	ı Glu	a Asp	70	Asr	ı Lys	s Asp	Il.	e Va:		s A	rg	Val	Ile	Gly 80
	Met	Pro	Gly	/ Asp	Thr 85	Ile	Arg	туг	Glu	Asr 90	ı Asp	Ly:	s L	eu	Tyr	Ile 95	Asn
45	Asp	Lys	Glu	100	Asp	Glu	Pro	Tyr	Leu 105	Ala	Asp	Туг	: I		Lys 110	Arg	Phe
50	Lys	Asp	Asp 115	Lys	Leu	Gln	Ser	Thr 120	Tyr	Ser	Gly	Lys		ly 1 25	Phe	Glu	Gly
		130		Thr			135					140	ı				
55	145			Val		150					155						160
	Gly	Glu	Tyr	Leu	Leu	Leu	Gly	Asp	Asp	Arg	Leu	Val	Se	r S	er	Asp	Ser

165 170 175

Arg His Val Gly Thr Phe Lys Ala Lys Asp Ile Thr Gly Glu Ala Lys
180 185 190

Phe Arg Phe Trp Pro Ile Thr Arg Ile Gly Thr Phe 195 200

- 10 <210> 194 <211> 328 <212> PRT <213> Streptococcus pneumoniae
- 15 <400> 194

 Met Val Val Phe Thr Gly Ser Thr Val Glu Glu Ala Ile Gln Lys Gly

 1 5 10 15
- Leu Lys Glu Leu Asp Ile Pro Arg Met Lys Ala His Ile Lys Val Ile
 20 25 30
 - Ser Arg Glu Lys Lys Gly Phe Leu Gly Leu Phe Gly Lys Lys Pro Ala 35 40 45
- 25 Gln Val Asp Ile Glu Ala Ile Ser Glu Thr Thr Val Val Lys Ala Asn 50 55 60
- Gln Gln Val Val Lys Gly Val Pro Lys Lys Ile Asn Asp Leu Asn Glu 65 70 75 80
 - Pro Val Lys Thr Val Ser Glu Glu Thr Val Asp Leu Gly His Val Val 85 90 95
- Asn Ala Ile Lys Lys Ile Glu Glu Glu Gly Gln Gly Ile Ser Asp Glu 100 105 110
 - Val Lys Ala Glu Ile Leu Lys His Glu Arg His Ala Ser Thr Ile Leu 115 120 125
- 40 Glu Glu Thr Gly His Ile Glu Ile Leu Asn Glu Leu Gln Ile Glu Glu 130 135 140
- Ala Met Arg Glu Glu Ala Gly Ala Asp Asp Leu Glu Thr Glu Gln Asp 145 150 155 160
 - Gln Thr Glu Asn Gln Asp Leu Lys Glu Met Gly Leu Lys Val Glu Gln 165 170 175
- Ser Tyr Asp Ile Ala Gln Val Ala Thr Asp Val Thr Ala Tyr Val Gln 180 185 190
 - Ala Ile Val Asp Asp Met Asp Val Glu Ala Thr Leu Ser Asn Asp Tyr 195 200 205
- Asn Arg Arg Ser Ile Asn Leu Gln Ile Asp Thr Asn Glu Pro Gly Arg 210 215 220

	2	le 1 25	Ile (Gly	Tyr	His	Gly 230	Lys	s Va	al I	ieu	Lys	Ala 235	Leu	Glr	ı Le	u L		Ala 240
5	G.	ln A	Asn (Tyr	Leu	Tyr 245	Asn	Arg	J T	r S	Ser	Lys 250	Thr	Phe	Туг	Va.		hr 55	Ile
	As	sn V	al P	Asn i	Asp 260	Tyr	Val	Glu	Hi	.s A	rg 65	Ala	Glu	Val	Leu	Gl: 27(or'	Tyr
10) Al	la G	ln I 2	ys 1 275	Leu i	Ala	Asn	Arg	Va 28	0	eu	Glu	Glu	Gly	Arg 285	Ser	: ні	is 1	Lуs
15		r A	sp P 90	ro N	1et S	Ser	Asn	Ser 295	Gl	u A	ŗg]	Lys	Ile	Ile 300	His	Arg	ı Il	e I	lle
		r A: 5	rg M	et A	sp G	Зlу	Val 310	Thr	Se:	r Ty	yr S	Ser	Glu 315	Gly	Asp	Glu	Pr		lsn 120
20	Ar	g T	yr V	al V	al V	al 1 25	Asp	Thr	Glı	1	٠								
25	<2: <2:	10> 11> 12> 13>	460 PRT	epto	cocc	us p	neur	moni	ae	-									
30	Met 1	-	r As		ne Al	,						10	•				15	•	
25					eu Pi 20					2.	5					30			
35					l Ph				40						45				
40			•		1 G1			33						60	-				
					u Ph	. '	U				•	7	/5					8	0
45	Ala	Val	Met	: Me	t Th:	r Gl	u Pi	ro I	le	Leu	G1 9	u G1 0	y Va	al S	er G	ly F	lis 95	Thi	r
	Leu	Val	Ile	100	a Gly	/ As	p Ti	nr P	ro	Leu 105	- I:1e	e Th	r G]	y G		er I 10	eu	Lys	3
50	Asn	Leu	Ile 115	Asp	Phe	Hi.	s Il	.e A:	sn 1 20	His	Lys	As	n Va	1 A1		hr I	le	Leu	1 .
55	Thr	Ala 130	Glu	Thr	Asp	Ası	n Pr 13	o Pl 5	ne (Sly	Tyr	Gl;	y Ar 14	g Il O	e Va	al A	rg .	Asn	١ .
	Asp 1	Asn	Ala	Glų	Val	Let 150	ı Ar	g Se	r I	eu	Leu	Ser 155	Ar	g Ar	g Me	et L		Gln i 60	

	Ile	e L	eu I	ys	Ser	: Ly 16	s S 5	er.	Arg	ιΓλ	s S	Ser	Thr 170	Le	u V	al'	Thr	т у		/al	Phe
. 4	5 Asp	A:	sn G	lu	Arg 180	Le	u Pl	he (Glu	Al	a I	eu .85	Lys	As	n I.	le A	Asn	Th		sn	Asn
10		G]	ln G 1	1 y 95	Glu	Тy	r Ty	yr I	lle	Th 20	r A O	sp	Ϋal	Ile	e G	ly 1	le 205	Ph	e A	.rg	Glu
	Thr	G1 21	.у G. .0	lu i	Lys	Va]	l G1	y <i>P</i>	Ala 215	Ту	r T	hr	Leu	Lys	3 As	sp F	he	As	рG	lu	Ser
15	Leu 225	Gl	y Va	al A	Asn	Asp	23	g V	'al	Ala	a L	eu	Ala	Thr 235	Al	a G	lu	Se	r V	al	Met 240
	Arg	Ar	g Aı	rg I	lle	Asn 245	Hi	s L	уs	His	s Me	et	Val 250	Asn	Gl	уV	aĺ	Sea		ne 55	Val
20				_	.00						26	5						270)		
25	Val		21	5						280						28	35				
	Ala	G1: 290	Th	r V	al	Leu	Thr	29 29	sn 95	Gly	Th	r I	'yr	Val	Va] 300	L As	p	Ser	Th	r]	lle
30	Gly 305						210	,						315						3	120
25	Ala				•	12.5				•		3	30	•					33	5	
35	Ser 1			J-1	• •						34:	•					3	350			
40	Ser S		555						3	60						36	5				
						-		373	,						380						
45 .	Val A 385					•) J (•			3	95						4 (00
50	Val P				4,	00						41	0						415		
50	Asp A			72(,					4	125						43	30			
55	Ala As					•			44	U						Asn 445	Ly	/s /	Asp	Gl	u
	Tyr Al	la 1 50 ·	Chr	Arg	Le	u P	ro I	His 155	Hi	s P	ro	Ьys	s As		ln 60		•				

<210> 196 <211> 311 <212> PRT <213> Streptococcus pneumoniae <400> 196 Met Ser Lys Ile Leu Val Phe Gly His Gln Asn Pro Asp Ser Asp Ala 10 Ile Gly Ser Ser Val Ala Phe Ala Tyr Leu Ala Lys Glu Ala Tyr Gly Leu Asp Thr Glu Ala Val Ala Leu Gly Thr Pro Asn Glu Glu Thr Ala 15 Phe Val Leu Asn Tyr Phe Gly Val Glu Ala Pro Arg Val Ile Thr Ser 20 Ala Lys Ala Glu Gly Ala Glu Gln Val Ile Leu Thr Asp His Asn Glu Phe Gln Gln Ser Val Ser Asp Ile Ala Glu Val Glu Val Tyr Gly Val 25 90 Val Asp His His Arg Val Ala Asn Phe Glu Thr Ala Ser Pro Leu Tyr 30 Met Arg Leu Glu Pro Val Gly Ser Ala Ser Ser Ile Val Tyr Arg Met Phe Lys Glu His Gly Val Ala Val Pro Lys Glu Ile Ala Gly Leu Met 135 35 Leu Ser Gly Leu Ile Ser Asp Thr Leu Leu Leu Lys Ser Pro Thr Thr 155 His Pro Thr Asp Lys Ile Ile Ala Pro Glu Leu Ala Glu Leu Ala Gly 40 Val Asn Leu Glu Glu Tyr Gly Leu Ala Met Leu Lys Ala Gly Thr Asn 45 Leu Ala Ser Lys Ser Ala Glu Glu Leu Ile Asp Ile Asp Ala Lys Thr 200 Phe Glu Leu Asn Gly Asn Asn Val Arg Val Ala Gln Val Asn Thr Val 50 Asp Ile Ala Glu Val Leu Glu Arg Gln Ala Glu Ile Glu Ala Ala Met 235 Gln Ala Ala Asn Glu Ser Asn Gly Tyr Ser Asp Phe Val Leu Met Ile 55 Thr Asp Ile Val Asn Ser Asn Ser Glu Ile Leu Ala Leu Gly Ala Asn

260 265 270

Met Asp Lys Val Glu Ala Ala Phe Asn Phe Lys Leu Glu Asn Asn His 275 280 285

Ala Phe Leu Ala Gly Ala Val Ser Arg Lys Lys Gln Val Val Pro Gln 290 295 300

Leu Thr Glu Ser Phe Asn Thr 305 310

<210> 197

<211> 225

15 <212> PRT

30

45

· <213> Streptococcus pneumoniae

<400> 197

Met Ile Ser Lys Arg Leu Glu Leu Val Ala Ser Phe Val Ser Gln Gly

1 5 10 15

Ala Ile Leu Leu Asp Val Gly Ser Asp His Ala Tyr Leu Pro Ile Glu 20 25 30

25 Leu Val Glu Arg Gly Gln Ile Lys Ser Ala Ile Ala Gly Glu Val Val 35 40 45

Glu Gly Pro Tyr Gln Ser Ala Val Lys Asn Val Glu Ala His Gly Leu
50 55 60

Lys Glu Lys Ile Gln Val Arg Leu Ala Asn Gly Leu Ala Ala Phe Glu 65 70 75 80

Glu Thr Asp Gln Val Ser Val Ile Thr Ile Ala Gly Met Gly Gly Arg
85 90 95

Leu Ile Ala Arg Ile Leu Glu Glu Gly Leu Gly Lys Leu Ala Asn Val

40 Glu Arg Leu Ile Leu Gln Pro Asn Asn Arg Glu Asp Asp Leu Arg Ile 115 120 125

Trp Leu Gln Asp His Gly Phe Gln Ile Val Ala Glu Ser Ile Leu Glu 130 135 140

Lys Leu Ser Ala Ser Asp Val Arg Phe Gly Pro Phe Leu Ser Lys Glu
165 170 175

Val Ser Pro Val Phe Val Gln Lys Trp Gln Lys Glu Ala Glu Lys Leu 180 185 190

55 Glu Phe Ala Leu Gly Gln Ile Pro Glu Lys Asn Leu Glu Glu Arg Gln
195 200 205

Val Leu Val Asp Lys Ile Gln Ala Ile Lys Glu Val Leu His Val Ser Lys 5 225 <210> 198 <211> 161 10 <212> PRT <213> Streptococcus pneumoniae <400> 198 Met Asn Leu Asn Asp Ile Lys Asp Leu Met Thr Gln Phe Asp Gln Ser 15 Ser Leu Arg Glu Phe Ser Tyr Lys Asn Gly Thr Asp Glu Leu Gln Phe Ser Lys Asn Glu Ala Arg Pro Val Pro Glu Val Ala Thr Gln Val Ala 20 Pro Ala Pro Val Leu Ala Thr Pro Ser Pro Val Ala Pro Thr Ser Ala 25 Pro Ala Glu Thr Val Ala Glu Glu Val Pro Ala Pro Ala Glu Ala Ser Val Ala Ser Glu Gly Asn Leu Val Glu Ser Pro Leu Val Gly Val Val 30 Tyr Leu Ala Ala Gly Pro Asp Lys Pro Ala Phe Val Thr Val Gly Asp 105 Ser Val Lys Lys Gly Gln Thr Leu Val Ile Ile Glu Ala Met Lys Val Met Asn Glu Ile Pro Ala Pro Lys Asp Gly Val Val Thr Glu Ile Leu 135 40 Val Ser Asn Glu Glu Met Val Glu Phe Gly Lys Gly Leu Val Arg Ile 150 155 Lys 45 <210> 199 <211> 411 50 <212> PRT <213> Streptococcus pneumoniae <400> 199 Met Lys Leu Asn Arg Val Val Val Thr Gly Tyr Gly Val Thr Ser Pro 55 Ile Gly Asn Thr Pro Glu Glu Phe Trp Asn Ser Leu Ala Thr Gly Lys

20	25	30

Ile Gly Ile Gly Gly Ile Thr Lys Phe Asp His Ser Asp Phe Asp Val 40 5 His Asn Ala Ala Glu Ile Gln Asp Phe Pro Phe Asp Lys Tyr Phe Val 55 Lys Lys Asp Thr Asn Arg Phe Asp Asn Tyr Ser Leu Tyr Ala Leu Tyr 10 Ala Ala Gln Glu Ala Val Asn His Ala Asn Leu Asp Val Glu Ala Leu 15 Asn Arg Asp Arg Phe Gly Val Ile Val Ala Ser Gly Ile Gly Gly Ile 105 Lys Glu Ile Glu Asp Gln Val Leu Arg Leu His Glu Lys Gly Pro Lys 120 20 Arg Val Lys Pro Met Thr Leu Pro Lys Ala Leu Pro Asn Met Ala Ser 135 . Gly Asn Val Ala Met Arg Phe Gly Ala Asn Gly Val Cys Lys Ser Ile 25 Asn Thr Ala Cys Ser Ser Ser Asn Asp Ala Ile Gly Asp Ala Phe Arg 30 Ser Ile Lys Phe Gly Phe Gln Asp Val Met Leu Val Gly Gly Thr Glü 185 Ala Ser Ile Thr Pro Phe Ala Ile Ala Gly Phe Gln Ala Leu Thr Ala 35 Leu Ser Thr Thr Glu Asp Pro Thr Arg Ala Ser Ile Pro Phe Asp Lys Asp Arg Asn Gly Phe Val Met Gly Glu Gly Ser Gly Met Leu Val Leu 40 230 Glu Ser Leu Glu His Ala Glu Lys Arg Gly Ala Thr Ile Leu Ala Glu 250 45 Val Val Gly Tyr Gly Asn Thr Cys Asp Ala Tyr His Met Thr Ser Pro His Pro Glu Gly Gln Gly Ala Ile Lys Ala Ile Lys Leu Ala Leu Glu 50 Glu Ala Glu Ile Ser Pro Glu Gln Val Ala Tyr Val Asn Ala His Gly 295 Thr Ser Thr Pro Ala Asn Glu Lys Gly Glu Ser Gly Ala Ile Val Ala 55 Val Leu Gly Lys Glu Val Pro Val Ser Ser Thr Lys Ser Phe Thr Gly

His Leu Leu Gly Ala Ala Gly Ala Val Glu Ala Ile Val Thr Ile Glu 340 345 350

Ala Met Arg His Asn Phe Val Pro Met Thr Ala Gly Thr Ser Glu Val 355 360 365

Ser Asp Tyr Ile Glu Ala Asn Val Val Tyr Gly Gln Gly Leu Glu Lys 370 375 380

Glu Ile Pro Tyr Ala Ile Ser Asn Thr Phe Gly Phe Gly Gly His Asn 385 390 395 400

15 Ala Val Leu Ala Phe Lys Arg Trp Glu Asn Arg 405 410

5

45

25 Met Asn Ile Tyr Asp Gln Leu Gln Val Val Glu Asp Arg Tyr Glu Glu

1 5 10

Leu Gly Glu Leu Leu Ser Asp Pro Asp Val Val Ser Asp Thr Lys Arg 20 25 30

Phe Met Glu Leu Ser Lys Glu Glu Ala Ser Asn Arg Asp Thr Val Ile 35 40 45

Ala Tyr Arg Glu Tyr Lys Gln Val Leu Gln Asn Ile Val Asp Ala Glu
55 60

Glu Met Ile Lys Glu Ser Gly Gly Asp Ala Asp Leu Glu Glu Leu Ala 65 70 75 80

40 Lys Gln Glu Leu Lys Asp Ala Lys Ala Glu Lys Glu Glu Tyr Glu Glu 85 90 95

Lys Leu Lys Ile Leu Leu Pro Lys Asp Pro Asn Asp Asp Lys Asn 100 105 110

Ile Ile Leu Glu Ile Arg Gly Ala Ala Gly Gly Asp Glu Ala Ala Leu 115 120 125

Phe Ala Gly Asp Leu Leu Thr Met Tyr Gln Lys Tyr Ala Glu Ala Gln 130 135 140

Gly Trp Arg Phe Glu Val Met Glu Ala Ser Met Asn Gly Val Gly Gly 155 150

55 Phe Lys Glu Val Val Ala Met Val Ser Gly Gln Ser Val Tyr Ser Lys 165 170 175

	Le	u L	ys	Tyr	Glu 180	ıSe)	r Gl	y A.	la H	is i	Arg 185	Va]	l Gli	n Ar	g Va		ro 90	Val	Thr
. 5	G1	u S	er	Gln 195	Gly	Ar	g Va	l Hi	ls T	hr 8	Ser	Thr	Ala	a Thi	c Va 20		eu	Val	Met
	Pr	o G 2	lu 10	Val	Glu	Gl	u Va	1 G1 21	.u T _i .5	yr 1	qz.	Ile	Asp	220))	s A	sp	Leu	Arg
10	Va:	1 A: 5	sp :	Ile	Tyr	His	s Ala 23	a Se O	r G	Ly A	lla	Gly	Gly 235	Gln	a As	n V	al.	Asn	Lys 240
15	· Val	l A	la :	ľhr	Ala	Val 245	l Ar	g Il	e Va	al H	lis	Leu 250	Pro	Thr	As	n I		Lys 255	Vaļ
	Glu	1 Me	et (Sln	Glu 260	Glu	a Arg	J Th	r Gl	n G 2	1n 65	Lys	Asn	Arg	G1		7s 2 70	Ala	Met
20	Lys	; I1	.e 1	1e 75	Arg	Ala	Arg	y Va	1 Al 28	a A 0	sp	His	Phe	Ala	Gl: 28		e A	Ala	Gln
	Asp	G1 29	น G 0	ln	Asp	Ala	Glu	295	д L y 5.	s S	er	Thr	Ile	Gl <u>y</u> 300	Thi	G1	уД	lsp	Arg
25	Ser 305	Gl	u A	rg	Ile	Arg	Thr 310	Туг	As	n Pl	he	Pro	Gln 315	Asn	Árg	y Va	1 1	'hr	Asp 320
30	His	Ar	g I	le	Gly	Leu 325	Thr	Leu	Gl:	n Ly	ys .	Leu 330	Asp	Thr	Ile	Le		er 35	Gly
	Lys	Le	u A	sp (Glu 340	Val	Val	Asp	Ala	а Le - 34	eu 1	Val	Leu	Tyr	Asp	G1: 35:		hr (Gln
35	Lys	Let		lu (55	Glu	Leu	Asn	Lys					•						
.40	<210 <211 <212 <213	.> 5 !>. F	559 RT	pto	ococo	cus	pneu	mon:	lae [°]										
45	<400 Met 1	> 2 Ala	01 Ty	r T	hr I	Seu 5	Lys	Pro	Glu	Glı	u V	al (Sly V	/al 1	Phe	Ala		.e G .5	:ly
	Gly	Leu	Gl	уG	lu I 20	le	Gly	Lys	Asn	Th:	r T	yr G	Gly 1	le (Slu	Tyr 30		n A	sp
50	Glu :	Ile	11: 3.	e I. 5	le V	al i	Asp	Ala	Gly 40	Ile	e L	ys P	he F	ro G	Slu 45	Asp	As	рL	eu
55	Leu (51y 50	Ile	e A	sp T	yr V	/al :	Ile 55	Pro	Asp	т	yr S	er T	yr I 60	le	Val	As	p A	sn
	Ile <i>F</i> 65	Asp	Arg	y Va	al L	ys A	Ala V 70	/al :	Leu	Ile	T	r H	is G 75	ly H	is	Glu	As ₁		is Ro

•	I	le G	Sly (Gly	Il	e Pi	o P 35	he	Leu	ı Le	u I	ıγs	Glr 90	n Ail	.a A	sn	Va.	l P	ro	Ile 95	Tyr
5	A	La G	ly E	Pro	Le:	u Al	a L	eu i	Ala	Le	u I 1	1e 05	Arç	g G1	y L	уs	Let		lu l0	Glu	His
10		у L	eu I	eu .15	Arg	g As	n A	la 1	Lys	Le 12	u T 0	yr	Glu	ıIl	e A	sn	His 125		sn	Thr	Glu
	Le	u T	hr P 30	he	Lys	s As	n Le	eu I	Lys 135	Al	а Т	hr	Phe	Ph		rg 40	Thr	Th	ır i	His	Ser
15	I1 14	e P: 5	ro G	lu	Pro	Le	u GI 15	Ly 1 50	le	Va.	1 I	le	His	Th.		co	Gln	Gl	y 1	Lys	Ile 160
	Va	1 Cy	ys T	hr	Gly	16.	p Ph 5	e L	ys	Phe	e _. As	sp	Phe 170	Th	r Pi	· o	Val	Gl		31u .75	Pro
20	Ala	a As	sp L	eu 1	His 180	Ar	g Me	tΑ	la	Ala	1 Le	eu 85	Gly	Glu	1 G1	u (Gly	Va 19		eu	Cys
25			u Se 19	,,						200	İ					2	205				
		21						2.	15				٠		22	0					
30	223		g Il				230	,						235							240
25			a Th			245						2	50		•				25	55	
35			g Se	2	60						265	5						270			_
40			27!	5					2	80						28	35				-
		230	•					29	5						300						
45	۲۵۵		Alá				310						3	15						3	20
50	Gln				3	325						33	30						33	5	
	Gly			34	U			•		•	345						3	50			
55	Gly								31	50						36	5				_
	His	GLy 370	GTA	Gl:	n G	ln (Glu	Gln 375	ΓŽ	/S I	ieu	Ме	t Le	eu (Cys 880	Lei	u I	le	Lys	Pı	0

	38 17	's 1	'yr	Phe	Met	t Pr	o Va 39	1 Hi 0	s G	Ly G	lu	Tyr	Arg 395	Met	: Gl	n Ly	s Va	1 His 400
5	Al	a (ly	Leu	Ala	a Va. 40	l As _l 5	P Th	r Gl	y V	al	Glu 410	Lys	Asp	Ası	ı, Il	e Ph	e Ile 5
10		t S	er	Asn	Gly 420	/ Asp	o Val	l Le	u Al	.а L 4.	eu 25	Thr	Ala	Asp	Ser	Ala 430		g Ile
•	Al	a G	ly	His 435	Phe	Ası	n Ala	a Gli	n As 44	р I. О	le '	Tyr	Val	Asp	Gly 445	Ası	ı Arç	, J Ile
15	G1	y G. 4:	lu 50	Ile	Gly	Ala	Ala	Va]	l Le	u Ly	ys 1	Asp	Arg	Arg 460	Asp	Leu	Ser	Glu
•	As ₁	o G.	ly '	Val	Val	Leu	Ala 470	Val	. Al	a Tì	ır t	/al	Asp 475	Phe	Lys	Ser	Gln	Met 480
20	Ιlε	e Le	eu :	Ser	Gly	Pro 485	Asp	Ile	Lei	u Se	r <i>P</i>	\rg 190	Gly	Phe	Val	Tyr	Met 495	Arg ⁻
25	Glu	. S∈	er (Sly	Asp 500	Leu	Ile	Arg	Glr	1 Se 50	r G 5	ln .	Arg	Ile	Leu	Phe 510	Asn	Ala
	Ile	Ar	g I	le 515	Ala	Leu	Lys	Asn	Lys 520	As	р А	la :	Ser	Val	Gln 525	Ser	Val	Asn
30	Gly	A1 53	a I 0	le	Val	Asn	Ala	Ile 535	Arg	Pr	o P	he 1	Leu	Tyr 540	Glu	Asn	Thr	Glu
	Arg 545	Gl	u P	ro :	Ile	Ile	Ile 550	Pro	Met	Ile	e L		hr :	Pro .	Asp	Glu	Glu	
35	<210 <211 <212	!> 4	450		•					٠								
40	<213	3> 5	Str	epto	coc	cus	pneu	moni	ae									
	<400 Met 1			lu V	al (Glu 5	Glu :	Leu .	Arg	Val	G1 1	n P	ro G	ln A	lsp :	Ile	Leu . 15	Ala
45	Glu	Gln	Se	er V	al I 20	Seu (Gly A	Ala :	Ile	Phe 25	11	e A	sp G	lu S	Ser 1	ys : 30	Leu '	Val
50	Phe	Val	Ar 3	g G 85	lu T	'yr I	[le (Slu S	Ser 40	Arg	.As	p Pi	ne P	he L	ys 1 45	'yr i	Ala 1	lis
	Arg :	Leu 50	Il	e Pl	he G	ln A	Ala M	iet 1 55	/al	Asp	Lei	u Se		sp A 60	rg G	ly /	Asp A	Mla
55	Ile <i>1</i> 65	Asp	Al	a Tl	nr T	hr V	al A 70	rg I	hr	Ile	Leı	ı As	р А з 5	sn G	ln G	ly A	lsp I	eu 80
	Gln A	Asn	11	e Gl	y G.	ly L	eu S	er T	'yr]	Leu	Val	Gl	n T1	e V	al D	en G	'o~ 1	'- 1

90	95
	90

												٦(U					9	95
5		:0 T	hr S	er	Ala 100	Asr	n Al	a Gl	lu T	yr,	Tyr 105	Ala	а Ьу	s I	le V	/al	Al 11		lu Lys
	Al	a M	et L	eu 1 15	Arg	Arg	J Le	u IJ	le A 1	la 20	Lys	Leu	ı Th	r Gl		er .25	Va.	l As	n Gln
10	Al	a T	yr G 30	lu /	Ala	Ser	Gl	n Pr 13	o A 15	la i	Asp	Glu	ıIl	e II		la	Glı	n Al	a Glu
	Lу: 14!	s G1	ly L	eu 1	le	Asp	Va:	L Se	r G	lu A	Asn	Ala	15:	n Ar 5	g S	er	Gl	, Ph	e Lys 160'
15	Ası	n Il	Le A:	rg A	qa	Val 165	Leu	a As	n Le	eu <i>I</i>	Asn	Phe 170	Gly	/ As	n L	eu	Glu	1 Al	a Arg 5
20	Ser	G1	.n Gl	ln T	hr 80	Thr	Asp) Il	e Th	nr G 1	1y 85	Ile	Ala	Th	ŕ G		Tyr 190		g Asp
	Leu	As	р Ні 19	.s M 95	et'	Thr	Thr	Gly	y Le 20	u H	is	Glu	Glu	Gl:	u Le 20	eu)5	Ile	Ile	e Leu
25	Ala	Al 21	a Ar O	g P	ro A	Ala	Val	Gl ₃ 215	/ Ly	s T	hr.	Ala	Phe	Ala 220	a Le	eu i	Asn	Ile	Ala
	Gln 225	As	n Il	e G	ly 1	hr	Lys 230	Leu	As	p L	ys '	Thr	Val 235	Ala	ı Il	e I	?he	Ser	Leu 240
30	Glu	Met	t Gl	y Al	La G 2	31u 245	Ser	Leu	Va.	1 A:	sp 1	Arg 250	Met	Leu	Al	a P		Glu 255	Gly
35	Leu	Val	l Gl	26	er H 50 ·	is	Ser	Ile	Arq	g Ti 26	nr (Gly	Gln	Leu	Th		.sp :70	Glu	Glu
	Trp	Gln	275	з ⁻ Ту 5	r T	hr :	Ile	Ala	Glr 280	n G1)	y A	lsn .	Leu	Ala	As:		la	Ser	Ile
40	-	290						295						300					_
	Ser 305					-	210					3	315						320
45	Asp				32	25					3.	30						335	
50	Glu '			341	,					34	5					35	50		
	Lys '		333						360						365			•	
55	Arg G	31n 370	Asp	Lys	Ar	g P.	ro V 3	7al :	Leu	Ser	- As	p I	le A	Arg 880	Glu	Se	r G	ly :	Ser
	Ile G	Slu	Gln	Asp	Al	a As	T az	le v	(a)	۵15	Dh	о т.	о п		7		_		_

385 390 395 400 Tyr Glu Arg Gly Gly Glu Glu Glu Gly Ile Pro Asn Asn Lys Val 410 Glu Val Ile Ile Glu Lys Asn Arg Ser Gly Ala Arg Gly Thr Val Glu Leu Ile Val Gln Lys Glu Tyr Asn Lys Phe Ser Ser Ile Ser Lys Arg Glu Ala 450 15 <210> 203 <211> 699 <212> PRT <213> Streptococcus pneumoniae 20 <400> 203 Met Ala Thr Ala Thr Lys Lys Lys Ser Thr Val Lys Lys Asn Leu Val Ile Val Glu Ser Pro Ala Lys Ala Lys Thr Ile Glu Lys Tyr Leu Gly Arg Asn Tyr Lys Val Leu Ala Ser Val Gly His Ile Arg Asp Leu 30 Lys Lys Ser Ser Met Ser Val Asp Ile Glu Asn Asn Tyr Glu Pro Gln Tyr Ile Asn Ile Arg Gly Lys Gly Pro Leu Ile Asn Asp Leu Lys Lys 35 70 Glu Ala Lys Lys Ala Asn Lys Val Phe Leu Ala Ser Asp Pro Asp Arg Glu Gly Glu Ala Ile Ser Trp His Leu Ala His Ile Leu Asn Leu Asp 40 105 Glu Asn Asp Ala Asn Arg Val Val Phe Asn Glu Ile Thr Lys Asp Ala 120 -45 Val Lys Asn Ala Phe Lys Glu Pro Arg Lys Ile Asp Met Asp Leu Val 135 Asp Ala Gln Gln Ala Arg Arg Ile Leu Asp Arg Leu Val Gly Tyr Ser 50 Ile Ser Pro Ile Leu Trp Lys Lys Val Lys Lys Gly Leu Ser Ala Gly Arg Val Gln Ser Ile Ala Leu Lys Leu Ile Ile Asp Arg Glu Asn Glu 55

185

		e A	sn A	11a 195	Phe	e Gl	n Pr	o G	lu G	lu 00	Tyr	Tr	o Tji	r V		Asp 205		a Va	al Phe
5	Ly	s L 2	ys 6 10	Sly	Thr	Ly:	s Gl	n Pł 21	ne H: .5	is	Ala	Sea	r Ph	e T	yr (20	Gly	Va	l As	p Gly
	Lу 22	s L 5	ys M	let	Lys	Let	1 Th: 23	r Se O	r As	sn i	Asn	Glu	ı Va 23		ys (Slu	Va	l Le	u Ser 240
10	Ar	g L	eu T	'hr	Ser	Lys 245	s As _l	p Ph	e Se	er '	Val	Asp 250	G1:	n Va	al A	lsp	Lу	s Ly 25	s Glu 5
15	Ar	g Ly	ys A	rg	Asn 260	Ala	Pro	o Le	u Pr	o :	Tyr 265	Thr	Th	r Se	r S	er	Met 270	: Gl	n Met
	Asp	A]	la A 2	la 75	Asn	Lys	Ile	≥ As	n Ph 28	e A	Arg	Thr	Arg	g Ly		hr 85	Met	: Me	t Val
20	Ala	a G1 29	.n G.	ln :	Leu	Tyr	Glu	G1; 29:	y Il 5	e A	sn	Ile	Gly	7 Se 30		ly	Val	Gli	n Gly
	Leu 305	ı Il	e Tì	nr '	Tyr	Met	Arg 310	Thi	As;	p S	er	Thr	Arg 315	11	e S	er	Pro	Va.	Ala 320
25	Gln	As	n G]	Lu A	Ala	Ala 325	Ser	Phe	e Ile	е Т	hr	Asp 330	Arg	Ph	e G	Ly	Ser	Lys 335	Tyr
30	Ser	ГА	s Hi	.s G	31y 340	Ser	Lys	Val	. Lys	s A.	sn . 45	Ala	Ser	G1	γÆ		Gln 350	Asp	Ala
	His	G1	u Al 35	a I 5	le	Arg	Pro	Ser	Ser 360	: Va	al :	Phe	Asn	Thi	Pr 36		Glu	Ser	Ile
35	Ala	Ly s 37(s Ty)	r L	eu	Asp	Lys	Asp 375	Gln	ı Le	eu 1	Lys	Leu	Туг 380		r]	Leu	Ile	Trp
	Asn 385	Arg	g Ph	e V	al.	Ala	Ser 390	Gln	Met	Tł	ır A		Ala 395	Val	Ph	e A	Asp	Thr	Met 400
40	Ala	Val	. Ly:	s L	eu :	Ser 405	Gln	Lys	Gly	Va	1 6	Sln 110	Phie	Ala	Al	a A	lsn	Gly 415	Ser
45	Gln	Val	Lys	5 Pl	he 1 20	Asp (Gly	Tyr	Leu	Al 42	a I 5	le '	Tyr	Asn			er 30		Lys ·
	Asn	Lys	Met 435	: Le	eu I	Pro I	Asp	Met	Val 440	Va	1 G	ly l	Asp	Val	Va:		ys	Gln	Val
50		450		•				455						460			•		
	Glu . 465	Ala	Thr	. L€	eu I	le I	ys '	Thr	Leu	Glı	u G	lu A	sn . 75	Gly	Va 1	. G.	ly i	Arg	Pro 480
55	Ser '	Thr	Tyr	Al	a P 4	ro 1 85	hr I	lle	Glu	Thi	: II	le G 90	ln 1	Lys	Arg	Ty		'yr 195	Val

	Arg Leu Ala Ala Lys Arg Phe Glu Pro Thr Glu Leu Gly Glu Ile Val 500 505 510
. 5	sn Lys Leu Ile Val Glu Tyr Phe Pro Asp Ile Val Asn Val Thr Phe 515 520 525
	Thr Ala Glu Met Glu Gly Lys Leu Asp Asp Val Glu Val Gly Lys Glu 530 535 540
10	Gln Trp Arg Arg Val Ile Asp Ala Phe Tyr Lys Pro Phe Ser Lys Glu
15	Val Ala Lys Ala Glu Glu Met Glu Lys Ile Gln Ile Lys Asp Glu
•	Pro Ala Gly Phe Asp Cys Glu Val Cys Gly Ser Pro Met Val Ile Lys
20	Leu Gly Arg Phe Gly Lys Phe Tyr Ala Cys Ser Asn Phe Pro Asp Cys
2.5	Arg His Thr Gln Ala Ile Val Lys Glu Ile Gly Val Glu Cys Pro Ser
25	Cys His Gln Gly Gln Ile Ile Glu Arg Lys Thr Lys Arg Asn Arg Leu 625 630 635 640
30	Phe Tyr Gly Cys Asn Arg Tyr Pro Glu Cys Glu Phe Thr Ser Trp Asp 645 650 655
ů.	Lys Pro Val Gly Arg Asp Cys Pro Lys Cys Gly Asn Phe Leu Met Glu 660 665 670
35	Lys Lys Val Arg Gly Gly Gly Lys Gln Val Val Cys Ser Lys Gly Asp 675 680 685
40	Tyr Glu Glu Glu Lys Met Ala Leu Cys Gln Leu 690 695
	<210> 204 <211> 326
45	<212> PRT <213> Streptococcus pneumoniae
	<pre><400> 204 Met Phe Ile Ser Ile Ser Ala Gly Ile Val Thr Phe Leu Leu Thr Leu 1</pre>
50	Val Gly Ile Pro Ala Phe Ile Gln Phe Tyr Arg Lys Ala Gln Ile Thr 20 25 30
55	Gly Gln Gln Met His Glu Asp Val Lys Gln His Gln Ala Lys Ala Gly 35 40 45
	Thr Pro Thr Met Gly Gly Leu Val Phe Leu Ile Thr Ser Val Leu Val

			50)				5	55					6	0			
5	· ·	.a 1	Phe	Ph	e Ph	e Al	a Le 7	u Ph O	ne Se	er Se	er (Gln	Phe 7!		r As	n As	n Va	l Gly 80
J		t I	lle	Le	u Ph	e Il 8	e Le	u Va	l Le	и Ту	r (51 y 90	Let	ı Va	l Gl	y Ph	e Le	u Asp 5
10	As	рÆ	he	Le	10	s Va 0	l Ph	e Ar	g Ly	s Il 10	e <i>F</i> 5	Asn	Glu	ı Gly	y Le	u Ası 11		o Lys
	Gl	n I	ys	Let 115	ı Al	a Le	u Gli	ı Le	u Le 12	u G1 0	уС	Зly	Val	. Ile	Phe 12		r Lei	ı Phe
15	Ty:	r G 1	1u 30	Arc	g Gl	y Gl	y Asp	13	t Le	u Se	r V	'al	Phe	Gly 140		Glr	ı Val	l His
20	Le:	u G 5	ly	Ile	Phe	≘ Туз	11e	val	l Phe	e Ala	a L	eu	Phe 155		Leu	ı Val	Gl	Phe 160
	Sei	c A	sn	Ala	Va]	165	Leu ;	Thi	Asp	Gl _y	y V 1	al 70	Asp	Gly	Leu	Ala	Ser 175	Ile
25	Ser	· V	al	Val	Ile 180	e Ser	Leu	Ser	: Ala	185		ly	Val	Ile	Ala	Tyr 190		Gln
	Gly	, G	ln	Met 195	Asp	Ile	Leu	Leu	Val 200	. Ile	e Le	eu.	Ala	Met	Ile 205	Gly	Gly	Leu
30	Leu	. Se	er LO	Phe	Phe	Ile	Phe	Asn 215	His	Lys	P 1	:o ·	Ala	Lys 220	Ile	Phe	Met	Gly
35	225						Ala 230			٠		7	235					240
						245	Trp				25	0					255·	
40					260		Val			265						270		
			2	275			Phe		280						285			
45		29	U				Gly	295					;	300				
50	305						Gly 310	Val	Gly	Leu	Lei		la 9	Ser :	Leu	Leu		Leu 320
	Ala	Ile	e L	eu '		Leu 325	Met											
55	<210: <211: <212:	> 6	93															

<213> Streptococcus pneumoniae

<1	00	`	20	5
- 3	$^{\circ}$	_	<i>z</i> u	2

15

- Met Ala Arg Glu Phe Ser Leu Glu Lys Thr Arg Asn Ile Gly Ile Met 10 15
 - Ala His Val Asp Ala Gly Lys Thr Thr Thr Thr Glu Arg Ile Leu Tyr 20 25 30
- 10 Tyr Thr Gly Lys Ile His Lys Ile Gly Glu Thr His Glu Gly Ala Ser 35 40 45 .
 - Gln Met Asp Trp Met Glu Gln Glu Gln Glu Arg Gly Ile Thr Ile Thr 50 55 . 60
 - Ser Ala Ala Thr Thr Ala Gln Trp Asn Asn His Arg Val Asn Ile Ile 65 70 75 80
- Asp Thr Pro Gly His Val Asp Phe Thr Ile Glu Val Gln Arg Ser Leu 85 90 95
 - Arg Val Leu Asp Gly Ala Val Thr Val Leu Asp Ser Gln Ser Gly Val 100 105 110
- 25 Glu Pro Gln Thr Glu Thr Val Trp Arg Gln Ala Thr Glu Tyr Gly Val
- Pro Arg Ile Val Phe Ala Asn Lys Met Asp Lys Ile Gly Ala Asp Phe 130 135 140
 - Leu Tyr Ser Val Ser Thr Leu His Asp Arg Leu Gln Ala Asn Ala His 145 150 155 160
- Pro Ile Gln Leu Pro Ile Gly Ser Glu Asp Asp Phe Arg Gly Ile Ile
 165 170 175
 - Asp Leu Ile Lys Met Lys Ala Glu Ile Tyr Thr Asn Asp Leu Gly Thr 180 185 190
- 40 Asp Ile Leu Glu Glu Asp Ile Pro Ala Glu Tyr Leu Asp Gln Ala Gln 195 200 205
- Glu Tyr Arg Glu Lys Leu Ile Glu Ala Val Ala Glu Thr Asp Glu Glu 210 215 220 .
 - Leu Met Met Lys Tyr Leu Glu Glu Glu Glu Ile Thr Asn Glu Glu Leu 225 230 235 240
- Lys Ala Gly Ile Arg Lys Ala Thr Ile Asn Val Glu Phe Phe Pro Val 245 250 255
 - Leu Cys Gly Ser Ala Phe Lys Asn Lys Gly Val Gln Leu Met Leu Asp 260 265 270
- 55 Ala Val Ile Asp Tyr Leu Pro Ser Pro Leu Asp Ile Pro Ala Ile Lys 275 280 285

	G.	ly 1	le 90	Asn	Pr	o As	r q	hr.	Asp 295	Al	a G	lu	Glu	ıIl	e A:	rg 00	Pro) A)	a S	er	Asp
5	G:	lu 6)5	lu	Pro	Ph	e Al	.а Д З	la 10	Let	ı Al	a P	he	Lys	31	е Ме 5	et	Thi	As	pР	ro	Phe 320
	Va	il G	ly	Arg	Le	u Th 32	r P 5	he	Phe	Ar	g V	al	Tyr 330	Se:	r Gl	У.	Val	. Le		ln 35	Ser
10	G1	y S	er	Tyr	Va:	l Le O	u A	sn	Thr	Se	r Ly 34	ys (15	Gly	Lу	s Ar	g (Glu	Ar 35		le	Gly
15	Ar	gI	le:	Leu 355	Glr	n Me	t H	is I	Ala	As:	n Se	er I	Arg	Glr	n Gl		Ile 365		p T)	nr	Val
	Ту	3°	er (Gly	Asp	o Il	e Al	la i	Ala 375	Ala	a Va	1 (Gly	Leu	ı Ly 38		Asp	Th	r Tì	ır	Thr
20	G1 38	у А: 5	g qa	Ser	Leu	Th	r As	sp (Glu	Lys	s Al	a I	ьys	Ile 395		e I	eu	Gl	ı Se		Ile 400
	As	n ·Va	ıl E	Pro	Glu	Pro 405	Va S	ıl I	le	Gln	Le		let 110	Val	Gl	u P	ro	Lys	S Se		Lys
25	Ala	a As	ep G	3ln	Asp 420	Lys	Me	t G	Sly	Ile	Al 42	a L 5	eu	Gln	Lys	s L	eu	Ala 430		u (Glu
30	Asp	Pr	O T	'hr 35	Phe	Arg	V a	l G	lu	Thr 440	Ası	n. V	al	Glu	Thi		ly 45	Glu	Th	r V	/al
	ΙÌε	Se 45	r G O	ly	Met	Gly	Gl	u L 4	eu 55	His	Lei	ı A	sp	Val	Leu 460		al	Asp	Ar	g N	let
35	Arg 465	Ar	g G	lu :	Phe	Lys	V.a. 47	1 G 0	lu.	Ala	Ası	n Va		Gly 475	Ala	Pı	ro	Gln	Va.		Ser 80
	Tyr	Ar	g G	lu :	Thr	Phe 485	Ar	g A.	la	Ser	Thr	G1	ln <i>i</i> 90	Ala	Arg	G.	Ly	Phe	Phe 495		ys
40	Arg	Glı	n Se	er (31y 500	Gly	Lys	s GJ	ly (Gln	Phe 505	G1	Ly A	Asp	Val	Tr		Ile 510	Glu	ı P	he
45	Thr	Pro	51	sn 6	Slu	Glu	Gl	/ L)	/s (51y 520	Phe	Gl	.u I	?he	Glu	As 52		Ala	Ile	v.	al
	Gly	Gl ₃ 530	y Va	al V	al	Pro	Arg	G1 53	.u E 35	Phe	Ile	Pr	o A		Val 540	G1	u I	ьуs	Gly	L	eu
50	Val 545	Glu	Se	er M	let .	Ala	Asn 550	Gl	у V	al	Leu	Al		1y 55	Tyr	Pr	o M	1et	Val		sp 50
	Val	Lys	Al	a L	ys i	Leu 565	Tyr	As	рG	ly,	Ser	Ту: 570	r H O	is A	qzA	Va.	1 ·A		Ser 575	Se	er
55	Glu	Thr	Al	a Pi 5	he 1 80	Lys	Ile	Al	a A	la s	Ser	Let	u S	er I	Leu	Lys		lu .	Ala	Al	.a

Lys Ser Ala Gln Pro Ala Ile Leu Glu Pro Met Met Leu Val Thr Ile Thr Val Pro Glu Glu Asn Leu Gly Asp Val Met Gly His Val Thr Ala 5 615 Arg Arg Gly Arg Val Asp Gly Met Glu Ala His Gly Asn Ser Gln Ile 630 10 Val Arg Ala Tyr Val Pro Leu Ala Glu Met Phe Gly Tyr Ala Thr Val 650 Leu Arg Ser Ala Ser Gln Gly Arg Gly Thr Phe Met Met Val Phe Asp 15 His Tyr Glu Asp Val Pro Lys Ser Val Gln Glu Glu Ile Ile Lys Lys 680 . 685 Asn Lys Gly Glu Asp 20 690 <210> 206 <211> 408 25 <212> PRT <213> Streptococcus pneumoniae <400> 206 Met Pro Asn Tyr Asn Ile Pro Phe Ser Pro Pro Asp Ile Thr Glu Ala 30 Glu Ile Ala Glu Val Ala Asp Thr Leu Arg Ser Gly Trp Ile Thr Thr 25 Gly Pro Lys Thr Lys Glu Leu Glu Arg Arg Leu Ser Leu Tyr Thr Gln Thr Pro Lys Thr Val Cys Leu Asn Ser Ala Thr Ala Ala Leu Glu Leu

Ile Leu Arg Val Leu Glu Val Gly Pro Gly Asp Glu Val Ile Val Pro 65 70 75 80

Ala Met Thr Tyr Thr Ala Ser Cys Ser Val Ile Thr His Val Gly Ala
85 90 95

40

55

Thr Pro Val Met Val Asp Ile Gln Ala Asp Thr Phe Glu Met Asp Tyr
100 105 --- 110

50 Asp Leu Leu Glu Gln Ala Ile Thr Glu Lys Thr Lys Val Ile Ile Pro 115 120 125

Val Glu Leu Ala Gly Ile Val Cys Asp Tyr Asp Arg Leu Phe Gln Val 130 135 140

Val Glu Lys Lys Arg Asp Phe Phe Thr Ala Ser Ser Lys Trp Gln Lys 145 150 155 160

		a rii	e as	n Ar	165	va.	I II:	e Va	1 Se	r As 17		: Ala	a His	s Ala	Let 175	ı Gly
5	Se	r Th	г Ту	r Ly: 180	s Gly O	Glr	n Pro	o Se	r Gl	y Se 5	r _. Ile	e Ala	a Asp	Phe 190		Ser
10		e Se	r Phe 199	e His	s Ala	Val	Lys	200	n Phe	e Th	r Thr	Ala	Glu 205		Gly	/ Ser
	Ala	a Th:	r Trp	ь Гуз	Ala	Asn	Pro 215	Val	l Ile	e Ası	o Asp	Glu 220		Met	Tyr	Lys
15	Gl: 225	u Phe	e Glr	Ile	Leu	Ser 230	Leu	His	Gl y	Glr	n Thr 235	Lys	Asp	Ala	Leu	Ala 240
٠	Lys	s Met	Gln	Leu	Gly 245	Ser	Trp	Glu	Tyr	Așp 250) Ile	Val	Thr	Pro	Ala 255	Tyr
20	Lys	S Cys	Asn	Met 260	Thr	Asp	Ile	Met	Ala 265	Ser	Leu	Gly	Leu	Val 270	Gln	Leu
25	Asp	Arg	Tyr .275	Pro	Ser	Leu	Leu	Gln 280	Arg	Arg	Lys	Asp	Ile 285	Val	Asp	Arg
	Tyr	Asp 290	Ser	Gly	Phe	Ala	Gly 295	Ser	Arg	Ile	His	Pro 300	Leu	Ala	His	Lys
30	Thr 305	Glu	Thr	Val	Glu	Ser 310	Ser	Arg	His	Leu	Tyr 315	Ile	Thr	Arg	Val	Glu 320
	Gly	Ala	Ser	Leu	Glu 325	Glu	Arg	Ser	Leu	Ile 330	Ile	Gln	Glu		Ala 335	Lys
35	Ala	Gly	Ile	Ala 340	Ser .	Asn	Val	His	Tyr 345	Lys	Pro'	Leu		Leu : 350	Leu	Thr
40	Ala	Tyr	Lys 355	Asn	Leu (Gly :	Phe	Asp 360	Met	Thr	Asn '		Pro :	Lys i	Ala	Tyr
	Ala	Phe 370	Phe ·	Glu	Asn (Glu :	Ile 375	Thr	Leu	Pro	Leu i	His 1	Thr i	Lys 1	Leu (Ser
45	Asp 385	Glu	Glu	Val .	Asp 1	yr 1 890	[le	Ile	Glu		Phe 1 395	ys 1	Chr V	/al S		51u 100
	Lys	Val	Leu '		Leu S 405	Ser I	ys I	Lys		-						
50	<210 <211	> 32.	5								-					
55		> St	repto	coco	us p	neum	onia	ıe	•							
	<4002 Met 1			ro A	sp P	he T	rp A	sn A	sp A	sn 1	le A	la A	la G	ln L	ys T	hr

		1					5						10						15	
5		er G	ln (Glu	Le 2	u As O	in Va	al P	he	Lys	s As	n T 5	hr	Tyr	: As	n Ti		ne H 30	is	Lys
_		et G	lu (31u 35	Le	u Gl	n As	sp G	lu	Va]	l Gl	u I	le :	Leu	Le		p Pl	ne L	eu	Ala
10	G1	u A	sp (Slu	Sea	r Va	l Hi	s A	sp 55	Glu	ı Le	u Va	al Z	Ala	G1:		u Al	.a G	lu	Leu
	As 6	p Ly 5	ys 1	le	Met	Th	r Se	r Ty	yr	Glu	Me	t Tł	nr 1	Leu 75		ı Le	u Se	r G	lu	Pro 80
15	Тy	r As	sp H	lis	Asn	8.	n Al	a I]	le	Leu	Glı		.e F 00	lis	Pro	Gl	y Se		.y 5	Gly
20	Th	r Gl	u A	la	Gln 100	Asp	Tr	p Gl	-у	Asp	Met 105	: Le	u , I	.eu	Arc	Me	ту 11		r	Arg
	Тy	r Gl	у А 1	sn 15	Ala	Lys	Gl _i	y Ph	e .	Lys 120	Val	. G1	u V	al	Leu	As ₁	р Ту: 5	r Gl	n.	Ala
25		13	U					13	5						140		Glı			
	Asr 145	Al.	a Ty	yr	Gly	Leu	Let 150	ı Ly	s s	Ser	Glu	Me		1 y 55	Val	His	Arg	J Le		Val 160
30	Arg	, Il	e Se	er	Pro	Phe 165	Asp	Se:	r A	Ala	Lys	Arc 170		rg	His	Thr	Ser	Pho 17:		Thr
35	Ser	Va.	L G1	.u '	Val 180	Met	Pro	Gli	ı I	Leu	Asp 185	Asp) Tì	nr	Ile	Glu	Val 190		ı]	le
			19	5					2	00						205	Gly			-
40		210	ľ					215	•					2	220		Thr			
							230						23	15			Gln		2	40
45						245						250					Tyr	255		
50				2	60					2	265						Gly 270			
	Lys	Glu	11e 275	∋ T:	hr '	rp	Gly	Ser	G] 28	ln 1 30	lle .	Arg	Se	r T		Val 285	Phe	Thr	Pı	co
55	Tyr	Thr 290	Met	: Va	al 1	żys .	Asp	His 295	Ar	g I	hr	Ser	Phe		lu 1 00	/al	Ala	Gln	Va	1
	Asp	Lys	Val	Me	et A	Asp (Gly	Asp	Lé	u A	.sp (31 v	Phe	- T	ו פו	len	Δ1 ₂	ти∽	7.0	

305 310 315 320

Lys Trp Arg Ile Ser 325

5

<210> 208

<211> 249

<212> PRT

10 <213> Streptococcus pneumoniae

<400> 208

Met Phe Tyr Thr Tyr Leu Arg Gly Leu Val Val Leu Leu Leu Trp Ser 1 5 10 15

15

Ile Asn Gly Asn Ala His Tyr His Asn Thr Asp Lys Ile Pro Asn Gln
20 25 30

Asp Glu Asn Tyr Ile Leu Val Ala Pro His Arg Thr Trp Trp Asp Pro 35 40 45

Val Tyr Met Ala Phe Ala Thr Lys Pro Lys Gln Phe Ile Phe Met Ala 50 55 60

25 Lys Lys Glu Leu Phe Thr Asn Arg Ile Phe Gly Trp Trp Ile Arg Met
65 70 75 80

Cys Gly Ala Phe Pro Ile Asp Arg Glu Asn Pro Ser Ala Ser Ala Ile 85 90 95

30

Lys Tyr Pro Ile Asn Val Leu Lys Lys Ser Asp Arg Ser Leu Ile Met 100 105 110

Phe Pro Ser Gly Ser Arg His Ser Asn Asp Val Lys Gly Gly Ala Ala 115 120 125

Leu Ile Ala Lys Met Ala Lys Val Arg Ile Met Pro Val Thr Tyr Thr 130 135 140

Gly Pro Met Thr Leu Lys Gly Leu Ile Ser Arg Glu Arg Val Asp Met 145 150 155 160

Asn Phe Gly Asn Pro Ile Asp Ile Ser Asp Ile Lys Lys Met Asn Asp 165 170 175

45

Glu Gly Ile Glu Thr Val Ala Asn Arg Ile Gln Thr Glu Phe Gln Arg 180 185 190

Leu Asp Glu Glu Thr Lys Gln Trp His Asn Asp Lys Lys Pro Asn Pro 195 200 205

Leu Trp Trp Phe Ile Arg Ile Pro Ala Leu Ile Leu Ala Ile Ile Leu 210 215 220

Ala Ile Leu Thr Ile Ile Phe Ser Phe Ile Ala Ser Phe Ile Trp Asn 225 230 235 240

Pro Asp Lys Lys Arg Glu Glu Leu Ala 245

	<pre><210> 209 <211> 1033 <212> PRT <213> Streptococcus pneumoniae</pre>
	<pre><400> 209 Met Ile Ala Gln Leu Asp Thr Lys Thr Val Tyr Ser Phe Met Glu Ser 1 5 10 15</pre>
15	Val Ile Ser Ile Glu Lys Tyr Val Arg Ala Ala Lys Glu Tyr Gly Tyr 20 25 30
	Thr His Leu Ala Met Met Asp Ile Asp Asn Leu Tyr Gly Ala Phe Asp 35 40 45
20	Phe Leu Glu Ile Thr Lys Lys Tyr Gly Ile His Pro Leu Leu Gly Leu 50 55 60
25	Glu Met Thr Val Phe Val Asp Asp Gln Gly Val Asn Leu Arg Phe Leu 65 70 75 80
	Ala Leu Ser Ser Val Gly Tyr Gln Gln Leu Met Lys Leu Ser Thr Ala 85 90 95
30	Lys Met Gln Gly Glu Lys Thr Trp Ser Val Leu Ser Gln Tyr Leu Glu 100 105 110
35	Asp Ile Ala Val Ile Val Pro Tyr Phe Asp Arg Val Glu Ser Leu Glu 115 120 125
33	Leu Gly Cys Asp Tyr Tyr Ile Gly Val Tyr Pro Glu Thr Leu Ala Ser 130 135 140
40	Glu Phe His His Pro Ile Leu Pro Leu Tyr Arg Val Asn Ala Phe Glu 145 150 155 160
	Ser Arg Asp Arg Glu Val Leu Gln Val Leu Thr Ala Ile Lys Glu Asn 165 170 175
45	Leu Pro Leu Arg Glu Val Pro Leu Arg Ser Arg Gln Asp Val Phe Ile 180 185 190
50	Ser Ala Ser Ser Leu Glu Lys Leu Phe Gln Glu Arg Phe Pro Gln Ala 195 200 205
50	Leu Asp Asn Leu Glu Lys Leu Ile Ser Gly Ile Ser Tyr Asp Leu Asp 210 215 220
55	Thr Ser Leu Lys Leu Pro Arg Phe Asn Pro Ala Arg Pro Ala Val Glu 225 230 235 240
	Glu Leu Arg Glu Arg Ala Glu Leu Gly Leu Val Gln Lys Gly Leu Thr 245 250 255

Ser Lys Glu Tyr Gln Asp Arg Leu Asp Gln Glu Leu Ser Val Ile His 265 Asp Met Gly Phe Asp Asp Tyr Phe Leu Val Val Trp Asp Leu Leu Arg Phe Gly Arg Ser Asn Gly Tyr Tyr Met Gly Met Gly Arg Gly Ser Ala 295 10 Val Gly Ser Leu Val Ser Tyr Ala Leu Asp Ile Thr Gly Ile Asp Pro Val Glu Lys Asn Leu Ile Phe Glu Arg Phe Leu Asn Arg Glu Arg Tyr 15 325 330 Thr Met Pro Asp Ile Asp Ile Pro Asp Ile Tyr Arg Pro Asp 345 20 Phe Ile Arg Tyr Val Gly Asn Lys Tyr Gly Ser Lys His Ala Ala Gln Ile Val Thr Phe Ser Thr Phe Gly Ala Lys Gln Ala Leu Arg Asp Val - 25 Leu Lys Arg Phe Gly Val Pro Glu Tyr Glu Leu Ser Ala Ile Thr Lys Lys Ile Ser Phe Arg Asp Asn Leu Lys Ser Ala Tyr Glu Gly Asn Leu 30 Gln Phe Arg Gln Gln Ile Asn Ser Lys Leu Glu Tyr Gln Lys Ala Phe 425 35 Glu Ile Ala Cys Lys Ile Glu Gly Tyr Pro Arg Gln Thr Ser Val His Ala Ala Gly Val Val Ile Ser Asp Gln Asp Leu Thr Asn Tyr Ile Pro 40 Leu Lys Tyr Gly Asp Glu Ile Pro Leu Thr Gln Tyr Asp Ala His Gly 470 Val Glu Ala Ser Gly Leu Leu Lys Met Asp Phe Leu Gly Leu Arg Asn 45 490 Leu Thr Phe Val Gln Lys Met Gln Glu Leu Leu Ala Glu Ile Glu Gly 50 Ile His Leu Lys Ile Glu Glu Ile Asp Leu Glu Asp Lys Glu Thr Leu Asp Leu Phe Ala Ser Gly Asn Thr Lys Gly Ile Phe Gln Phe Glu Gln 535 55 Pro Gly Ala Ile Arg Leu Leu Lys Arg Val Gln Pro Val Cys Phe Glu 550

	As	sp V	al V	al	Ala	a Th 56	r T	hr	Sei	. Le	u A	sn	Arc 570	g Pr O	:o G	lу	Ala	a Se		sp 75	Tyr
5	IJ	e A	sn A	sn	Phe 580	e Va	1 A	la.	Arç	l FÅ	s H 5	is 85	Gly	y Gl	n G	lu	Glι	1 Va 59		hr	Val
10	Le	u A	sp P 5	ro 95	Val	Le	u G	lu i	Asp	60	е L 0	eu	Ala	a Pr	o Ti		Туг 605		уІ	le	Met
	Le	u Ty 6.	yr G	ln	Glu	ı Gl	n Va	al l	Met 615	Gli	n Va	al	Ala	a Gl	n Ar 62		Phe	Al	a G	ſУ	Phe
15	Se 62	r Le 5	eu G	lу	Lys	Ala	a As 63	sp 1 80	le	Lei	ı Aı	g	Arg	63:	а М е	et (Gly	Ly	s Ly	/s	Asp 640
	Al	a Se	er Al	la 1	Met	Hi:	s G1 5	u M	1et	Arg	Al	.a	Ser 650	Pho	e Il	е (Gln	Gl	y Se 65		Leu
20	Gl	u Al	a GJ	y 1	His 660	Thi	. Va	.1 G	lu	Ьys	66	a 5	Glu	Glr	ı Va	1 1	?he	As ₁		1	Met
25	Glı	ı Ly	s Ph	e <i>1</i>	Ala	G1y	Ty	r G	ly	Phe 680	As	n i	Arg	Ser	: Hi		Ala 585	Туз	: Al	a '	Tyr
•	Ser	Al 69	a Le O	u A	Ala	Phe	• G1:	n L 6	eu 95	Ala	Ту	r 1	Phe	Lys	70		lis _.	Туг	Pr	0 1	Ala
30	Ile 705	Ph	е Ту	rG	Sln	Ile	Ме ⁻	t L	eu	Asn	Se.	r /	Ala	Asn 715		r A	sp	Tyr	Le		Ile 720
	Asp	Ala	a Le	u G	Slu	Ala 725	Gl	y Pi	he	Glu	Va.		Ala 730	Pro	Leu	ı S	er	Ile	As:		Thr
3,5	Ile	Pro	о Ту:	r H 7	is 40	Asp	Lys	3 I.	le	Ala	Asr 745	n I	ys	Ala	Ile	T		Leu 750	Gl	y I	eu
40			755)						760						7	65				
	His	Arg 770	Pro	T	yr	Ser	Asn	77	.e (Glu	Asŗ	P	he	Ile	Ala 780		γs .	Leu	Pro	G	lu
45	Asn 785	Tyr	Leu	L)	ys :	Leu	Pro 790	Le	u l	Leu	Glu	P		Leu 795	Val	ŗ.	/S '	Val	Gl y		eu 00
	Phe	Asp	Ser	Pł	ne (Glu BO5	Lys	As	n A	Arg	Gln		ys ' 10	Val	Phe	As	n A	Asn	Leu 815		la .
	Asn ·	Leu	Phe	G1 82	lu I 20	?he	Val	Ly	s (Leu 825	G.	ly S	Ser	Leu	Ph		31y 330	Asp	A.	la
55	Ile		033						8	40						84	5				
•	Tyr	Met 850	Glu	Gl	n G	lu :	Leu	Let 855	ı G	ly :	Ile	G1	.у V	al	Ser	Lу	s H	is	Pro	Le	eu

	86	in A 55	la 1	[16	ΑLa	a Se	r Ly 87	's A. '0	la I	le	Туг	Pro	87	е Т 5	hr	Pro	11	e G	lу	Asn 880
5	Le	eu S	er G	Slu	Asr	88	r Ту 5	r A	la I	le	Ile	Let 890	ı Va	1 G	lu	Val	Gl		ys 95	Ile
10	Ly	s V	al I	le	Arg 900	Th:	r Ly	s Ly	ys G	ly	Glu 905	Asn	Me	t A	la	Phe	Le 91		ln	Ala
•	As	p A	sp S 9	er 15	Lys	Lys	з Ly	s Le	eu A 9	sp 20	Val	Thr	Le	u Pl		Ser 925		b. T€	eu	Tyr
15	Ar	g G1 93	ln V 30	al	Gly	Glr	ı Gİ	u I1 93	.e L	ys	Glu	Glý	Ala	a Ph 94		Гуr	Тy	r Va	1	Lys
	G1 94	y՝ L չ	s I	le	Gln	Ser	950	g As	p G	ly.	Arg	Leu	Glr 955	n Me	t]	lle	Ala	a Gl		Glu 960
20	Ile	e Ar	g G	lu	Ala	Val 965	Ala	a Gl	u Ai	rg i	Phe	Trp 970	Il€	e G1	n V	al	Lys	As 97		His
25	Glı	ı Se	r As	зр	Gln 980	Glu	Ile	Se.	r Aı	g :	Ile 985	Leu	Glu	Gl	n P	he	Lys 990		y l	Pro
20	Ile	Pr	o Va 99	al :	Ile	Ile	Arg	Ту	r Gl 100	.u (Glu	Glu	Gln	Ly		hr 05	Ile	Va.	1 5	Ser
30	Pro	Hi 101	s Hi O	.s]	Phe	Val	Ala	Lys 101	s Se	r I	Asn	Glu		Gl: 102		lu	Lys	Let	ı 7	Isn
	Glu 102	110 5	e Va	1 1	Met		Thr 1030	Ile	э Ту	r A	rg					٠				
35	_																			
		0> 2 1> 3 2> E	306				•													
40	<21	3> 5	Stre	pto	coc	cus	pne	mon	iae											
	<40																			
	Met 1	Thr	Ası	n G	lu :	Phe 5	Leu	His	Phe	e G	lu I	ys 10	Ile	Ser	Ar	:g 0	Sln	Thr 15		rp
45	Gln	Ser	Le	ı H	is 1 20	Arg	Lys	Thr	Thr		ro E 25	ro 1	Leu	Thr	Gl	u G	30	Glu	L	eu
50	Glu	Ser	Ile 35	∍ L;	ys S	Ser	Phe	Asn	Asp 40	G]	ln I	le s	Ser	Leu		n A	sp	Vạl	T	hr
	Asp	Ile 50	Tyi	Le	eu E	Pro :	Leu	Ala 55	His	Le	eu I	le G	In	Ile 60	Ty.	r L	ys .	Arg	· Tł	nr
55	Lys 65	Glu	Asp	Le	eu A	la 1	Phe 70	Ser	Lys	Gl	уI		he 175	Leu	Gli	n A	rg	Glu		er 10
	Lys	Ser	Gln	Pr	o P	he 1	le:	Ile	Gly	Va	1 S	er G	ly s	Ser	Va]	L A.	la '	Val	G1	v

					85					90					95	
5	Lys	Ser	Thr	Thr 100	Ser	Arg	Leu	Leu	Gln 105	Ile	Leu	Leu	Ser	Arg		Phe
	Thr	Asp	Ala 115	Thr	Val	Glu	Leu	Val 120	Thr	Thr	Asp	Gly	Phe 125		Tyr	Pro
10	Asn	Gln 130	Thr	Leu	Ile	Glu	Gln 135	Gly	Ile	Leu	Asņ	Arg		Gly	Phe	Pro
	Glu 145	Ser	Tyr ·	Asp	Met	Glu 150	Ala	Leu	Leu	Asn	Phe 155	Leu	Asp	Arg	Ile	Lys 160
15	Asn	Gly	Gln	Asp	Val 165	Asp	Ile	Pro	Val	Tyr 170	Ser	His	Glu	Val	Tyr 175	Asp
20	Ile	Val	Pro	Lys 180	Lys	Lys	Gln	Ser	Val 185	Lys	Ala	Ala	Asp	Phe 190	Val	Ile
	Val	Glu	Gly 195	Ile	Asn	Val	Phe	Gln 200	Asn	.Pro	Gln	Asn	Asp 205	Arg	Leu	Tyr

Ile Thr Asp Phe Phe Asp Phe Ser Ile Tyr Val Asp Ala Gly Val Asp 25 210 215

Asp Ile Glu Ser Trp Tyr Leu Asp Arg Phe Leu Lys Met Leu Ser Leu 225 230 235 240

30 Ala Gln Asn Asp Pro Asp Ser Tyr Tyr Tyr Arg Phe Thr Gln Met Pro 245 250 255

Ile Gly Glu Val Glu Ser Phe Ala His Gln Val Trp Thr Ser Ile Asn 260 265 270

Leu Thr Asn Leu Gln Asn Tyr Ile Glu Pro Thr Arg Asn Arg Ala Glu · 275 280 285

Val Ile Leu His Lys Ser Lys Asn His Glu Ile Asp Glu Ile Tyr Leu 290 295 300

Lys Lys 305

45

35

<210> 211

<211> 246 <212> PRT

<213> Streptococcus pneumoniae

50 <400> 211

Met Glu Ile Ser Leu Leu Thr Asp Val Gly Gln Lys Arg Thr Asn Asn

1 5 10 15

55 Gln Asp Tyr Val Asn His Tyr Val Asn Arg Ala Gly Arg Thr Met Ile
20 25 30

	Ile	e Lev	a Ala 35		Gly	Met	: Gl	7 Gly 40		s Ar	j Ala	a Gly	y Ası 4!		e Al	a Ser
5	Glı	ı.Met 50	Ala	Val	. Thr	Asp	Lev 55	i Gly	Val	Ala	a Trp	Va]		7hr	Gl	n Ile
	Asp 65		Val	Asn	GLu	Val 70		g Glu	Trp	Phe	Ala 75		ту1	Leu	,Gl	u Ile 80
10	Glu	Asn	Gln	Lys	Ile 85		Gln	Leu	Gly	90		Glu	ı Ala	Tyr	Are 9:	g Gly 5
15	Met	Gly	Thr	Thr 100	Leu	Glu	Val	Leu	Ala 105		Ile	Asp	Asn	Gln 110		a Ile
	Tyr	Ala	His 115	Ile	Gly	Asp	Ser	Arg 120	Ile	Gly	Leu	Ile	Arg 125		Gli	ı Glu
20	Tyr	His 130	Gln	Leu	Thr	Ser	Asp 135		Ser	Leu	Val	Asn 140		Leu	Leu	Lys
	Ala 145	Gly	Gln	Leu	Thr	Pro 150	.Glu	Glu	Ala	Glu	Ala 155	His	Pro	Gln	Lys	Asn 160
25	Ile	Ile	Thr	Gln	Ser 165	Ile	Gly	Gln	Lys	Asp 170	Glu	Ile	Gln	Pro	Asp 175	Phe
30	Gly	Thr	Val	Ile 180	Leu	Glu	Ser	Gly	Asp 185	Tyr	Leu	Leu	Leu	Asn 190	Ser	Asp
	Gly	Leu	Thr 195	Asn	Met	Ile	Ser.	Gly 200	Ser	Glu	Ile	Arg	Asp 205	Ile	Val	Thr
35	Ser	Asp 210	Ile	Pro	Leu		Asp 215	Lys	Thr	Glu	Thr	Leu 220	Val	Arg	Phe	Ala
	Asn 225	Asn	Ala	Gly		Leu 230	Asp	Asn	Ile	Thr	Val 235	Ala	Leu	Val	Ser	Met 240
40	Asn	Glu	Glu .	_	Glu 245	Glu										
45	<211 <212	> 21 > 27 > PR	6 T			•										
				ococ	cus 1	pneu	moni	ae	• • •						-	
50	<400 Met 1			Gln i	Met 1	Lys 1	Asn '	Thr (Gly :	Lys 10	Arg	Ile	Asp	Leu	Ile 15	Ala
55	Asn A	Arg 1	Ľуs I	Pro (20	Gln S	Ser (Sln i	Arg T	Val 1 25	Leu '	Tyr (Glu :	Leu .	Arg /	Asp	Arg

Leu Lys Arg Asn Gln Phe Ile Leu Asn Asp Thr Asn Pro Asp Ile Val

	Ile	Ser 50	Ile	e Gly	y Gl	/ Asp	G1: 5!		Let	ı Leı	ı Se	r Ala		e Hi	s Ly	s Tyr
5	Glu 65	Asr	Glr	ı Let	ı Asp	Lys 70		l Arq	g Phe	e Ile	Gl:		ı Hi:	s Th	r Gl	y His 80
10	Leu	Gly	Phe	е Туг	Thr 85		Ту	r Arq	g Asp	Phe 90		ı Let	ı Ası) Ly	s Le	u Val
	Thr	Asn	Leu	Glr 100		Asp	Thi	c Gly	/ Ala 105		y Val	L Sei	ту1	2 Pro		l Leu
15	Asn	Val	Lys 115		. Phe	Leu	Glu	1 Asn 120		/ Glu	ı Val	Llys	125		e Aro	g Ala
	Leu	Asn 130		Ala	Ser	Ile	Arg		Ser	: Asp	Arg	140		: Val	Ala	a Asp
20	Ile 145	Val	Ile	Asn	Gly	Val 150		Phe	Glu	Arg	Phe 155		Gly	Asp	Gly	Leu 160
25·	Thr	Val	Ser	Thr	Pro 165	Thr	Gly	Ser	Thr	Ala 170		Asn	Lys	Ser	Leu 175	Gly
	Gly	Ala	Val	Leu 180		Pro	Thr	Ile	Glu 185		Leu	Gln	Leu	Thr 190	-	lle
30	Ala	Ser	Leu 195	Asn	Asn	Arg	Val	Tyr 200		Thr	Leu	Gly	Ser 205		Ile	Ile
	Val	Pro 210	Lys	Lys	Asp	Lys	Ile 215		Leu	Ile	Pro	Thr 220	Arg	Asn	Asp	Tyr
35	His 225	Thr	Ile	Ser	Val	Asp 230	Asn	Ser	Val	Tyr	Ser 235	Phe	Arg	Asn	Ile	Glu 240
40	Arg	Ile	Glu	Tyr	Gln 245	Ile	Asp	His	His	Lys 250	Ile	His	Phe	Val	Ala 255	Thr
•	Pro	Ser	His	Thr 260	Ser	Phe	Trp	Asn	Arg 265	Val	Lys	Asp	Ala	Phe 270		Gly
45	Glu	Val	Asp 275	Glu				•								
50	<210 <211 <212 <213	> 54 > PR	0 T	ococ	cus	pneu	moni	lae								
55	<400 Met 3			Glu	Ile 5	Lys	Phe	Ser	Ser	Asp 10	Ala	Arg	Ser	Ala	Met 15	Val
	Ara (Glv '	Val	Asp	Ile	Leu -	Ala	Asp	ሞh r	Val	Ĺvs	Val	ፓh r	Len	Glv	Pro

				2	0				2	5				3	0	
5	Ly	s Gl	y Ar 3	g As 5	n Vai	l Va.	l Le	u Gla 40		s Se:	r Phe	e Gl	y Se:		o Le	u Il
	Thi	r As	n As	p Gl	y Val	LThi	r Ile 5!		Ly:	s Gl	ı Ile	G1: 60		ı Glı	ı Ası	p Hi
10	Phe 65	e Gl	u As:	n Me	t Gl	7 Ala 70		s Leu	ı Val	l Sei	r Glu 75		L Ala	a Sei	r Lys	s Th 8
	Asr	n As	b Ij	e Ala	a Gly 85		Gl3	7 Thr	Thi	Th:		Thi	Va]	. Let	1 Thi 95	
15	Ala	ı Il	e Val	100	g Glu O	Gly	' Ile	. Lys	105		Thr	Ala	Gly	Ala 110		n Pr
20	Ile	Gl	y Ile 115	Arq	g Arg	Gly	Ile	Glu 120		: Ala	Val	Ala	Ala 125		. Val	. Gl
	Ala	130	ı Lys	Asr	n Asn	Ala	11e		Val	Ala	Asn	Lys 140		Ala	Ile	Ala
25	Gln 145	. Val	l Ala	Ala	Val	Ser 150		Arg	Ser	Glu	Lys 155	Val	Gly	Glu	Tyr	11e
30	Ser	Glu	ı Ala	Met	Glu 165	Lys	Val	Gly	Lys	Asp 170	Gly	Val	Ile	Thr	Ile 175	
	Glu	Ser	Arg	Gly 180	Met	Glu	Thr	Glu	Leu 185	Glu	Val	Val	Glu ·	Gly 190	Met	Glr
35	Phe	Asp	Arg 195	Gly	Tyr	Leu	Seŗ	Gln 200	Tyr	Met	Val	Thr	Asp 205	Ser	Glu	Lys
	Met	Val 210	· Ala	Asp	Leu	Glu	Asn 215	Pro	Туг	Ile	Leu	Ile 220		Asp	Lys	Lys
40	Ile 225	Ser	Asn	Ile	Gln	Glu 230	Ile	Leu	Pro	Leu	Leu 235	Glu	Ser	Ile	Leu	Gln 240
45	Ser	Asn	Arg	Pro	Leu 245	Leu	Ile	Ile	Ala	Asp 250	Asp	Val	Asp	Gly	Glu 255	Ala
	Leu	Pro	Thr	Leu 260	Val	Leu	Asn	Lys	11e 265	Arg	Gly	Thr.		Asn 270	Val	Val
50	Ala	Val	Lys 275	Ala	Pro	Gly	Phe	Gly 280	Asp	Arg	Arg	Lys	Ala 285	Met	Leu	Glu
	Asp	Ile 290	Ala	Ile	Leu	Thr	Gly 295	Gly	Thr	Val		Thr 300	Glu	Asp	Leu	Gly
55	Leu 305	Glu	Leu	Lys	Asp .	Ala 310	Thr	Ile	Glu .		Leu (315	Gly	Gln .	Āla	Ala	Arg 320

Val Thr Val Asp Lys Asp Ser Thr Val Ile Val Glu Gly Ala Gly Asn

					32	5				33	0				33	35
5	Pr	o G1	lu Al	a Il 34	e Se: 0	r Hi	s Ar	g Va	1 Al 34		1 11	e Ly	s Se	r Gl 35		e Gl
	Th.	r. Th	r Th	r Se 5	r Gl	u Phe	e Ası	9 Ar	g Gl	и Ьу	s Le	u Gl:	n Gl 36	u Ar 5	g Le	u Al
10	Ly	37	u Se 0	r Gl	y Gly	y Val	1 Ala 375	a Vai	l Il	е Гу	s Va	1 G1; 38		a Al	a Th	r Gl
	Th:	G1	u Le	u Ly	s Glı	390		s Let	ı Arç	g Ile	e Gl:		o Ala	a Le	u As	n Al
15	Thi	: Ar	g Al	a Al	a Val 405		ı Glu	ı Gly	/ Ile	• Val		a Gly	y Gl	y Gl	y Th 41	
20	Leu	Al	a Ası	n Va.	l Ile	Pro	Ala	u Val	Ala 425	Thi	r Let	ı Glu	ı Leı	1 Thi 430		y Ası
	Glu	Ala	a Th:	r Gly	y Arg	Asn	lle	Val		Arç	g Ala	Let	1 Glu 445		ı Pr	o Val
25	Arg	Gl: 450	n Ile O	e Ala	His	Asn	Ala 455		Phe	Glu	Gly	Ser 460		e Val	. Ile	e Asp
	Arg 465	Let	ı Lys	. Asr	Ala	Glu 470	Leu	Gly	Ile	Gly	Phe 475		Ala	Ala	Thi	c Gly 480
30	Glu	Trp	o Val	. Asn	Met 485	Ile	Asp	Gln	Gly	Ile 490		Asp	Pro	Val	Lys 495	
35	Ser	Arg	Ser	Ala 500	Leu	Gln	Àsn	'Ala	Ala 505	Ser	Val	Ala	Ser	Leu 510		Leu
	Thr	Thr	Glu 515	Ala	Val	Val	Ala	Asn 520	Lys	Pro	Glu	Pro	Val 525		Pro	Ala
40	Pro	Ala 530		Asp	Pro	Ser	Met 535	Met	Gly	Gly	Met	Met 540				
45	<210 <211 <212	> 4 > P	81 RT	·	ccus	220	·									
	<400			COCO	cus	pheo	miorit	.ae		4						
50				Ile	Glu 5	Thr	Val	Leu	Asp	Ile 10	Leu	Lys		Asp	Gly 15	Leu
	Phe	Arg	Glu	Ile 20	Ile	Asp	Gln	Gly.	His 25	Tyr	His	Tyr	Asn	Tyr 30	Ser	Lys
55	Val	Ile -	Phe 35	Asp	Ser	Ile	Ser	Tyr . 40	Asp	Ser	Arg	Lys	Val 45	Thr	Glu	Asp

Thr Leu Phe Phe Ala Lys Gly Ala Ala Phe Lys Lys Glu Tyr Leu Leu Ser Ala Ile Thr Gln Gly Leu Ala Trp Tyr Val Ala Glu Lys Asp Tyr 5 Glu Val Gly Ile Pro Val Ile Ile Val Asn Asp Ile Lys Lys Ala Met 10 Ser Leu Ile Ala Met Glu Phe Tyr Gly Asn Pro Gln Glu Lys Leu Lys 105 Leu Leu Ala Phe Thr Gly Thr Lys Gly Lys Thr Thr Ala Ala Tyr Phe 115 120 15 Ala Tyr Asn Ile Leu Ser Gln Gly His Arg Pro Ala Met Leu Ser Thr Met Asn Thr Thr Leu Asp Gly Glu Thr Phe Phe Lys Ser Ala Leu Thr 20 150 155 Thr Pro Glu Ser Ile Asp Leu Phe Asp Met Met Asn Gln Ala Val Gln 165 Asn Asp Arg Thr His Leu Ile Met Glu Val Ser Ser Gln Ala Tyr Leu 185 Val Lys Arg Val Tyr Gly Leu Thr Phe Asp Val Gly Val Phe Leu Asn 30 Ile Ser Pro Asp His Ile Gly Pro Ile Glu His Pro Ser Phe Glu Asp Tyr Phe Tyr His Lys Arg Leu Leu Met Glu Lys Ser Arg Ala Val Ile 35 235 Ile Asn Ser Asp Met Asp His Phe Ser Val Leu Lys Glu Gln Val Glu 250 40 Asp Gln Asp His Asp Phe Tyr Gly Ser Gln Phe Asp Asn Gln Ile Glu 265 Asn Ser Lys Ala Phe Ser Phe Ser Ala Thr Gly Lys Leu Ala Gly Asp 45 Tyr Asp Ile Gln Leu Ile Gly Asn Phe Asn Gln Glu Asn Ala Val Ala 295 Ala Gly Leu Ala Cys Leu Arg Leu Gly Ala Ser Leu Glu Asp Ile Lys 50 310 315 Lys Gly Ile Ala Ala Thr Arg Val Pro Gly Arg Met Glu Val Leu Thr 330 Gln Lys Asn Gly Ala Lys Val Phe Ile Asp Tyr Ala His Asn Gly Asp 340

Ser Leu Lys Lys Leu Ile Asn Val Val Glu Thr His Gln Thr Gly Lys 360 -Ile Ala Leu Val Leu Gly Ser Thr Gly Asn Lys Gly Glu Ser Arg Arg 5 375 Lys Asp Phe Gly Leu Leu Leu Asn Gln His Pro Glu Ile Gln Val Phe 395 10 Leu Thr Ala Asp Asp Pro Asn Tyr Glu Asp Pro Met Ala Ile Ala Asp Glu Ile Ser Ser Tyr Ile Asn His Pro Val Glu Lys Ile Ala Asp Arg 15 Gln Glu Ala Ile Lys Ala Ala Met Ala Ile Thr Asn His Glu Leu Asp Ala Val Ile Ile Ala Gly Lys Gly Ala Asp Cys Tyr Gln Ile Ile Gln 20 450 Gly Lys Lys Glu Ser Tyr Pro Gly Asp Thr Ala Val Ala Glu Asn Tyr 25 Leu <210> 215 30 <211> 659 <212> PRT <213> Streptococcus pneumoniae <400> 215 35 Met Ile Gln Ile Gly Lys Ile Phe Ala Gly Arg Tyr Arg Ile Val Lys Gln Ile Gly Arg Gly Gly Met Ala Asp Val Tyr Leu Ala Lys Asp Leu 40 Ile Leu Asp Gly Glu Glu Val Ala Val Lys Val Leu Arg Thr Asn Tyr Gln Thr Asp Pro Ile Ala Val Ala Arg Phe Gln Arg Glu Ala Arg Ala 45 Met Ala Asp Leu Asp His Pro His Ile Val Arg Ile Thr Asp Ile Gly 50 Glu Glu Asp Gly Gln Gln Tyr Leu Ala Met Glu Tyr Val Ala Gly Leu Asp Leu Lys Arg Tyr Ile Lys Glu His Tyr Pro Leu Ser Asn Glu Glu 55 Ala Val Arg Ile Met Gly Gln Ile Leu Leu Ala Met Arg Leu Ala His

120

٠	Th	r A	rģ Gi 30	ly Il	Le Va	l Hi	s Ar	g As	b re	u Ly	s Pr	o Gl 14		n Il	e Le	u Leu
. 5	Th 14	r Pi 5	co As	sp Gl	y Th	r Al 15	a Ly O	s Va	1 Th	r As	p Ph 15		y Il	e Al	a Va	l Ala 160
10	Ph	e Al	a Gl	lu Th	r Se 16	r Le	u Th	r Gl	n Th	r As:	n Se:	r Me	t Le	u Gl	у Se 17	r Val 5
	Hi	s Ty	r Le	eu Se 18	r Pr O	o Gl	u Gl	n Al	a Ar	g Gl	y, Se	r Lys	s Ala	a Th		l Gln
15	Se	r As	p Il 19	.е Ту 95	r Al	a Me	t G1	y Ile 200	e Ile	e Phe	э Туз	r Glu	1 Met		u Th:	r Gly
	His	5 Il 21	e Pr O	о Ту	r Ası	o Gly	y As _l 21		r Ala	a Val	l Thr	220		a Lei	ı Glı	n His
20	Phe 225	e Gl	n Ly	s Pr	o Lev	230	Se:	c Val	l Ile	e Ala	Glu 235		Pro	Sei	. Val	Pro 240
· 25	Glr	a Al	a Le	u Gl	Asr 245	ı Val	. Ile	e Ile	. Lys	Ala 250		Ala	Lys	Lys	Leu 255	Thr
	Asn	Ar	д Ту:	260	g Ser	. Val	. Ser	Glu	Met 265		Val	Asp	Leu	Ser 270		Ser
30	Leu	Sei	Ty:	r Asr 5	a Arg	Arg	Asn	Glu 280	Ser	Lys	Leu	Ile	Phe 285		Glu	Thr
	Ser	Lуз 290	Ala	a Asp	Thr	Lys	Thr 295		Pro	Lys	Val	Ser 300	Gln	Ser	Thr	Leu
35	Thr 305	Ser	: Ile	Pro	Lys	Val 310	Gln	Ala	Gln	Thr	Glu 315	His	Lys	Ser	Ile	Lys 320
40	Asn	Pro	Ser	Gln	Ala 325	.Val	Thr	Glu	Glu	Thr 330	Tyr	Gln	Pro	Gln	Ala 335	Pro
	Lys	Lys	His	340	Phe	Lys	Met	Arg	Tyr 345	Leu	Ile	Leu	Leu	Ala 350	Ser	Leu
45	Val	Leu	Val 355	Ala	Ala	Ser		Ile 360	Trp	Ile	Leu	Ser	Arg 365	Thr	Pro	Ala
	Thr	Ile 370	Ala	Ile	Pro	Asp	Val 375	Ala	Gly	Gln	Thr	Val 380	Ala	Glu	Ala	Lys
50	Ala 385	Thr	Leu	Lys	Lys	Ala. 390	Asn	Phe	Glu	Ile	Gly 395	Glu	Glu	Lys	Thr	Glu 400
55	Ala	Ser	Glu	Lys	Val 405	Glu	Glu .	Gly		Ile 410	Ile .	Arg	Thr	Asp	Pro 415	Gly
	Ala	Gly	Thr	Gly 420	Arg	Lys	Glu	Gly	Thr :	Lys	Ile i	Asn :		Val 430	Val	Ser

	Sei	c Gly	435	Glr	n Ser	Phe	Gln	11e		c Asn	Туг	: Val	L G15		J Ly	s Sei
5	Ser	Asp 450	Val	Ile	e Ala	Glu	Leu 455		Glv	ı Lys	Lys	Va]		Asp	Ası	n Let
10	I1e 465	e Lys	: Ile	e Glu	ı Glu	Glu 470		Ser	Asr	ı Glu	Ser 475		ı Ala	a Gly	/ Thi	r Val
	Leu	Lys	Gln	Ser	Leu 485		Glu	Gly	Thr	Thr 490		Asp	Leu	ı Ser	Lys 495	
15	Thr	Gln	Ile	Val 500		Thr	Val	Ala	Lys 505	Lys	Ala	Thr	Thr	510		ı Lev
	Gly	Asn	Tyr 515		Gly	Arg	Asn	Ser 520		Glu	Val	Ile	Ser 525		Leu	Lys
20	Gln	Lys 530		Val	Pro	Glu	Asn 535	Leu	Ile	Lys	Ile	Glu 540		Glu	Glu	Ser
· 25	Ser 545	Glu	Ser	Glu	Pro	Gly 550	Thr	Ile	Met	Lys	Gln 555	Ser	Pro	Gly	Ala	Gly 560
	Thr	Thr	Tyr	Asp	Val 565	Ser	Lys	Pro	Thr	Gln 570	Ile	Val	Leu	Thr	Val 575	
30	Lys	Lys	Val	Thr 580	Ser	Val	Ala	Met	Pro 585	Ser	Tyr	Ile		Ser 590		Leu
	Glu	Phe	Thr 595	Lys	Asn	Asn	Leu	Ile 600	Gln	Île	Val	Gly	Ile 605	Lys	Glu	Ala
35	Asn	Ile 610	Glu	Val	Val	Glu	Val 615	Thr	Thr	Ala	Pro	Ala 620	Gly	Ser	Ala	Glu
40	Gly 625	Met	Val	Val	Glu	Gln 630	Ser	Pro	Ārg	Ala	Gly 635	Glu	Lys	Val	Asp	Leu 640
10	Asn	Lys	Thr	Arg	Val 645	Lys	Ile	Ser	Ile	Tyr 650	Lys	Pro	Lys	Thr	Thr 655	Ser
45	Ala	Thr	Pro												٠	
50	<211 <212	> 21 > 39 > PR > St	1 T	ococ	cus]	pneur	nonia	ae				-				
55	<400 Met 1		-	Phe 1	Asp :	[hr]	[le V	/al :	Ile (Gly (Gly (Gly :	Pro .	Ala	Gly 15	Met
	Mot :	י בומ	Thr '	710	50× (50× 7	on I	ba r	P (21	· · · · · ·		m1	.	_	

				20					25					30		
5	Glu	Lys	Asn 35		Lys	Leu	Gly	Lys 40		Leu	Ala	Gly	Thr 45	_	Gly	Gly
J	Arg	Cys 50		Val	Thr	Asn	Asn 55	_	Ser	Leu	Asp	Asn 60	Leu	Leu	Ala	Gly
10	Ile 65		Gly	Asn	Gly	Arg 70	Phe	Leu	Tyr	Ser	Val 75	Phe	Ser	Gln	Phe	Asp 80
	Asn	His	Asp	Ile	Ile 85	Asn	Phe	Phe	Thr	Glu 90	Asn	Gly	Val	Lys	Leu 95	Lys
15	Val	Glu	Asp	His 100	Gly	Arg	Val	Phe	Pro 105	Ala	Ser	Asp	Lys	Ser 110	Arg	Thr
20	Ile	Ile	Glu 115	Ala	Leu	Glu	Lys	Lys 120	Ile	Thr	Glu	Leu	Gly 125	Gly	Gln	Val
20	Ala	Thr 130	Gln	Ile	Glu	Ile	Val 135	Ser	Val	Lys	Lys	Val 140	Asp	Asp	Gln	Phe
25	Val 145	Leu	Lys	Ser	Ala	Asp 150	Gln	Thr	Phe	Thr	Cys 155	Glu	Lys	Leu	Ile	Val 160
	Thr	Thr	Gly	Gly	Lys 165	Ser	Tyr	Pro	Ser	Thr 170	Gly	Ser	Thr	Gly	Phe 175	Gly
30	His	Glu	Ile	Ala 180	Arg	His	Phe	Lys	His 185	Thr	Ile	Thr	Asp	Leu 190	Glu	Ala
35	Ala	Glu	Ser 195	Pro	Leu	Leu	Thr	Asp 200	Phe	Pro	His	Lys	Ala 205	Leu	Gln	Gly
	Ile	Ser 210	Leu	Asp	Asp	Val	Thr 215	Leu	Ser	Tyr	Gly	Lys 220	His	Val	Ile	Thr
40	His 225	Asp	Leu	Leu	Phe	Thr 230	His	Phe	Gly	Leu	Ser 235	Gly	Pro	Ala	Ala	Leu 240
	Arg	Met	Ser	Ser	Phe 245	Val	Lys	Gly		Glu 250		Leu	Ser	Leu	Asp 255	Val
45	Leu	Pro	Gln	Leu 260	Ser	Glu	Lys	Asp	Leu 265	Val	Thr	Phe	Leu	Glu 270	Glu	Asn
50	Arg	Glu	Lys 275	Ser	Leu	Lys	Asn	Ala 280	Leu	Lys	Thr	Leu	Leu 285	.Pro	Glu	Arg
50	Leu	Ala 290	Glu	Phe	Phe	Val	Gln 295	Gly	Tyr	Pro	Glu	Lys 300	Val	Lys	Gln	Leu
55	Thr 305	Glu	Lys	Glu	Arg	Glu 310	Gln	Leu	Val	Gln	Ser 315	Ile	Lys	Glu	Leu	Lys 320

Ile Pro Val Thr Gly Lys Met Ser Leu Ala Lys Ser Phe Val Thr Lys

325 330 Gly Gly Val Ser Leu Lys Glu Ile Asn Pro Lys Thr Leu Glu Ser Lys 345 Leu Val Pro Gly Leu His Phe Ala Gly Glu Val Met Asp Ile Asn Ala His Thr Gly Gly Phe Asn Ile Thr Ser Ala Leu Cys Thr Gly Trp Val 10 Ala Gly Ser Leu His Tyr Asp 390 15 <210> 217 <211> 231 <212> PRT <213> Streptococcus pneumoniae 20 <400> 217 Met Leu Lys Trp Glu Asp Leu Pro Val Glu Met Lys Ser Ser Glu Val 25 Glu Ser Tyr Tyr Gln Leu Val Ser Lys Arg Lys Gly Ser Leu Ile Phe Lys Arg Cys Leu Asp Trp Val Leu Ala Leu Val Leu Thr Trp Val Leu 30 Thr Ser Pro Ile Phe Leu Ile Leu Ser Ile Trp Ile Lys Leu Asp Ser Lys Gly Pro Val Ile Tyr Lys Gln Glu Arg Val Thr Gln Tyr Asn Arg 35 Arg Phe Lys Ile Trp Lys Phe Arg Thr Met Val Thr Asp Ala Asp Lys 90 40 Lys Gly Ser Leu Val Thr Ser Ala Asn Asp Ser Arg Ile Thr Lys Val Gly Asn Phe Ile Arg Arg Val Arg Leu Asp Glu Leu Pro Gln Leu Val 45 Asn Val Leu Lys Gly Glu Met Ser Phe Val Gly Thr Arg Pro Glu Val 135 Pro Arg Tyr Thr Glu Gln Tyr Ser Pro Glu Met Met Ala Thr Leu Leu 50 Leu Gln Ala Gly Ile Thr Ser Pro Ala Ser Ile Asn Tyr Lys Asp Glu 170 Asp Thr Ile Ile Ser Gln Met Thr Glu Lys Gly Leu Ser Val Asp Gln

185

Ala Tyr Val Glu His Val Leu Pro Glu Lys Met Arg Tyr Asn Leu Ala Tyr Leu Arg Glu Phe Ser Phe Phe Gly Asp Ile Lys Ile Met Phe Gln 5 215 Thr Val Phe Glu Val Leu Lys 10 <210> 218 <211> 140 <212> PRT <213> Streptococcus pneumoniae 15 <400> 218 Met Thr Ser Pro Leu Leu Glu Ser Arg Arg Gln Leu Arg Lys Cys Ala 20 Phe Gln Ala Leu Met Ser Leu Glu Phe Gly Thr Asp Val Glu Thr Ala Cys Arg Phe Ala Tyr Thr His Asp Arg Glu Tyr Thr Asp Val Gln Leu 25 Pro Ala Phe Leu Ile Asp Leu Val Ser Gly Val Gln Ala Lys Lys Glu Glu Leu Asp Lys Gln Ile Thr Gln His Leu Lys Ala Gly Trp Thr Ile 30 Glu Arg Leu Thr Leu Val Glu Arg Asn Leu Leu Arg Leu Gly Val Phe . 90 35 Glu Ile Thr Ser Phe Asp Thr Pro Gln Leu Val Ala Val Asn Glu Ala 100 Ile Glu Leu Ala Lys Asp Phe Ser Asp Gln Lys Ser Ala Arg Phe Ile 120 40 Asn Gly Leu Leu Ser Gln Phe Val Thr Glu Glu Gln 130 45 <210> 219 <211> 1179 <212> PRT <213> Streptococcus pneumoniae 50 <400> 219 Met Tyr Leu Lys Glu Ile Glu Ile Gln Gly Phe Lys Ser Phe Ala Asp Lys Thr Lys Val Val Phe Asp Gln Gly Val Thr Ala Val Val Gly Pro 55 20 25

Asn Gly Ser Gly Lys Ser Asn Ile Thr Glu Ser Leu Arg Trp Ala Leu

			3	35				4	0				4	5		
5	Gl	y G1	.u Se 50	er Se	r Val	l Lys	Se:	r Lei	u Ar	g Gl	y Gl	y Lys 60		t Pro) Ası	o Val
	11 6	e Ph 5	e Al	a Gl	y Thi	Glu 70	Se	r Arq	J Lys	s Pr	o Let 75		тул	r Ala	a Sei	val 80
10	Va.	l Va	.1 Th	r Le	u Asp 85	Asn	His	Asp	Gly	9 Phe		e Lys	Asp	Ala	Gl ₃ 95	Gln
•	Glı	ı Il	e Ar	g Va.	l Glu O	Arg	His	; Ile	7yr 105		g Ser	Gly	' Asp	Ser 110		Tyr
15	Lys	s Il	e As 11	p Gly 5	y Lys	Lys	Val	Arg 120		Arg	g Asp). Ile	His 125		Leu	Phe
20	Let	13	p Th	r Gly	y Leu	Gly	Arg 135		Ser	Phe	e Ser	Ile 140	Ile	Ser	Gln	Gly
	Lys 145	Va.	l Gl	u Glu	ı Ile	Phe 150	Asn	Ser	Lys	Pro	Glu 155		Arg	Arg	Ala	Ile 160
25	Phe	Glı	u Glu	ı Ala	Ala 165	Gly	Val	Leu	Lys	Tyr 170		Thr	Arg	Arg	Lys 175	Glu
	Thr	Glı	ı Şei	Lys 180	Leu	Gln	Gln	Thr	Gln 185	Asp	Asn	Leu	Asp	Arg 190	Leu	Glu
30	Asp	Ile	195	Tyr	Glu	Leu	Asp	Asn 200	Gln	Ile	Lys	Pro	Leu 205	Glu	Lys	Gln
35	Ala	Glu 210	Asr	Ala	Arg	Lys	Phe 215	Leu	Asp	Leu	Glu	Gly 220	Gln	Arg	Lys	Ala
	Ile 225	Tyr	Leu	Asp	Val	Leu 230	Val	Ala	Gln	Ile	Lys 235	Glu	Asn	Lys	Ala	Glu 240
40	Leu	Glu	Ser	Thr	Glu 245	Glu	Glu	Léu	Ala	Gln 250	Val	Gln	Glu	Leu	Leu 255	Met
	Ser	Tyr	Tyr	Gln 260	Lys	Aṛg	Glu	Lys	Leu 265	Glu	Glu	Glu	Asn	Gln 27:0	Thr	Leu
45	Lys	Lys	Gln 275	Arg	Gln	Asp :	Leu	Gln 280	Ala	Glu	Met	Ala	Lys 285	Asp	Gĺn	Gly
50	Ser	Leu 290	Met	Asp	Ĺeu		Ser 295 _.	Leu	Ile	Ser	Asp	Leu 300	Glu	Arg	Lys	Leu
	Ala 305	Leu	Ser	Lys	Leu	Glu 8 310	Ser	Glu	Gln	Val	Ala 315	Leu .	Asn	Gln		Glu 320
55	Ala	Gln	Ala	Arg	Leu 1 325	Ala <i>P</i>	Ala :	Leu		Asp 330	Lys .	Arg I	Asn		Leu 335	Ser

Lys Glu Lys Tyr Asp Lys Glu Ser Ser Leu Ala Leu Leu Glu Gly Asn

-				34	0				34	5				35	0	
5	Le	u Va	1 G1 35	n Asi 5	n Ası	n Glr	Ly:	s Le	u As: O	n Ar	g Le	ı Glu	Ala 36		u Lei	u Leu
3	Ala	a Ph	e Se O	r Ası	p Asp	Pro	As ₁		n Me	t Il	e Glu	1 Let 380		ı Ar	g Glı	ı Arg
10	Phe 38	e Vai	l Al	a Lei	ı Let	Glr 390		ı Glı	ı Ala	a Asj	p Val		: Ası	ı Glı	n Lei	1 Thr 400
	Arg	; Ile	e Gl	ı Ası	1 Glu 405		Glı	ı Ası	s Sei	410		Leu	Sei	Glı	Lys 415	Gln
15	Ala	a Asp	o Gli	1 Let 420	ı Glu	ı Ļys	Leu	ı Lyş	Glu 425		ı Lev	Ala	Thi	Ala 430		Glu
20	. Lys	Ala	435		Gln	Lys	Asp	Glu 440		ı Glu	ı Thr	Ala	Ьуs 445		Glr	Val
	Gln	Lys 450	Let	Leu	Ala	Asp	Tyr 455		Ala	ı Ile	e Ala	Lys 460	Glu	Gln	Glu	Glu
25	Gln 465	Lys	Thr	Ser	Tyr	Gln 470	Ala	Gln	Gln	Ser	Gln 475	Leu	Phe	Asp	Arg	Leu 480
	Asp	Ser	Leu	Lys	Asn 485	Lys	Gln	Ala	Arg	Ala 490	Gln	Ser	Leu	Glu	Asn 495	
30	Leu	Arg	Asn	His 500	Ser	Àsn	Phe	Tyr	Ala 505		Val	Lys	Ser	Val 510	Leu	Gln
35	Glu	Lys	Asp 515		Leu	Gly	Gly	Ile 520	Ile	Gly	Ala	Val	Ser 525	Glu	His	Leu
	Thr	Phe 530	Asp	Val	Tyr	Tyr	Gln 535	Thr	Ala	Leu	Glu	Ile 540	Ala	Leu	Gly	Ala
40	Ser 545	Ser	Gln	His	Ile	Ile 550	Val	Glu	Asp	Glu	Glu 555	Ser	Ala	Thr	Lys	Ala 560
	Ile	Asp	Phe		Lys 565		Asn	Arg		Gly 570	Arg	Ala	Thr	Phe	Leu 575	Pro
45	Leu	Thr	Thr	Ile 580	Lys	Ala	Arg	Thr	Ile 585	Ser	Ser	Gln	Asn	Gln 590	Asp	Ala
50	Ile	Ala	Val 595	Ser	Pro	Gly	Phe	Leu 600	Gly	Met	Ala	Asp	Glu 605	Leu	Val	Thr
	Phe	Asp 610	Thr	Arg	Leu		Ala 615	Ile	Phe	Lys	Asn	Leu 620	Leu	Ala	Thr	Thr
55	Ala 625	Ile	Phe	Asp		Val 630	Glu	His	Ala	Arg	Glu 635	Ala .	Ala	Arg	Gln	Val 640

Arg Tyr Gln Val Arg Met Val. Thr Leu Asp Gly Thr Glu Leu Arg Thr

	***	<i>,</i> 0 4/ 1	,,,,,,													PCT/U
					645	5				65	0	٠.			65!	5
5	Gl	y Gl	y Se	r Ty:	r Ala	a Gly	7 G1	y Ala	a Ası 665	n Ar	g Gl	n Ası	n Ası	n Ser 670		e Phe
	Ile	e L y	s Pro 67	o Gl:	ı Let	ı Glu	ı Glı	n Lei 680	ı Glr	ı Ly	s Glı	ı Ile	e Ala 689		a Asp	o Glu
10	Ala	8 Se:	r Lei	ı Gly	y Ser	Glu	Gl: 695	ı Ala	a Ala	ı Lei	u Lys	700		ı Glr	a Asp	Gln
	Met 705	Ala	a Aļla	a Leu	1 Thr	Glu 710	Arg	g Leu	Glu	ı Ala	a Ile 715		s Sei	Glr	Gly	7 Glu 720
15	Gln	ı Ala	a Arç	ı Ile	Gln 725		Glr	ı Gly	Leu	Sez 730		Ala	туг	Gln	Gln 735	Thr
20	Ser	Glr	n Glr	Val 740	Glu	Glu	Lev	Glu	Thr 745	Let	ı Trp	Lys	Leu	Gln 750		Glu
20	Glu	Ile	755	Arg	Leu	Ser	Glu	Gly 760	Asp	Trp	Gln	Ala	Asp 765		Glu	Lys
25	Cys	Gln 770	Glu	Ser	Leu	Ala	Thr 775	Ile	Ala	Ser	Asp	Lys 780		Asn	Leu	Glu
	Ala 785	Glu	Ile	Glu	Glu	Ile 790	Lys	Ser	Asn	Lys	Asn 795	Ala	Ile	Gln	Glu	Arg 800
30	Tyr	Gln	Asn	Leu	Gln 805	Glu	Glu	Val	Ala	Gln 810		Arg	Leu	Leu	Lys 815	Thr
35	Lys	Leu	Gln	Gly 820	Gln	Lys	Arg	Tyr	Glu 825	Val	Ala	Asp	Ile	Glu 830	Arg	Leu
	Gly	Lys	Glu 835	Leu	Asp	Asn	Leu	Asn 840	Ile	Glu	Gln	Glu	Glu 845	Ile	Gln	Arg
40	Met	Leu 850	Gln	Glu	Lys	Val	Asp 855	Asn	Leu	Glu	Lys	Val 860	Asp	Thr	Glu	Leu
	Leu 865	Ser	Gln	Gln	Ala	Glu 870	Glu	Ser	Lys	Thr	Gln 875	Lys	Thr	Asn	Leu	Gln 880
45	Gln	Gly	Leu		Arg 885	Lys	Gln	Phe	Glu	Leu 890	Asp	Asp	Ile	Glu	Gly 895	Gln
50	Leu	Asp	Asp	Ile 900		Ser	His	Leu	Asp 905	ĞÎn	Ala	Arg	Gln	Gln 910	Asn	Glu

Glu Trp Ile Arg Lys Gln Thr Arg Ala Glu Ala Lys Lys Glu Lys Val

Ser Glu Arg Leu Arg His Leu Gln Asn Gln Leu Thr Asp Gln Tyr Gln

Ile Ser Tyr Thr Glu Ala Leu Glu Lys Ala His Glu Leu Glu Asn Leu

· 920

935

930 Arg

	945		950		955		960
5	Asn Leu	Ala Glu	Gln Glu Va 965	l Gln Asp	Leu Glu Lys 970	Ala Ile Ar 97	
_	Leu Gly	Pro Val 980	Asn Leu Gl	u Ala Ile A 985	Asp Gln Tyr	Glu Glu Va 990	l His
10	Asn Arg	Leu Asp 995	Phe Leu Ası	n Ser Gln <i>l</i> 1000		Ile Leu Se 1005	r Ala
	Lys Asn 1010	Leu Leu	Leu Glu Thi 1019	r Ile Thr (Glu Met Asn 1020	Asp Glu Va	l Lys
15	Glu Arg 1025	Phe Lys	Ser Thr Phe 1030	e Glu Ala 1	le Arg Glu 1035	Ser Phe Ly	s Val 1040
20	Thr Phe	Lys Gln i	Met Phe Gly 045		Sln Ala Asp 950	Leu Ile Le	
	Glu Gly	Asp Leu 1	Leu Thr Ala	a Gly Val G 1065	Slu Ile Ser	Val Gln Pro 1070	o Pro
25		Lys Ile (.075	Gln Ser Leu	Asn Leu M 1080		Gly Glu Ly: 085	3 Ala
	Leu Ser 1090	Ala Leu A	lla Leu Leu 1095		le Ile Arg 1100	Val Lys Thi	: Ile
30	Pro Phe 1105	Val Ile I	eu Asp Glu 1110	Val Glu A	la Ala Leu 1115	Asp Glu Ala	1120
35	Val Lys	Arg Phe G	ly Asp Tyr 25	Leu Asn A		Lys Asp Ser 1135	
	Phe Ile	Val Val T 1140	hr His Arg	Lys Gly Tl 1145	hr Met Ala .	Ala Ala Asp 1150	Ser
40	Ile Tyr	Gly Val T 155	hr Met Gln	Glu Ser Gl 1160		Lys Ile Val 165	Ser
	Val Lys 1 1170	Leu Lys A	sp Leu Glu 1175	Ser Ile G	lu Gly		
45	<210> 220 <211> 44		• • •				
50	<212> PR7 <213> Str		us pneumoni	Lae	•		
	<400> 220 Met Thr I		al Thr Ile 5		l Lys Asp T	yr Val Gly 15	Gln
55	Glu Val T	hr Ile GI	ly Ala Trp	Val Ala As	n Lys Ser G	Sly Lys Gly	Lys

	Ile	e Al	a Ph		u Gli	ı Leı	ı Ar	g Ası 4(y Thi	r Ala	a Phe	e Phe		n Gl	y Vai
5	Ala	a Ph		s Pro	o Ası	n Phe	e Val		ı Ly:	s Phe	e Gly	/ Glu		ı Val	Gl	y Lei
	Gl 1 65		s Pho	e Ası	o Val	11e		s Arq	j Let	u Sei	Glr. 75		ı Thi	: Ser	. Vai	l Ty:
10	Va]	l Th	r Gly	y Ile	e Val 85		Glu	ı Asp	Glu	ı Arç 90		Lys	5 Ph€	e Gly	7 Ty1 95	
15	Let	ı Ası	o Ile	Th:	Asp) Ile	e Glu	ı Val	. Ile 105		/ Glu	Ser	Glr	Asp	-	Pro
	Ϊle	Thi	115		Glu	His	Gly	Thr 120		Phe	Leu	Met	125		Arç	J His
20	Leu	130		ı Arç	Ser	Arg	Lys 135		Val	Ala	Val	Leu 140		Ile	Arg	Asn
	Ala 145	Ile	e Ile	туг	Ala	Thr 150		Glu	Phe	Phe	Asp 155		Asn	Gly	Phe	Met 160
25	Lys	Phe	Asp	Ser	Pro 165	Ile	Leu	Ser	Gly	Asn 170		Ala	Glu	Asp	Ser 175	
30	Glu	Leu	Phe	Glu 180	Thr	Asp	Tyr	Phe	Gly 185		Pro	Ala	Tyr	Leu 190	Ser	Gln
	Ser	Gly	Gln 195		Tyr	Leu	Glu	Ala 200	Gly	Ala	Met	Ala	Leu 205	Gly	Arg	Val
35	Phe	Asp 210		Gly	Pro	Val	Phe 215	Arg	Ala	Glu	Lys	Ser 220	Lys	Thr	Arg	Arg
	His 225	Leu	Thr	Glu	Phe	Trp 230	Met	Met	Asp	Ala	Glu 235	Tyr	Ser	Tyr	Leu	Thr 240
40	His	Asp	-Glu	Ser	Leu 245	Asp	Leu	Gln	Glu	Ala 250	Tyr	Val	Lys	Ala	Leu 255	Leu
45	Gln	Gly	Val	Leu 260	Asp	Arg	Ala	Pro	Gln 265		Leu	Glu	Thr	Leu 270	Glu	Arg
	Asp	Thr	Glu 275	Leu	Leu	Lys	Arg	Tyr 280	Ile	Ala	Glu	Pro	Phe 285	Lys.	Arg	Île
50	Thr	Tyr 290	Asp	Gln	Ala	Ile	Asp 295	Leu	Leu	Gln	Glu	His 300	Glu	Asn	Asp	Glu
	Asp 305	Ala	Asp	Tyr	Glu	His 310	Leu	Glu	His	Gly	Asp 315	Asp	Phe	Gly	Ser	Pro 320
55	His	Glu	Thr	Trp	Ile 325	Ser	Asn	His	Phe	Gly 330	Val	Pro	Thr		Val 335	Met

	As	n T	yr Pr	o Al 34	a Al O	a Il	e Ly	s Al	a Ph 34		r Me	t Ly	s Pr	o Va 35		o Gly
, 5	As	n Pr	o Gl 35	u Ar	g Va	l Le	и Су	s Al 36		p Le	u Le	u Al	a Pr		u Gl	y Tyr
	Gl	y G1 37	u Il '0	e Il	e Gl	y Gl	y Se 37		t Ar	g Gl	u G1:	u As _i 38		r As _l	p Al	a Leu
10	Va. 38	1 Al 5	а Љу	s Me	t As	p Gl	u Le	u Gl	y Mei	t As	p Ar		r Gli	и Ту	r Gl	u Phe 400
15	Тy	r Le	u As	p Le	u Are		з Ту:	r Gl	y Thi	va.		o His	s Gly	y Gly	y Pho 41	e Gly 5
13	Ile	e Gl	y Il	e Glu 420	a Arg	g Met	: Val	l Thi	Phe 425		a Ala	Gly	/ Thi	Lys 430		s Ile
20	Arg	g Gl	u Ala 43	a Ile 5	e Pro	Phe	Pro	Arg 440		Let	ı His	arg	11e 445	_	Pro	o ,
25	<21	10> ; 1> ; .2> ;	308													
20	<21	.3> \$	Strep	otocc	ccus	pne	umon	iae							•	
30				ı Lys	Leu 5		Glu	Ile	Lys	Asp 10		Glu	Ile	Ser	Phe 15	Gly
	Glu	Gl	y Ser	Lys 20		Phe	Val	Ala	Val 25	Lys	Asn	Ala	Asn	Phe 30	Phe	Ile
35	Asn	Lys	35	Glu	Thr	Phe	Ser	Leu 40	Val	Gly	Glu	Ser	Gly 45	Ser	Gly	Lys
40	Thr	Thr 50	Ile	Gly	Arg	Ala	Ile 55	Ile	Gly	Leu	Asn	Asp 60	Thr	Ser	Asn	Gly
	Asp 65	Ile	Ile	Phe	Asp	Gly 70	Gln	Lys	Ile	Asn	Gly 75	Lys	Lys	Ser	Arg	Glu 80
45	Gln	Ala	Ala	Glu	Leu 85	Ile	Arg	Arg	Ile	Gln 90	Met	Ile	Phe	Gln	Asp 95	Pro
	Ala	Ala	Ser	Leu 100	Asn	Glu	Arg	Ala	Thr 105	Val	Asp	Tyr	Ile	Ile 110	Ser	Glu
50	Gly	Leu	Tyr 115	Asn	His	Arg	Leu	Phe 120	Lys	Asp	Glụ	Glu	Glu 125	Arg	Lys	Glu
55	Lys	Val 130	Gln	Asn	Ile	Ile	Arg 135	Glu	Val	Gly	Leu	Leu 140	Ala	Glu	His	Leu
ė	Thr 145	Arg	Tyr	Pro	His	Glu 150	Phe -	Ser	Gly	Gly	Gln 155	Arg	Gln	Arg	Ile	Gly 160

	Ile	≥ Ala	a Ar	g Ala	a Leu 165	Val	. Met	Glr	Pro	Asp 170	Phe	· Val	Ile	Ala	Asp 175	o Glu ·
5	Pro) Ile	e Se:	r Ala 180	a Leu)	Asp	Val	Ser	Val 185	. Arg	, Ala	Gln	Val	Leu 190		ı Leu
10			19)	e Gln			200	l				205			
	His	Asp 210	Let	ı Ser	Val	Val	Arg 215	Phe	Ile	Ser	Asp	Arg 220		Ala	Val	Ile
15	225				Ile	230					235					240
•					Pro 245					250				•	255	
20				260					265					270		
25			275		Tyr			280					285			-
		290			Val	Trp	Ala 295	Asn	Gln	Thr	Glu	Leu 300	Ala	Arg	Tyr	Gln
30	Lys 305	Gly	Leu	Asn												
35	<210 <211 <212 <213	> 42 > PF	24 RT	tococ	ccus	pneu	moni	ae	•							
40	<400 Met 1			Ser	Trp	Asn	Gly	Phe	Ser	Lys 10	Lys	Ser	Tyr	Gln	Glu 15	Arg
	Leu	Glu	Leu	Leu 20	Lys .	Ala	Gln i	Ala	Leu 25	Leu	Ser	Pro (Glu /	Arg (Gln	Ala
45	Ser :	Leu	G1u 35	Lys	Asp (Glu (Gln i	Met 40	Ser	Val	Thr '		Ala 1 45	Asp. (Gln	Leu
50	Ser (31u 50	Asn	Val	Val.	Gly :	Thr I	Phe	Ser :	Léu :	Pro :	fyr 5 60	Ser 1	Leu V	/al	Pro
	Glu V 65	/al :	Leu	Val .	Asn (70	Gln G	Slu '	fyr '	Thr \	Val I 75	Pro 1	Tyr V	/al 1	hr (Glu 80
55 -	Glu F	Pro S	Ser	Val '	Val <i>F</i> 85	ala A	Ala A	la S	Ser 1	Tyr <i>F</i> 90	Ala S	er I	ys I	le I	le 1 95	Lys

Arg Ala Gly Gly Phe Thr Ala Gln Val His Gln Arg Gln Met Ile Gly

					10	0					10	5					11	.0		
5	G1	n V	al	Ala 115	Le	и Ту	r Gl	ln I	le	Ala 120	Ası	n Pr	o L	ys L	eu	Ala 12		n G	lu	Lys
3	11	e A 1	1a 30	Ser	Ly	s Ly	s Al	.a G	lu 35	Leu	Le:	ı Gl	u Le		1a 40	Ası	n Gl	n A	la	Tyr
10	Pr 14	o S 5	er	Ile	Va.	l Ly	s Ar 15	g G.	ly	Gly	Gly	/ Al	a Ar 15		sp	Leu	ı Hi	s Va	al	Glu 160
	Gl	n I	le	Lys	Gl	y Gl	u Pr 5	o A	sp	Phe	Let	ı Va 17		l T	yr	Ile	e Hi		al 75	Asp
15	Th	r G	ln	Glu	Ala 180	a Mei	t Gl	y Al	la	Asn	Met 185		u As	n T	hr	Met	Le:		lu	Ala
20	Le	ı Ly	/s	Pro 195	Va]	Let	ı Gl	u Gl	.u	Leu 200	Ser	Glı	n Gl	y G	ln	Ser 205		ı M∈	t	Gly
	Ile	e Le 21	eu :	Ser	Asn	туз	Al	a Th 21	r .	Asp	Ser	Lei	ı Va		nr 20	Ala	Sei	с Су	's	Arg
25	Ile 225	a Al	a I	?he	Arg	Туг	Let 230	ı Se O	ri	Arg	Gln	Lys	23:		.n	Gly	Arg	g G,1		Ile 240
	Ala	G1	u I	ys	Ile	Ala 245	Let	ı Al	a s	Ser	Gln	Phe 250		ā Gl	n.	Ala	Asp	Pr 25		Tyr
. 30	Arg	Al	a A	la	Thr 260	His	Asr	Ly	s (Зlу	Ile 265	Phe	Ası	n Gl	У	Ile	Asp 270		a :	Ile
35	Leu	Il	е A 2	1a 75	Thr	Gly	Asn	As _]		rp 280	Arg	Ala	Ile	e G1		Ala 285	Gly	Ala	a I	lis
	Ala	Ph 29	e A O	la	Ser	Arg	Asp	Gl ₃ 29	γ <i>Α</i>	arg	Tyr	Gln	Gly	Le 30		Ser	Суз	Trp) I	l'hr
40	Leu 305	Ası	b P	eu	Glu	Arg	Glu 310	Glu	ı L	eu	Val	Gly	Glu 315		t 1	Thr	Leu	Pro		fet 320
	Pro	Va.	L A	1a	Thr	Lys .325	СſÀ	Gly	, S	er	Ile	Gly 330	Leu	Ası	n F	ro	Arg	Val		la
45	Leu	Sei	: Н.	is i	Asp 340	Leu	Leu	Gly	, A		Pro 345	Ser	Ala	Arg	g G		Leu 350	Ala	G	ln.
50	Ile	Ile	9 Va 35	al 8	Ser	Ile	Gly	Leu		la (Sln'	Asn	Phe	Ala	-	la 65	Leu	Lys	A	la
	Leu	Val 370	Se	er 1	hr	Gly	Ile	Gln 375	G.	ln (Sly :	His	Met	Lys 380		eu (Gln	Ala	L	ys
55	Ser 385	Leu	Al	a I	eu	Leu	Ala 390	Gly	A.	la S	er (Ser 395	Glu	. V	al A	Ala	Pro		eu 00
	Val	Glu	Ar	g L	eu	Ile	Ser	Asp	ГŻ	s T	hr I	?he	Asn	Leu	G.	lu J	Chr	Ala	G.	ln

405

410

415

Arg Tyr Leu Glu Asn Leu Arg Ser 420

5

<210> 223

<211> 262

<212> PRT

10 <213> Streptococcus pneumoniae

<400> 223

Met Pro Ile Thr Ser Leu Glu Ile Lys Asp Lys Thr Phe Gly Thr Arg

1 5 10 15

15

30

45

Phe Arg Gly Phe Asp Pro Glu Glu Val Asp Glu Phe Leu Asp Ile Val 20 25 30

Val Arg Asp Tyr Glu Asp Leu Val Arg Ala Asn His Asp Lys Asn Leu 20 35 40 45

Arg Ile Lys Ser Leu Glu Glu Arg Leu Ser Tyr Phe Asp Glu Ile Lys 50 60

25 Asp Ser Leu Ser Gln Ser Val Leu Ile Ala Gln Asp Thr Ala Glu Arg 65 70 75 80

Val Lys Gln Ala Ala His Glu Arg Ser Asn Asn Ile Ile His Gln Ala 85 90 95

Glu Gln Asp Ala Gln Arg Leu Leu Glu Glu Ala Lys Tyr Lys Ala Asn 100 105 110

Glu Ile Leu Arg Gln Ala Thr Asp Asn Ala Lys Lys Val Ala Val Glu 35 115 120 125

Thr Glu Glu Leu Lys Asn Lys Ser Arg Val Phe His Gln Arg Leu Lys 130 135 140

40 Ser Thr Ile Glu Ser Gln Leu Ala Ile Val Glu Ser Ser Asp Trp Glu 145 150 155 160

Asp Ile Leu Arg Pro Thr Ala Thr Tyr Leu Gln Thr Ser Asp Glu Ala 165 170 175

Phe Lys Glu Val Val Ser Glu Val Leu Gly Glu Pro Ile Pro Ala Pro 180 185 190

50 Ile Glu Glu Glu Pro Ile Asp Met Thr Arg Gln Phe Ser Gln Ala Glu 200 205

Met Ala Glu Leu Gln Ala Arg Ile Glu Val Ala Asp Lys Glu Leu Ser 210 220

55 Glu Phe Glu Ala Gln Ile Lys Gln Glu Val Glu Ala Pro Thr Pro Val 225 230 235 240

Val Ser Pro Gln Val Glu Glu Glu Pro Leu Leu Ile Gln Leu Ala Gln 245 250 255

Cys Met Lys Asn Gln Lys 260

<210> 224

<211> 575

10 <212> PRT

5

25

40

55

<213> Streptococcus pneumoniae

<400> 224

Met Ser Asn Gly Gln Leu Ile Tyr Leu Met Val Ala Ile Ala Val Ile
15 1 5 10 15

Leu Val Leu Ala Tyr Val Val Ala Ile Phe Leu Arg Lys Arg Asn Glu 20 25 30

20 Gly Arg Leu Glu Ala Leu Glu Glu Arg Lys Glu Glu Leu Tyr Asn Leu 35 40 45

Pro Val Asn Asp Glu Val Glu Ala Val Lys Asn Met His Leu Ile Gly 50 55 60

Gln Ser Gln Val Ala Phe Arg Glu Trp Asn Gln Lys Trp Val Asp Leu 65 70 75 80

Ser Leu Asn Ser Phe Ala Asp Ile Glu Asn Asn Leu Phe Glu Ala Glu 85 90 95

Gly Tyr Asn His Ser Phe Arg Phe Leu Lys Ala Ser His Gln Ile Asp 100 105 110

35 Gln Ile Glu Ser Gln Ile Thr Leu Ile Glu Glu Asp Ile Ala Ala Ile 115 120 125

Arg Asn Ala Leu Ala Asp Leu Glu Lys Gln Glu Ser Lys Asn Ser Gly 130 135 140

Arg Val Leu His Ala Leu Asp Leu Phe Glu Glu Leu Gln His Arg Val 145 150 155 160

Ala Glu Asn Ser Glu Gln Tyr Gly Gln Ala Leu Asp Glu Ile Glu Lys
165 170 175

Gln Leu Glu Asn Ile Gln Ser Glu Phe Ser Gln Phe Val Thr Leu Asn 180 185 190

50 Ser Ser Gly Asp Pro Val Glu Ala Ala Val Ile Leu Asp Asn Thr Glu 195 200 205

Asn His Ile Leu Ala Leu Ser His Ile Val Asp Arg Val Pro Ala Leu 210 215 220

Val Thr Thr Leu.Ser Thr Glu Leu Pro Asp Gln Leu Gln Asp Leu Glu 225 230 235 240

	Al	a Gl	у Ту	r Ar	g Ly: 24	s Lei 5	u Il	e As	p Al	a As 25		r Hi	s Ph	e Va	1 G1 25	
5	As	p Il	e Gl	u Al 26	a Aro	g Phe	e Hi	s Le	u Le 26		r Gl	u Al	a Ph	e Ly 27		s Ası
10	G1:	n Gl	u As 27	n Il 5	e Arq	g Glr	n Lei	u Gl 280		u As _l	p Ası	n Ala	a Gl 28	-	r Gl	u Asr
	Gl	y Gl 29	n Al O	a Gl	n Glu	ı Glu	1 Ile 29		n Ala	a Lei	з Ту	r As ₁		e Phe	e Th	r Arg
15	Gl: 305	u Il 5	e Al	a Al	a Glr	1 Lys 310		l Val	l Gli	ı Ası	1 Let 315		ı Ala	a Thi	r Le	u Pro 320
	Thi	с Ту	r Le	u Gli	n His 325	Met	Lys	s Glu	ı Asr	330		: Let	ı Leı	ı Gly	7 Gl: 33	_
20	Ile	e Al	a Ar	g Let 340	ı Asn	Lys	Thr	Tyr	Leu 345		Pro	Glu	Thi	350		a Ser
25	His	s Val	355	g Arg	g Ile	Gln	Thr	Glu 360		ı Glu	Ser	Phe	Glu 365		Ala	lle
	Val	. Gli 370	ı Val	l Thr	Ser	Asn	Gln 375		Glu	Pro	Thr	Gln 380		Tyr	Ser	· Val
30	Leu 385	Glı	ı Glu	a Asn	Leu	Glu 390	Asp	Leu	Gln	Thr	Gln 395		Lys	Asp	Ile	.Glu 400
	Asp	Glu	Glr	ılle	Ser 405	Val	Ser	Glu	Arg	Leu 410		Gln	Ile	Glu	Lys 415	_
35	Asp	Ile	Asn	Ala 420	Arg	Gln	Lys	Ala	Asn 425	Val	Tyr	Val	Asn	Arg 430	Leu	His
40	Thr	Ile	Lys 435		Tyr	Met	Glu	Lys 440	Arg	Asn	Leu	Pro	Gly 445	Ile	Pro	Gln
	Thr	Phe 450	Leu	Lys	Leu	Phe	Phe 455	Thr	·Ala	Ser	Asn	Asn 460	Thr	Glu	Asp	Leu
45	Met 465	Val	Glu	Leu	Glu	Gln 470	Lys	Met	Ile	Asn	Ile 475		Ser	Val	Thr	Arg 480
	Val	Leu	Glu	Ile	Ala 485	Thr	Asn	Asp	Met	Glu 490	Ala	Leu	Glu	Thr	Glu 495	Thr
50	Tyr	Asn	Ile	Val 500	Gln	Tyr	Ala	Thr	Leu 505	Thr	Glu	Gln	Leu	Leu 510	Gln	Tyr
55	Ser	Asn	Arg 515	Tyr	Arg	Ser		Asp 520	Glu.	Arg	Ile		Glu 525	Ala	Phe	Asn
	Glu	Ala 530	Leu	Asp	Ile		Glu 535	Lys	Glu	Phe	Asp	Tyr 540	His	Ala	Ser	Phe

Asp Lys Ile Ser Gln Ala Leu Glu Val Ala Glu Pro Gly Val Thr Asn Arg Phe Val Thr Ser Tyr Glu Lys Thr Arg Glu Thr Ile Arg Phe 565 570 <210> 225 10 <211> 800 <212> PRT <213> Streptococcus pneumoniae <400> 225 15 Met Leu Ile Ser Tyr Lys Trp Leu Lys Glu Leu Val Asp Ile Asp Val Pro Ser Gln Glu Leu Ala Glu Lys Met Ser Thr Thr Gly Ile Glu Val 20 Glu Gly Val Glu Ser Pro Ala Ala Gly Leu Ser Lys Ile Val Val Gly Glu Val Leu Ser Cys Glu Asp Val Pro Glu Thr His Leu His Val Cys . 25 Gln Val Asn Val Gly Glu Glu Arg Gln Ile Val Cys Gly Ala Pro 30 Asn Val Arg Ala Gly Ile Lys Val Met Val Ala Leu Pro Gly Ala Arg Ile Ala Asp Asn Tyr Lys Ile Lys Lys Gly Lys Ile Arg Gly Leu Glu 35 -Ser Leu Gly Met Ile Cys Ser Leu Gly Glu Leu Gly Ile Ser Asp Ser Val Val Pro Lys Glu Phe Ala Asp Gly Ile Gln Ile Leu Pro Glu Asp 40 130 Ala Val Pro Gly Glu Glu Val Phe Ser Tyr Leu Asp Leu Asp Glu 150 155 45 Ile Ile Glu Leu Ser Ile Thr Pro Asn Arg Ala Asp Ala Leu Ser Met 170 Cys Gly Val Ala His Glu Val Ala Ala Ile Tyr Asp Lys Ala Val Asn 50 Phe Lys Glu Phe Thr Leu Thr Glu Thr Asn Glu Ala Ala Ala Asp Ala 200 Leu Ser Val Ser Ile Glu Thr Asp Lys Ala Pro Tyr Tyr Ala Ala Arg 55 210

Ile Leu Asp Asn Val Thr Ile Ala Pro Ser Pro Gln Trp Leu Gln Asn

	22	5				23	0	•			23	5				240
5	Le	u Le	eu Me	et As	n Gl 24	u Gl _i 5	y Il	e Ar	g Pr	o Il 25	e As O	n As	n Va	l Va	1 As _j 25	p Val
	Th	r As	sn Ty	r İl 26	e Le	u Lei	и Ту	r Phe	e Gl 26	y Gl 5	n Pr	o Me	t Hi	s Ala 27		e Asp
10	Le	u As	p As 27	n Ph	e Gl	u Gly	y Th	r Ası 280		e Ar	g Va.	l Ar	g Gl 28		a Aro	g.Ala
	G1	y Gļ 29	u Ly 0	s Le	u Va	l Thi	29:	u Asp 5	G1:	y Gl	u Gl	300		p Lei	ı Asp	Val
15	As: 305	n As	p Le	u Vai	l Ile	310	Val	l Ala	Asp	Ly:	315		Ala	a Leu	a Ala	Gly 320
20	Va]	l Me	t Gl	y Gly	y Glr 325	n Ala	Thi	r Glu	11e	330		ı Lys	Se:	Ser	335	Val
	Va]	. Le	u Gl	u Ala 340	a Ala	val	Phe	e Asn	Gly 345	Lys	s Ser	: Ile	Arg	J Lys 350		Ser
25	Gly	Ar	g Let 35!	u Asr	Leu	Arg	Ser	Glu 360		Ser	Ser	Arg	Phe 365		Lys	Gly
	Ile	370	n Val	l Ala	Thr	Val	Asn 375		Ala	Leu	Asp	Ala 380		Ala	Ser	Leu
30	Ile 385	Ala	a Glu	ı Leu	Ala	Gly 390	Ala	Thr	Val		Lys 395		Ile	Val	Ser	Ala 400
35	Gly	Glı	ı Lev	a Asp	Thr 405	Ser	Asp	Val	Glu	Val 410		Ser	Thr	Leu	Ala 415	Asp
	Val	Asr	Arg	Val 420	Leu	Gly	Thr	Glu	Leu 425	Ser	Tyr	Ala	Asp	Val 430	Glu	Asp
40	Val	Phe	435	Arg	Leu	Gly	Phe	Gly 440	Leu	Ser	Gly	Asn	Ala 445	Asp	Ser	Phe
	Thr	Val 450	Arg	Val	Pro	Arg	Arg 455	Arg	Trp	Asp	Ile	Thr 460	Ile	Glu	Ala	Asp
45	Leu 465	Phe	Glu	Glu	Ile	Ala 470	Arg	Ile	Tyr	Gly	Tyr 475	Asp	Arg	Leu	Pro	Thr 480
50	Ser	Leu	Pro	Lys	Asp 485	Asp	Gly	Thr	Ala	Gly 490	Glu	Leu	Thr	Ala	Thr 495	Gln
	Lys	Leu	Arg	Arg 500	Gln	Val	Arg		Ile 505	Ala	Glu	Gly	Ala	Gly 510	Leu	Thr
55	Glu	Ile	Ile 515	Thr	Tyr	Thr	Leu	Thr 520	Thr	Pro	Glu		Ala 525	Val	Glu	Phe
	Thr	A12	Gir	Pro	Sar	Acn .	7.011	The f	C3	T		m	D		mı -	

		53	0				53	5 .				54	0			
5	As ₁	p Ar 5	g Se.	r Val	l Lei	Arg 550	g Gl:	n Asr	n Met	t Ile	Ser 555		y Ile	≥ Let	ı Asp	Th 56
	Va.	l Al	а Ту:	r Asr	val 565	Ala	Ar	g Lys	s Ası	n Lys 570		ı Leı	ı Ala	a Ļet	туі 575	
10	Ile	e Gl	y Lys	5 Val	. Phe	Glu	Gl:	n Thr	Gl ₃ 585		Pro	ь Гуз	s Glu	1 Glu 590		Pro
	Asr	ı Glı	11e 595	e Asn	Ser	Phe	Ala	a Phe 600		a Lev	Thr	G17	/ Let 605		Ala	Ģlı
15	Lys	Asp 610	Phe	e Gln	Thr	Ala	Ala 615		Pro	Val	Asp	Phe 620		Tyr	Ala	Lys
20	Gly 625	Ile	e Lev	ı Glu	Ala	Leu 630	Phe	Thr	Arg	Leu	Gly 635		Gln	Val	Thr	Туг 640
	Thr	Ala	Thr	Ser	Glu 645	Ile	Ala	Ser	Leu	His 650		Gly	Arg	Thr	Ala 655	Val
25	Ile	Ser	Leu	Gly 660	Asp	Gln	Val	Leu	Gly 665		Leu	Gly	Gln	Val 670	His	Pro
	Val	Thr	Ala 675	Lys	Ala	Tyr	Asp	Ile 680	Pro	Glu	Thr	Tyr	Val 685	Ala	Glu	Leu
30	Asn	Leu 690	Ser	Ala	Ile	Glu	Ala 695	Ala	Leú	Gln	Pro	Ala 700	Thr	Pro	Phe	Val
35	Glu 705	Ile	Thr	ГЛЗ	Phe	Pro 710	Ala	Val	Ser	Arg	Asp 715	Val	Ala	Leu	Leu	Leu 720
	Lys	Ala	Glu	Val	Thr 725	His	Gln	Glu	Val	Val 730	Asp	Àla	Ile	Gln	Ala 735	Ala
40	Gly	Val	Lys	Arg 740	Leu	Thr	Asp	Ile	Lys 745	Leu	Phe	Asp	Val	Phe 750	Ser	Gly
	Glu	Lys	Leu 755	Gly	Leu	Gly	Met	Lys 760	Ser	Met	Ala	Tyr	Ser 765	Leu	Thr	Phe
45	Gln	Asn 770	Pro	Glu	Asp		Leu 775	Thr	Asp	Glu		Val 780	Ala	Arg	Tyr	Met
50	Glu 785	Lys	Ile	Gln .		Ser 790	Leu	Glu	Glu		Val 795	Asn	Ala	Glu		Arg 800

55 <210> 226 <211> 180 <212> PRT

<213> Streptococcus pneumoniae

	_	_		
<4	O	0>	22	6

Met Leu Glu Asn Asp Ile Lys Lys Val Leu Val Ser His Asp Glu Ile
5 1 5 10 15

Thr Glu Ala Ala Lys Lys Leu Gly Ala Gln Leu Thr Lys Asp Tyr Ala 20 25 30

- 10 Gly Lys Asn Pro Ile Leu Val Gly Ile Leu Lys Gly Ser Ile Pro Phe 35 40 45
 - Met Ala Glu Leu Val Lys His Ile Asp Thr His Ile Glu Met Asp Phe 50 55 60
 - Met Met Val Ser Ser Tyr His Gly Gly Thr Ala Ser Ser Gly Val Ile 65 70 75 80
- Asn Ile Lys Gln Asp Val Thr Gln Asp Ile Lys Gly Arg His Val Leu 85 90 95
 - Phe Val Glu Asp Ile Ile Asp Thr Gly Gln Thr Leu Lys Asn Leu Arg
- 25 Asp Met Phe Lys Ala Arg Glu Ala Ala Ser Val Lys Ile Ala Thr Leu 115 120 125
- Leu Asp Lys Pro Glu Gly Arg Val Val Glu Ile Glu Ala Asp Tyr Thr 130 135 140
 - Cys Phe Thr Ile Pro Asn Glu Phe Val Val Gly Tyr Gly Leu Asp Tyr 145 150 155 160
- Lys Glu Asn Tyr Arg Asn Leu Pro Tyr Ile Gly Val Leu Lys Glu Glu 165 170 175

Val Tyr Ser Asn 180

40 .